


|               |         |            |         |        |   |
|---------------|---------|------------|---------|--------|---|
| REQ. PER UNIT | USED ON |            |         | MS-796 | A |
|               | MODEL   | ASS'Y. NO. | DATE    |        |   |
| 1             | A-1125  | A-1125     | 1-18-56 |        |   |



BLANK SIZE  
 $1\frac{1}{2}$  x  $1\frac{1}{2}$

| ISSUE                | ITEM | CHANGED FROM                         | DATE  | CH. NO. | DRAFTS | CHECKER | ENG. APP. | REQ. ITEM          | PART NO.          | DESCRIPTION   | SYMBOL  |                |
|----------------------|------|--------------------------------------|---|---------|--------|---------|-----------|--------------------|-------------------|---|---------|----------------|
|                      |      |                                      |   |         |        |         |           |                    |                   | <b>THE TECHNICAL MATERIEL CORP.</b><br>MAMARONECK, NEW YORK<br>PLATE, REINFORCEMENT<br>A-1125 |         |                |
|                      |      |                                      |   |         |        |         |           |                    | .064              |   |         |                |
|                      |      |                                      |   |         |        |         |           |                    | STOCK SIZE        |   |         |                |
|                      |      |                                      |   |         |        |         |           |                    | ALUMINUM          |   |         |                |
| A                    | 1    | S404-IRIDITE WAS<br>S101-CAUSTIC DIP | 12-7<br>59  | 1001    | P      |         | EMN       |                    |                   |   |         |                |
| TOLERANCES           |      |                                      |   |         |        |         |           | SCALE:             |                   |   |         |                |
| DEC. DIM. $\pm$      |      |                                      | MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. |         |        |         |           |                    |                   |   |         |                |
| FRAC. DIM. $\pm$ Y6+ |      |                                      | REMOVE ALL BURRS AND SHARP EDGES  |         |        |         |           |                    |                   |   |         |                |
| ANGULAR DIM. $\pm$   |      |                                      |   |         |        |         |           |                    |                   |   |         |                |
|                      |      |                                      |   |         |        |         |           | 525-H32            | —H—               | PB 1-18-56  | JALda   | Wc             |
|                      |      |                                      |   |         |        |         |           | TYPE & TEMPER      | HEAT TREAT. SPEC. | DRAWN   | CHECKED | FINAL APPROVAL |
|                      |      |                                      |   |         |        |         |           | S404-IRIDITE DIP   |                   |   | Wc      | MS-796         |
|                      |      |                                      |   |         |        |         |           | FINISH & SPEC. NO. | ELEC. DES. APP.   | MECH. DES. APP.   |         | A              |