


THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT	USED ON		DATE	NP-500	A
	MODEL	ASSY. NO.			
	CHL-1		7-13-62		



FINISH:
 REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595
 COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64" HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY T M C OR WHERE PURCHASING REQUIREMENT IS SUFFICIENTLY LARGE, ORDER NUMBER SHALL BE ETCHED BY VENDOR IN LIEU OF ORDER NUMBER BLOCK (SEE CHART FOR PROPER NUMBER).

TMC NO.	ORDER NO. BLOCK	ORDER NO. (ETCHED BY VENDOR)
NP-500-1	5/32 X 1-1/8 Block	No Order Number
NP-500-2	No Block	18002-PP-62

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL	
		.032	THE TECHNICAL MATERIEL CORP.				
		STOCK SIZE	MAMARONECK, NEW YORK				
		ALUMINUM	NAMEPLATE, IDENTIFICATION				
		MATERIAL	(MODEL CHL-1)				
A	MAM'K, N.Y. DELETED ON PICTORIAL	72864 11955	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
SYM	DESCRIPTION	SCALE: DO NOT SCALE	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ON FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2°				
		2S0	MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
		SEE NOTE					
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.			
						NP-500 A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.


DATE

CPP-2

7-13-62

NP-503

A



FINISH:
REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595
COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64 HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY T M C OR

WHERE PURCHASING REQUIREMENT IS SUFFICIENTLY LARGE, ORDER NUMBER SHALL BE ETCHED BY VENDOR IN LIEU OF ORDER NUMBER BLOCK (SEE CHART FOR PROPER NUMBER).

TMC NO.	ORDER NO. BLOCK	ORDER NO. (ETCHED BY VENDOR)
NP-503-1	5/32 X 1-1/8 Block	No Order Number
NP-503-2	No Block	18002-PP-62

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		.032	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		STOCK SIZE	NAMEPLATE, IDENTIFICATION	
		ALUMINUM	(MODEL CPP-2)	
		MATERIAL		
		2S0	R. Furchin	JCF
		TYPE & TEMPER	HEATTREAT. SPEC.	DRAWN
		SEE NOTE		CHECKED
		FINISH & SPEC. NO.		FINAL APPROVAL
				NP-503 A

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES ON
FRAC. ± 1/64 DEC ± .005 ANGLES ± 1/2°

SCALE: DO NOT SCALE
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.
REMOVE ALL BURRS AND SHARP EDGES

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.


DATE

TIS-3

7-13-62

NP-504

A



FINISH:
REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595
COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64" HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY T M C OR WHERE PURCHASING REQUIREMENT IS SUFFICIENTLY LARGE, ORDER NUMBER SHALL BE ETCHED BY VENDOR IN LIEU OF ORDER NUMBER BLOCK (SEE CHART FOR PROPER NUMBER).

TMC NO.	ORDER NO. BLOCK	ORDER NO. (ETCHED BY VENDOR)
NP-504-1	5/32 X 1-1/8 Block	No Order Number
NP-504-2	No Block	18002-PP-62

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL										
		.032	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK											
		STOCK SIZE	NAMEPLATE, IDENTIFICATION (MODEL TIS-3)											
A	MAM'K, N.Y. DELETED ON PICTORIAL	72864 11955	ALUMINUM											
			MATERIAL											
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	2S0		R. Juchim	JCS				
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ON FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2°							SCALE: DO NOT SCALE		DRAWN					
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES							TYPE & TEMPER		HEAT TREAT. SPEC.		CHECKED		FINAL APPROVAL	
							SEE NOTE				NP-504		A	
							FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.			

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.


DATE

CPP-5

7-13-62

NP-505

A



FINISH:
REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595
COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64" HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY T M C OR WHERE PURCHASING REQUIREMENT IS SUFFICIENTLY LARGE, ORDER NUMBER SHALL BE ETCHED BY VENDOR IN LIEU OF ORDER NUMBER BLOCK (SEE CHART FOR PROPER NUMBER).

TMC NO.	ORDER NO. BLOCK	ORDER NO. (ETCHED BY VENDOR)
NP-505-1	5/32 X 1-1/8 Block	No Order Number
NP-505-2	No Block	18002-PP-62

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL						
		.032 STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK							
A	MAM'K, N.Y. DELETED ON PICTORIAL	22864 11955	ALUMINUM MATERIAL	NAMEPLATE, IDENTIFICATION (MODEL CPP-5)						
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	2S0	R. Lurchin	JCB	BP
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ON FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2°		SCALE: DO NOT SCALE		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		TYPE & TEMPER	HEATTREAT. SPEC.	DRAWN	CHECKED	FINAL APP. VAL
						SEE NOTE				
						FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP-505 A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.


DATE

CBE-1

7-13-62

NP-506

A



FINISH:
REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595
COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64" HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY T M C OR WHERE PURCHASING REQUIREMENT IS SUFFICIENTLY LARGE, ORDER NUMBER SHALL BE ETCHED BY VENDOR IN LIEU OF ORDER NUMBER BLOCK (SEE CHART FOR PROPER NUMBER).

TMC NO.	ORDER NO. BLOCK	ORDER NO. (ETCHED BY VENDOR)
NP-506-1	5/32 X 1-1/8 Block	No Order Number
NP-506-2	No Block	18002-PP-62

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL						
		.032 STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK							
A	MAM'K N.Y. DELETED ON PICTORIAL	72869 11955 @ CAD	ALUMINUM MATERIAL	NAMEPLATE, IDENTIFICATION (MODEL CBE-1)						
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	2S0	R. Lurchin	JCB	BP
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ON FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/20		SCALE: DO NOT SCALE		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		TYPE & TEMPER	HEATTREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
						SEE NOTE				
						FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP-506 A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.


DATE

CLL-1

7-13-62

NP-507

A



FINISH:
REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595
COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64" HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY T M C OR WHERE PURCHASING REQUIREMENT IS SUFFICIENTLY LARGE, ORDER NUMBER SHALL BE ETCHED BY VENDOR IN LIEU OF ORDER NUMBER BLOCK (SEE CHART FOR PROPER NUMBER).

TMC NO.	ORDER NO. BLOCK	ORDER NO. (ETCHED BY VENDOR)
NP-507-1	5/32 X 1-1/8 Block	No Order Number
NP-507-2	No Block	18002-PP-62

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		.032	THE TECHNICAL MATERIEL CORP.	
		STOCK SIZE	MAMARONECK, NEW YORK	
		ALUMINUM	NAMEPLATE, IDENTIFICATION	
		MATERIAL	(MODEL CLL-1)	
		2S0	R. Lurchin	
		TYPE & TEMPER	CHECKED	FINAL APPROVAL
		HEAT TREAT. SPEC.		
		SEE NOTE		
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.
			NP-507	A

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES ON
FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2

SCALE: DO NOT SCALE
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.
REMOVE ALL BURRS AND SHARP EDGES

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

MODEL

APP-3


USED ON

ASS'Y. NO.

DATE

7-13-62

NP-509 B



FINISH:
 REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595
 COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64" HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY T M C

WHEN PURCHASING REQUIREMENT IS SUFFICIENTLY LARGE, ORDER NUMBER SHALL BE ETCHED BY VENDOR IN LIEU OF ORDER NUMBER BLOCK (SEE CHART FOR PROPER NUMBER).

TMC NO.	ORDER NO. BLOCK	ORDER NO. (ETCHED BY VENDOR)
NP-509-1	5/32 x 1-1/8 Block	No Order Number
NP-509-2	No Block	10002-PP-62

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A (REF: SIGNAL CORPS)

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL		
B	BLOCK SIZE ADD. VENDOR NOTE DEL. TMC P/N CHART DELETED WAS 250	10-24-64	12662	KB	@	CS	.032	STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	NAMEPLATE, IDENTIFICATION (MODEL APP-3)		
A	MAM'K, N.Y. DELETED ON PICTORIAL	7-28-64	11955	SA	@	CS	ALUMINUM	MATERIAL				
UNLESS OTHERWISE SPECIFIED:		SCALE: DO NOT SCALE					5052 - H32	TYPE & TEMPER	HEATTREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
DIMENSIONS ARE IN INCHES		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					SEE NOTE			CS	NP-509 B	
TOLERANCES ON							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.		

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

RFC-1

MODEL


ASS'Y. NO.

DATE

7-13-62

NP-511

B



FINISH:
REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595
COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64" HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY T M C OR WHERE PURCHASING REQUIREMENT IS SUFFICIENTLY LARGE, ORDER NUMBER SHALL BE ETCHED BY VENDOR IN LIEU OF ORDER NUMBER BLOCK (SEE CHART FOR PROPER NUMBER).

TMC NO.	ORDER NO. BLOCK	ORDER NO. (ETCHED BY VENDOR)
NP-511-1	5/32 X 1-1/8 Block	No Order Number
NP-511-2	No Block	18002-PP-62

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		.032	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		STOCK SIZE	NAMEPLATE, IDENTIFICATION (MODEL RFC-1)	
		ALUMINUM		
		MATERIAL		
		2S0	R. Turchin	JCB
		TYPE & TEMPER	DRAWN	CHECKED
		HEAT TREAT. SPEC.		FINAL APPROVAL
		SEE NOTE		
		FINISH & SPEC. NO.		
		ELEC. DES. APP.		
		MECH. DES. APP.	NP-511	B

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES ON
FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2°

SCALE: DO NOT SCALE
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.
REMOVE ALL BURRS AND SHARP EDGES

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.


DATE

7-26-62

NP-522

NOTE:
SEE CHART FOR TITLE AND MODEL INSERTS.

TMC PART NO.	TITLE INSERT	MODEL INSERT
NP-522-1	TONE TRANSMITTER	501
NP-522-2	TONE RECEIVER	502
NP-522-3	POWER SUPPLY	526



SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL		
								.032		THE TECHNICAL MATERIEL CORP.			
								STOCK SIZE		MAMARONECK, NEW YORK			
								ALUMINUM		NAMEPLATE, IDENTIFICATION			
								MATERIAL		MODEL (SEE CHART ABOVE).			
							250		W.A. Franco	<i>[Signature]</i>	<i>[Signature]</i>		
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ON FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2°							SCALE:						
							MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		TYPE & TEMPER BLACK MATTE BACKGROUND & CLEAR LACQUER	HEATTREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	NP-522		

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

MODEL
525A


USED ON

ASS'Y. NO.

DATE

7-26-62

NP-523



							REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
									.032	THE TECHNICAL MATERIEL CORP.			
									STOCK SIZE	MAMARONECK, NEW YORK			
									ALUMINUM	NAMEPLATE, IDENTIFICATION			
									MATERIAL	MODEL 525A			
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	250		W.A. Franco	<i>[Signature]</i>	<i>[Signature]</i>		
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ON FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2°		SCALE: DO NOT SCALE					TYPE & TEMPER BLACK MATTE BACKGROUND & CLEAR LACQUER			DRAWN	CHECKED	FINAL APPROVAL	
		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					FINISH & SPEC. NO.			ELEC. DES. APP.	MECH. DES. APP.	NP-523	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE FOR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL



ASS'Y. NO.

DATE

NP-534



TMC PART NO.	MODEL
NP-534-1	HFFD-1
NP-534-2	HFFD-2
NP-534-3	HFFD-3
NP-534-4	HFFD-4
NP-534-5	HFFD-5
NP-534-6	HFFD-6
NP-534-7	HFFD-7
NP-534-8	HFFD-8





FINISH NOTE:
BLACK MATTE BACKGROUND &
CLEAR LACQUER.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
								.032 THK STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
								ALUMINUM		NAMEPLATE, IDENTIFICATION	
								MATERIAL		MODELS HFFD-1 THRU 8	
Ø	ORIGINAL RELEASE	8/8/69						250	DRAWN	CHECKED	FINAL APPROVAL
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE				
							2 TO 1 (DO NOT SCALE)				
DECIMALS		FRACTIONS		CODE							
.X ± .05		± 1/64									
.XX ± .01		ANGLES									
.XXX ± .005		± 0° 30'									
TOLERANCES								FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP.	
								SEE FINISH NOTE		NP-534	
										Ø	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE FOR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT	USED ON			NP-538	Ø
	MODEL	ASS'Y. NO.	DATE		
	VLRD		1/9/63		



BLOCK SIZE

- NOTES:
 1. BORDER, BLOCK & LETTERING TO BE WHITE.
 2. BACKGROUND TO BE BLACK.
 3. LETTERING TO BE 3/32 HIGH GOTHIC.

REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
		.060	THE TECHNICAL MATERIEL CORP.			Ø
		STOCK SIZE	MAMARONECK. NEW YORK			
		VINYLITE	NAMEPLATE FREQUENCY			
		MATERIAL				
Ø	ORIGINAL RELEASE	8/8/69	CH. NO.	DRAFTS	CHECKER	ENG. APP.
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	2:1			
DECIMALS: .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE			
		MATTE	DRAWN			FINAL APPROVAL
		FINISH & SPEC. NO.	ELEC. DES. APP.			MECH. DES. APP.
			NP-538			Ø

STANDARD DRAWING

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE FOR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.

DATE

SEE CHART


1-26-63

NP-540

D

TMC P/N	MODEL INSERT	TITLE INSERT
NP540-1	BSP-	BRIDGING SPEAKER PANEL
NP540-2	BSP-3A	
NP540-3	BSP-3B	
NP540-4	BSP-3C	
NP540-5	BSP-3D	
NP540-6	LSP-8A	LOUDSPEAKER PANEL

OBSOLETE
USE NP540-1



TITLE & MODEL INSERT AS PER CHART

1/8 DIA.
(2 REQ.)

TMC INSIGNIA
(REF. NP-493)

SERIES BLOCK
1/2 x 1/8
MODEL No. BLOCK
1/8 x 3/16 LG.



TYPE FACE: SPARTAN MEDIUM
SIZE TO FIT SPACE AND
LAYOUT.

NOTE FINISH:
BLACK MATTE BACKGROUND
AND CLEAR LACQUER.

SYMBOL	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	STRUMER DESCRIPTION	SYMBOL
D	TITLE INSERT COLUMN ADDED NP540-6 ADDED	5-18-66	16247							
C	-2 THRU -5 OBSOLETE MODEL BLK ADDED	10/1/65	14918							
B	-3-4-5 ADDED TO CHART	5/24/65	14134							
A	TMC P/N CHART ADDED	10.21.64	12675							
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							0.032 THK. STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
							ALUMINUM MATERIAL		NAMEPLATE, IDENTIFICATION MODEL BSP-3	
							250 TYPE & TEMPER HEAT TREAT. SPEC.		DRAWN CHECKED FINAL APPROVAL	
							SEE NOTE FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP.	
									NP-540 D	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE FOR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

MODEL

USED ON

ASS'Y. NO.

DATE

1


TR-162

A-3121

2-1-63

NP-542

A



NOTE:

ALL LETTERING, SYMBOLS & BORDER TO BE BLACK.
BACKGROUND TO BE ALUMINUM CLEAR ANODIZED.
ADHESIVE BACKING, WATER SOLVENT.
APPLICATION - PAINTED SURFACE.

		REQ. ITEM	PART NO.	PRITCHARD	DESCRIPTION	SYMBOL
		.003 TO .005		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		
		STOCK SIZE		NAMEPLATE, IDENTIFICATION		
Δ	IN PICT. 600Ω WAS 500Ω	8-30-63	9883	AK.	JLB	BP
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE				
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		CODE		
TOLERANCES				FINISH & SPEC. NO.		
		SEE NOTE		DRAWN		CHECKED
				ELEC. DES. APP.		MECH. DES. APP.
				NP-542		A

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE FOR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ.
PER
UNIT

1

JB-108

USED ON

MODEL


ASS'Y. NO.

DATE

A-3140

4-1-63

NP-543



NOTE:

1. ALL LETTERING, SYMBOLS, & BORDER TO BE BLACK.
2. BACKGROUND TO BE ALUMINUM CLEAR ANODIZED.
3. ADHESIVE BACKING WATER SOLUBLE.
4. APPLICATION - PAINTED SURFACE.

REQ.	ITEM	PART NO.	MARTINENGO	DESCRIPTION	SYMBOL	
		.003 - .005		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		
		STOCK SIZE		NAME PLATE,		
		ALUMINUM FOIL		SCHEMATIC DIAGRAM		
		MATERIAL				
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE FULL				
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE			
					R. CHENault 4-1-63	4/1/63
					DRAWN	CHECKED
						FINAL APPROVAL
					SEE NOTE	NP-543
					FINISH & SPEC. NO.	ELEC. DES. APP. MECH. DES. APP.

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE FOR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.


DATE

NP-544

B

MODEL INSERT

NP544-1	107
NP544-2	109



NOTE:

ALL LETTERING TO BE BLACK
 GOTHIC. BORDERS & SYMBOLS
 TO BE BLACK
 BACKGROUND TO BE ALUMINUM
 CLEAR ANODIZED
 ADHESIVE BACKING WATER SOLVENT
 APPLICATION-PAINTED SURFACE

MODEL INSERT
 SEE CHART

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	MARTINENGO DESCRIPTION	SYMBOL	
B	$3 \frac{5}{8}$ WAS $3 \frac{7}{8}$	2/18/64	10888	AM	J.R.	<i>[Signature]</i>	.003 TO .005		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		
A	109 ADDED TO THE MOD. INSERT COLUMN	12/27/63	10686	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	ALUMINUM FOIL		NAMEPLATE, SCHEMATIC DIAGRAM		
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE					TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE				SEE NOTE		<i>[Signature]</i>	<i>[Signature]</i>	NP-544 B
	TOLERANCES						FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE FOR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

MODEL

USED ON

ASS'Y. NO.


DATE

1

TTRR-1,2,3,4


5-27-63

NP-559




1/8 DIA HOLE (2 REQD)

- UNLESS OTHERWISE SPECIFIED
1. ALL LETTERING TO BE 1/8 HIGH WHITE GOTHIC. ON BLACK BACKGROUND.
 2. BLOCKS, WHITE, MATTE ON BLACK BACKGROUND. 3 REQD
 3. BACKGROUND: BLACK MATTE



DETAIL A
SCALE NONE
1 REQ



1/16 HIGH BLACK GOTHIC

DETAIL B
SCALE NONE
2 REQ.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
								KOHN		
							.060THK.		THE TECHNICAL MATERIEL CORP.	
							STOCK SIZE		MAMARONECK.	
							LAMINATION		NEW YORK	
							VINYLITE		NAMEPLATE, FREQUENCY	
							MATERIAL			
							LAMINATE			
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
							SEE NOTES 2 & 3		Drawn	5/25/63
									R Kohn	
									6-25-63	
									ELEC. DES. APP.	MECH. DES. APP.
										NP-559

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS: .X ± .05, .XX ± .01, .XXX ± .005

FRACTIONS: ± 1/64

ANGLES: ± 0° 30'

TOLERANCES

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE FOR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

10

MODEL

VLR-1

USED ON


ASS'Y. NO.

DATE

5-29-63

NP 561

0



HOLES:

3/32 DIA - 2 REQ.

NOTE:


- 1- LETTERING TO BE 3/32 HIGH GOTHIC, .015 STROKE LOCATED ABOUT & AS SHOWN.
- 2- BORDER TO BE 1/32 WIDE
- 3- ETCHED, BORDER & LETTERING, LUSTERLESS BLACK.
- 4- MATERIAL TO BE TEXTURED FINISH FOR PENCIL.

		REQ. ITEM	PART NO.			DESCRIPTION			SYMBOL
			E.031			MAGELMAN			
			STOCK SIZE			THE TECHNICAL MATERIEL CORP.			
			250 ALUMINUM			MAMARONECK. NEW YORK			
			MATERIAL			NAMEPLATE, IDENTIFICATION			
						FREQUENCY			
0	ORIGINAL RELEASE FOR PRODUCTION	5-11-64	0	A.M.	@				
XI	NOTE #4 DELETED HOLES WERE .089 DIA	3/10/64	1						
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE							
		1:1							
DECIMALS		FRACTIONS		CODE					
.X ± .05		± 1/64		A					
.XX ± .01		ANGLES							
.XXX ± .005		± 0° 30'							
TOLERANCES						DRAWN		CHECKED	FINAL APPROVAL
						SEE NOTE 3			
						FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.
									NP 561 0

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE FOR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	TTRR-1,2,3,4		6-4-63

NP-562



NOTE:
 FINISH: BLACK MATTE BACKGROUND AND CLEAR LACQUER.
 TYPE FACE: SPARTAN MEDIUM.
 SIZE: TO FIT SPACE & LAYOUT.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
							.032		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		
							STOCK SIZE				
							ALUMINUM			NAMEPLATE IDENTIFICATION	
							MATERIAL		COMMERCIAL		
							2 SO			6.24.63	
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							SEE NOTE		RON KOHN	TFH	NP-562
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES


DECIMALS
 .X ± .05
 .XX ± .01
 .XXX ± .005

FRACTIONS
 ± 1/64
 ANGLES
 ± 0° 30'

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE FOR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	TTRT-1,2,3,4		6-4-63

NP-563




NOTE:

FINISH: BLACK MATTE BACKGROUND AND CLEAR LACQUER.
TYPE FACE: SPARTAN MEDIUM.
SIZE: TO FIT SPACE & LAYOUT.

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		.032	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
		ALUMINUM	NAMEPLATE IDENTIFICATION	
		250	COMMERCIAL	
		SEE NOTE	DRAWN: <i>[Signature]</i> CHECKED: <i>[Signature]</i> FINAL APPROVAL: <i>[Signature]</i> TF4 6.24.63	
		FINISH & SPEC. NO.	ELEC. DES. APP. <i>[Signature]</i> MECH. DES. APP. <i>[Signature]</i>	NP-563

REQ. PER. UNIT	USED ON			NP-567 \emptyset
	MODEL	ASS'Y. NO.	DATE	
1	FSA-3			




LETTERING: SPARTAN MEDIUM,
SIZE TO FIT SPACE
APPROX. AS SHOWN.

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL	
										.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK NAMEPLATE, IDENTIFICATION, COMMERCIAL (FSA-3)	\emptyset	
										STOCK SIZE			
										ALUMINUM			
										MATERIAL			
										250			
										TYPE & TEMPER HEATTREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
										Black Matte Background & Clear Lacquer			
										FINISH & SPEC. NO.	ELEC. DES. APP	MECH. DES. APP	
													NP-567 \emptyset

TMC PART NUMBER	STOCK NUMBER
NP-575	1
NP-575-2	2
NP-575-3	3
NP-575-4	4

REQ. PER UNIT	USED ON			NP-575	A
	MODEL	ASS'Y. NO.	DATE		
1	TTR-10	TTRA-()	8-2-63		




REQ.	ITEM	PART NO.	R. KOHN	DESCRIPTION	SYMBOL	
		0.032 THK		THE TECHNICAL MATERIEL CORP.		
		STOCK SIZE		MAMARONECK.		
		ALUMINUM		NAMEPLATE, IDENTIFICATION		
		MATERIAL		TRANSMITTER TUNING MODULE		
A	TUNING MOD. WAS AMPL. MOD.	7.13.64	11811	WB	@ 9XG	
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	NONE			
DECIMALS	FRACTIONS	CODE				
.X ± .05	± 1/64					
.XX ± .01	ANGLES					
.XXX ± .005	± 0° 30'					
TOLERANCES			250			
			TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
			SEE NOTES		RKohn	8/2/63
			FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	FINAL APPROVAL
						BP
						NP-575
						A

TMC PART NUMBER	WOPRE INDEX
NP-576-1	A-1
NP-576-2	B-1
NP-576-3	C-1
NP-576-4	D-1
NP-576-5	E-1
NP-576-6	F-1
NP-576-7	G-1
NP-576-8	H-1
NP-576-9	J-1
NP-576-10	K-1
NP-576-11	L-1
NP-576-12	M-1


REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	TTR-10	AX-413	8-2-63

NP-576



REQ.	ITEM	PART NO.	R. KOHN DESCRIPTION		SYMBOL		
		0.032 THK	THE TECHNICAL MATERIEL CORP.				
		STOCK SIZE	MAMARONECK, NEW YORK				
		ALUMINUM	NAMEPLATE, IDENTIFICATION				
		MATERIAL	POWER SUPPLY				
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE NONE					
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE				
		250			DRAWN	CHECKED	FINAL APPROVAL
		TYPE & TEMPER	HEAT TREAT. SPEC.		R. KOHN	J. R. 8/2/63	BP
		SEE NOTES			R. KOHN	CD	NP-576
		FINISH & SPEC. NO.			ELEC. DES. APP.	MECH. DES. APP.	

REQ. PER UNIT	USED ON			NP-577	A
	MODEL	ASS'Y. NO.	DATE		
	HFP-1		8-6-63		



NOTE:

FINISH: REVERSE ETCH, ANODIZED ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595. COLORLESS VARNISH PER MIL-V-6894.

TYPE FACE: SPARTAN MEDIUM. SIZE TO FIT SPACE AND LAYOUT. MINIMUM LETTER SIZE - 3/64 IN. HIGH.

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A. (REF. SIGNAL CORPS)

NOTE:
(v) LOWER CASE

REQ.	ITEM	PART NO.				DESCRIPTION	SYMBOL
		0.032 THK				THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	NAMEPLATE, IDENTIFICATION
		STOCK SIZE					
		ALUMINUM					
		MATERIAL					
		5052-H32					
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
		SEE NOTES					
		FINISH & SPEC. NO.				ELC. DES. APP.	MECH. DES. APP.
						NP-577	A

REQ. PER UNIT	USED ON		NP-578	A
	MODEL	ASS'Y. NO.		
	HNF-1		8-6-63	

NOTE:


FINISH: REVERSE ETCH, ANODIZED ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595. COLORLESS VARNISH PER MIL-V-6894

TYPE FACE: SPARTAN MEDIUM. SIZE TO FIT SPACE AND LAYOUT. MINIMUM LETTER SIZE - 3/64 IN. HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A. (REF. SIGNAL CORPS)

NOTE:
(v) LOWER CASE



SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
A	MAM'K, N.Y. DELETED ON PICTORIAL	7-26-64	11955						0.032 THK STOCK SIZE	
									ALUMINUM	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK
										NAMEPLATE, IDENTIFICATION
									5052-H32	
									TYPE & TEMPER	HEAT TREAT. SPEC.
									SEE NOTES	
									FINISH & SPEC. NO.	
										ELEC. DES. APP.
										MECH. DES. APP.
										NP-578
										A

USED ON	MODEL	DATE
NP-580	HFI-1	6-6-65

NOTE:


FINISH: REVERSE ETCH, ANODIZED ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595. COLORLESS VARNISH PER MIL-V-6894.

TYPE FACE: SPARTAN MEDIUM. SIZE TO FIT SPACE AND LAYOUT. MINIMUM LETTER SIZE - 3/64 IN. HIGH.

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A. (REF. SIGNAL CORPS)

NOTE: (V) LOWER CASE



REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	0.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	ALUMINUM	NAMEPLATE, IDENTIFICATION	
5052-H32		MATERIAL	
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
SEE NOTES		JAX	ESP
FINISH & SPEC. NO.		MECH. DES. APP.	
			FINAL APPROVAL
			NP-580

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES

FRACTIONS

DECIMALS

X ± .05

XI ± .01

XIX ± .005

± 1/64

ANGLES

± 0° 30'

USED ON	DATE	NP-582	A
ASPT. NO.			
MODEL			
HSS-	8-6-63		


NOTE:

FINISH: REVERSE ETCH, ANODIZED ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595. COLORLESS VARNISH PER MIL-V-6894.

TYPE FACE: SPARTAN MEDIUM. SIZE TO FIT SPACE AND LAYOUT. MINIMUM LETTER SIZE - 3/64 IN. HIGH.

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A. (REF. SIGNAL CORPS)



SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
A	MAM'K, NY DELETED ON DIGITAL	7/26/64	1/955	[Signature]	[Signature]	[Signature]	0.032 THK STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
							ALUMINUM		NAMEPLATE, IDENTIFICATION	
							6052-H32			
							TYPE & TEMPER	HEAT TREAT. SPEC		
							SEE NOTES			
							FINISH & SPEC. NO.			
										NP-582 A

SCALE NONE

TOLERANCES ± 1/64 ANGLES ± 9° 30'


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DRAWN: [Signature]

CHECKED: [Signature]

FINAL APPROVAL: [Signature]

USED ON	MODEL	DATE
ASST. NO.	HAF-1	8-6-63
NP-583		A



NOTE:

FINISH: REVERSE ETCH, ANODIZED ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595. COLORLESS VARNISH PER MIL-V-6894.

TYPE FACE: SPARTAN MEDIUM. SIZE TO FIT SPACE AND LAYOUT. MINIMUM LETTER SIZE - 3/64 IN. HIGH.

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A. (REF. SIGNAL CORPS)

NOTE: (v) LOWER CASE

SYMBOL	DESCRIPTION	PART NO.	REQ. ITEM
	THE TECHNICAL MATERIEL CORP. MAMARONECK NEW YORK	0.032 THK	
	NAMEPLATE, IDENTIFICATION	ALUMINUM	
		MATERIAL	
		5052-H32	
		TYPE & TEMPER	
		HEAT TREAT. SPEC.	
		SEE NOTES	
		FINISH & SPEC. NO.	

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
A	MAM'R, NY DELETED ON PICTORIAL	7-2-64	1955			

UNLESS OTHERWISE SPECIFIED	SCALE	CODE
DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	NONE	
TOLERANCES	FRACTIONS	
± .06	± 1/64	
± .01	ANGLES	
± .005	± 0° 30'	

USED ON	DATE
APPY. NO.	8-6-63
MODEL	
HPP-1	

NP-584 A


NOTE:

FINISH: REVERSE ETCH, ANODIZED ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595. COLORLESS VARNISH PER MIL-V-6894.

TYPE FACE: SPARTAN MEDIUM. SIZE TO FIT SPACE AND LAYOUT. MINIMUM LETTER SIZE - 3/64 IN. HIGH.

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A. (REF. SIGNAL CORPS)



SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	PART NO.	DESCRIPTION	SYMBOL
A	MARKING DELETED ON PICTORIAL	7-25-64	1955				0.032 THK STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK NEW YORK	
							ALUMINUM	NAMEPLATE, IDENTIFICATION	
							MATERIAL		
							5052-H32		
							TYPE & TEMPER HEAT TREAT. SPEC.		
							SEE NOTES		
							FINISH & SPEC. NO.		
								DRAWN	CHECKED
								FINAL APPROVAL	
									NP-584 A

NP-587

USED ON

MODEL

DATE

HFA-1

8-6-63

A


NOTE:

FINISH: REVERSE ETCH, ANODIZED ON
LUSTERLESS BLACK BACKGROUND
(TYPE 37038) PER FED. STD.
NO. 595. COLORLESS VARNISH
PER MIL-V-6894

TYPE FACE: SPARTAN MEDIUM. SIZE TO FIT
SPACE AND LAYOUT.
MINIMUM LETTER SIZE - 3/64 IN.
HIGH.

APPLICABLE ORDER AND SERIAL NUMBER WILL
BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH
MIL-STD-130 AND MIL-M-13231A.
(REF. SIGNAL CORPS)



NOTE:

(v) LOWER CASE

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS ± .005
FRACTIONS ± 1/64 ANGLES ± 0° 30'

TOLERANCES

SCALE NONE

DATE 7-28-64

CH. NO. 11955

CHECKER [Signature]

DRAFTS [Signature]

ENG. APP. [Signature]

72860

5052-H32

MATERIAL ALUMINUM

STOCK SIZE 0.032 THK

PART NO.


DESCRIPTION THE TECHNICAL MATERIEL CORP. MAMARONECK NEW YORK

SYMBOL

NP-587

USED ON	NO. 1	DATE
ARMY NO.	HPS-1	8-6-63

NP-588 A



NOTE:

FINISH: REVERSE ETCH, ANODIZED ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595. COLORLESS VARNISH PER MIL-V-6894.

TYPE FACE: SPARTAN MEDIUM. SIZE TO FIT SPACE AND LAYOUT. MINIMUM LETTER SIZE - 3/64 IN. HIGH.

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A. (REF. SIGNAL CORPS)

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	0.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK NEW YORK	
	STOCK SIZE		
	ALUMINUM	NAMEPLATE, IDENTIFICATION	
	MATERIAL		
	5052-H32		
	TYPE & TEMP. HEAT TREAT. SPEC.		
	SEE NOTES		
	FINISH & SPEC. NO.		
SYM	DESCRIPTION	DATE	CH. NO.
A	MAM'R INY. DELETED ON PICTORIAL	7/26/64	1955
	SCALE		NONE
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		
	TOLERANCES		
	DECIMALS		
	X ± .09		
	.XX ± .01		
	.XXX ± .005		
	FRACTIONS		
	± 1/64		
	ANGLES		
	± 0° 30'		
	CODE		
	DRAFTS		
	CHECKER		
	ENG. APP.		
	TYPE & TEMP. HEAT TREAT. SPEC.		
	FINISH & SPEC. NO.		
	SEE NOTES		
	TYPE & TEMP. HEAT TREAT. SPEC.		
	FINISH & SPEC. NO.		
	DRAWN		
	CHECKED		
	FINAL APPROVAL		
	MECH. DES. APP.		
	MECH. DES. APP.		
	NP-588		A

USED ON	MODEL	DATE
RAK-22	8-6-63	

NP-589 A


NOTE:

FINISH: REVERSE ETCH, ANODIZED ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595. COLORLESS VARNISH PER MIL-V-6894.

TYPE FACE: SPARTAN MEDIUM. SIZE TO FIT SPACE AND LAYOUT. MINIMUM LETTER SIZE - 3/64 IN. HIGH.

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A. (REF. SIGNAL CORPS)



NOTE: (V) LOWER CASE

SYM	DESCRIPTION	PART NO.	SYMBOL
A	NAMEPLATE, IDENTIFICATION	0.032 THK STOCK SIZE	THE TECHNICAL MATERIEL CORP. MANARONCK. NEW YORK
	ALUMINUM		
	5052-H32		
	TYPE & TEMPER HEAT TREAT. SPEC.		
	SEE NOTES		
	FINISH & SPEC. NO.		
	DATE	CH. NO.	DRAFTS CHECKER
	7/24/1955		
	SCALE		ENG. APP.
	NONE		
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		
	TOLERANCES		
	FRACTIONS ± 1/64 ANGLES ± 0° 30'		
	DECIMALS ± .01 ANGLES ± .005		
	PARAL APPROVAL		
	MECH. DES. APP.		
	NP-589 A		

