

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.


DATE

CSS-1B

7-13-62

NP-634

B



FINISH:  
 REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595  
 COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64" HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY T M C

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A (REF: SIGNAL CORPS)

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
B	"NPO" DELETED	10.21.64	12680	DB	JCB						
A	MAMK, N.Y. DELETED ON PICTORIAL	7-25-64	11955		@			.032	THE TECHNICAL MATERIEL CORP.		
O	ORIGINAL RELEASE FOR PRODUCTION	3-30-64	O	A.M.	@			STOCK SIZE	MAMARONECK, NEW YORK		
X	EXPERIMENTAL RELEASE	3-26-64	X	A.M.	@			ALUMINUM	NAMEPLATE, IDENTIFICATION		
								MATERIAL	(MODEL CSS-1B)		
	UNLESS OTHERWISE SPECIFIED:	SCALE: DO NOT SCALE					5052-H32		A.M. @ 3-25-64		
	DIMENSIONS ARE IN INCHES	MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
	TOLERANCES ON						SEE NOTE				
	FRACTIONAL ± 1/64 DEC. ± .005 ANGLES ± 1/2°						FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	NP-634 B