


REQ. PER UNIT	USED ON			NP-808	Ø
	MODEL	ASS'Y. NO.	DATE		



NOTE: COLOR
BACKGROUND BLACK
LETTERS & BORDER - ALUMINUM

TYPE FACE - GOTHIC

1/16" BORDER


PRESSURE SENSITIVE ADHESIVE BACKING

REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
		0.003 TO 0.005 THK	THE TECHNICAL MATERIEL CORP.			
		STOCK SIZE	MAMARONECK, NEW YORK			
Ø	ORIG. REL. FOR PROD.	2/3/66	JL	ALUMINUM FOIL		IDENTIFICATION PLATE
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE				
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE			
				TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN
				SEE NOTE		CDD
				FINISH & SPEC. NO.	ELEC. DES. APP.	CHECKED
						FINAL APPROVAL
						NP-808
						Ø

REQ. PER UNIT	USED ON			NP-809	Ø
	MODEL	ASS'Y. NO.	DATE		


NOTE: FINISH
 REVERSE ETCH - ANODIZE ON
 LUSTERLESS BLACK BACKGROUND
 (TYPE 37038) PER FED-STD-595

TYPE FACE - GOTHIC



REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
		0.032 THK	THE TECHNICAL MATERIEL CORP.			
		STOCK SIZE	MAMARONECK, NEW YORK			
		ALUMINUM	IDENTIFICATION PLATE			
Ø	ORIG. REL. FOR PROD.	2/3/66	JL			
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE				
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		CODE		
TOLERANCES		5052-H32		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN
		SEE NOTE		CDD	JL	DCe. [Signature]
		FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.
				NP-809		Ø

REQ. PER UNIT	USED ON			NP836 A
	MODEL	ASS'Y. NO.	DATE	
1	TER-5000/50		3-24-66	



NOTE 1 FINISH:
REVERSE ETCH, LUSTERLESS
BLACK (37038) BACKGROUND
PER FED-STD-595

NOTE 2 TYPE FACE
LETTERING TO BE GOTHIC OR
SPARTAN; W/MODIFIER (HEAVY
MEDIUM, CONDENSED, ETC.)
AS REQUIRED TO FIT SPACE.

NOTE 3 IDENTIFICATION PLATE TO BE
MANUFACTURED IN ACCORDANCE
WITH MIL-P-15024 AND AMENDS
(TYPE A)

CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R.
4 HOLES- 1/8 DIA.
BORDERS- 1/16
SERIAL BLOCK- 5/32 x 3/4
U.S. BLOCK- 7/32 SQUARE
CONTRACT NO. BLOCK- 5/32 x 1-1/2

NAVSEEC

REQ.	ITEM	PART NO.				DESCRIPTION	SYMBOL		
		.032 THK				THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK			
A	ELECTRONIC SYSTEMS COMMAND WAS BUREAU OF SHIPS (SHORE)	6-7-66	16342	N.C.	<i>JB JC</i>	PLATE, IDENTIFICATION			
Ø	ORIGINAL RELEASE FOR PRODUCTION	4/7/66	MA	Jc	<i>JB Jc</i>				
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE 1:1				5052-H32	G.D.L.	<i>JB</i>	
TOLERANCES		CODE			TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
.X ± .05	FRACTIONS ± 1/64				SEE NOTE		<i>and</i>		
.XX ± .01	ANGLES ± 0° 30'				FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP836	A
.XXX ± .005									


REQ. PER UNIT	USED ON			NP837	A
	MODEL	ASS'Y. NO.	DATE		
	SW-426	A4452	4-12-66		

NOTE:

ALL LETTERING SYMBOLS & BORDER TO BE BLACK.
 BACKGROUND TO BE ALUMINUM CLEAR ANODIZED.
 ADHESIVE BACKING, WATER SOLVENT

APPLICATION:


PAINTED SURFACE



REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
A	.003		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK				
Ø			SCHEMATIC DIAGRAM				
X ₁			ALUMINUM FOIL				
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE					
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'				
SEE NOTE		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP837		A

me 28/17/66

REQ. PER UNIT	USED ON			NP839	B
	MODEL	ASS'Y. NO.	DATE		
	CHG-2B		6.30.66		




- NOTE 1 FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
- 2 TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.)
- 3 IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)

CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R
 4 HOLES REQ.- 1/8 DIA
 BORDERS- 1/16
 SERIAL BLOCK- 3/16 x 3/4
 CONTACT BLOCK- 1/8 x 1 1/2
 U.S. BLOCK- 7/32 SQUARE

B	UPDATED	4/11/66	19373	CV	Jde	EFM	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL		
A	MFG'D FOR NAVY DEPT. WAS NAVELEXSYSCOM	3-29-67	18049	L.A.K.	JCB			.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK			
Ø	ORIGINAL RELEASE FOR PRODUCTION	12.16.66	Ø	RME	JCB			STOCK SIZE	IDENTIFICATION PLATE			
X ₁	CHG'D BUSHIPS (SHORE) TO NAVELEXSYSCOM. 2505C TO 2505C	12-12-66	X ₁	RME	JCB			ALUMINUM	TMC MODEL CHG-2B			
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.		MATERIAL				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE						5052-H32	WFW	JCB	JM	
								TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		TOLERANCES				SEE NOTE				
		CODE						FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP839	B

REQ. PER UNIT	USED ON			NP840	B
	MODEL	ASS'Y. NO.	DATE		
	CHL-1		6-29-66		




NOTE 1 FINISH:
REVERSE ETCH, LUSTERLESS BLACK
(37038) BACKGROUND PER FED-STD-595

NOTE 2 TYPE FACE
LETTERING TO BE GOTHIC OR SPARTAN;
W/MODIFIER (HEAVY, MEDIUM, CONDENSED
ETC.)
AS REQUIRED TO FIT SPACE.

NOTE 3 IDENTIFICATION PLATE TO BE
MANUFACTURED IN ACCORDANCE WITH
MIL-P-15024 AND AMENDS. (TYPE A)


CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R
4 HOLES REQ.- 1/8 DIA
BORDERS- 1/16
SERIAL BLOCK- 3/16 x 3/4
CONTACT BLOCK- 1/8 x 1 1/2

NAVSEEC



B	UPDATED NOMENCLATURE	3/29/69	19373	CV	JO	EFM	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
A	MFGR FOR NAVY DEPT. WAS NAVELEXSYS COM	3-29-67	18049	L.A.K.	JO	EFM		.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		
φ	ORIGINAL RELEASE FOR PRODUCTION	12.16.66	φ	RME				STOCK SIZE			
X1	CHG'D BUSHIPS (SHORE) TO NAVELEXSYS COM	12.12.66	X1	RME	JO	EFM		ALUMINIUM	IDENTIFICATION PLATE		
								MATERIAL	TMC MODEL CHL-1		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.		5052-H32	uwo	JO	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE			FINAL APPROVAL	
DECIMALS	FRACTIONS	CODE									
X ± .05	± 1/64										
.XX ± .01	ANGLES										
.XXX ± .005	± 0° 30'										
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	
							SEE NOTES				
							FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.		
										NP840	B

REQ. PER UNIT	USED ON		NP841	B
	MODEL	ASS'Y. NO.		
	CPP-5		6.29.66	



NOTE 1 FINISH:
REVERSE ETCH, LUSTERLESS BLACK
(37038) BACKGROUND PER FED-STD-595

NOTE 2 TYPE FACE
LETTERING TO BE GOTHIC OR SPARTAN;
W/MODIFIER (HEAVY, MEDIUM, CONDENSED
ETC.)
AS REQUIRED TO FIT SPACE.

NOTE 3 IDENTIFICATION PLATE TO BE
MANUFACTURED IN ACCORDANCE WITH
MIL-P-15024 AND AMENDS. (TYPE A)

CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R
4 HOLES REQ.- 1/8 DIA
BORDERS- 1/16
SERIAL BLOCK- 3/16 x 3/4
CONTACT BLOCK- 1/8 x 1 1/2

B	UPDATED NOMENCLATURE	3/27/69	19373	CV	Joe EFM	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
A	MFGR FOR NAVY DEPT. WAS NAVAL EXSYS COM	3-29-67	18049	L.A.K.	JCB		.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		
Ø	ORIGINAL RELEASE FOR PRODUCTION	12.16.66	Ø	RME			STOCK SIZE			
X1	CHG'D BUSNIPS (SHORE) TO NAVAL EXSYS COM	12.12.66	X1	RME	JCB		ALUMINIUM	IDENTIFICATION PLATE		
							MATERIAL	TMC MODEL CPP-5		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	5052-H32	WHO	JCB	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE			
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005							TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
							SEE NOTE			
							FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	
									COO	NP841
										B

REQ. PER UNIT	MODEL	USED ON
	CPP-2	ASS'Y. NO.
		DATE
		6.29.66

NP842

B

NOTE 1


FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595

NOTE 2

TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE.

NOTE 3

IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)



CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R
 4 HOLES REQ.- 1/8 DIA
 BORDERS- 1/16
 SERIAL BLOCK- 3/16 x 3/4
 CONTACT BLOCK- 1/8 x 1 1/2

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
B	UPDATED	3/27/69	19373	CV						
A	MEGR FOR NAVAL DEPT WAS NAVAL EXTSYSCOM ORIGINAL RELEASE FOR PRODUCTION	3-29-67	18049	L.A.K.				.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
Ø		12.14.66	Ø	RME				STOCK SIZE		
X1	CHGD BUSHIPS (SKORE) TO NAVELEXSYSCOM	12.12.66	X1	RME				ALUMINUM	IDENTIFICATION PLATE TMC MODEL CPP-2	
								MATERIAL		
								5052-H32		
								TYPE & TEMPER	DRAWN	
								HEAT TREAT. SPEC.	CHECKED	
								SEE NOTE		
								FINISH & SPEC. NO.	ELEC. DES. APP.	
									MECH. DES. APP.	
										NP842
										B

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES

FRACTIONS ± 1/64 ANGLES ± 0° 30'

DECIMALS
 X ± .05
 .XX ± .01
 .XXX ± .005

REQ. PER UNIT	MODEL	USED ON
	CCCL-1	ASS'Y. NO.
		DATE
		6.29.66

NP844

B

NOTE 1 FINISH:


REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-SID-595

NOTE 2 TYPE FACE

LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE.

NOTE 3 IDENTIFICATION PLATE TO BE

MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)



CORNER RADIUS - INSIDE AND OUTSIDE 1/8 R
 4 HOLES REQ. - 1/8 DIA
 BORDERS - 1/16
 SERIAL BLOCK - 3/16 x 3/4
 CONTACT BLOCK - 1/8 x 1 1/2


SYM	DESCRIPTION	PART NO.	ITEM	REQ.	EFM	CV	CH. NO.	DRAFTS	CHECKER	ENG. APP.	SCALE	CODE	SYMBOL
B	UPDATED												
A	MFG. FOR NAVY DEPT. WAS NAVELEXSYSCOM ORIGINAL RELEASE FOR PRODUCTION	19373			MMH	L.A.K.							
Ø						RME							
X-1	CHGD BUSKIPS (SHORE) TO NAVELEXSYSCOM					RME							
	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	.032 THK											
	IDENTIFICATION PLATE	ALUMINUM											
	TMC MODEL CLL-1	MATERIAL											
		5052-H32											
		DRAWN											
		CHECKED											
		SEE NOTE											
		FINISH & SPEC. NO.											
		ELEC. DES. APP. MECH. DES. APP.											

REQ. PER UNIT	MODEL	USED ON ASS'Y. NO.	DATE
	CMO-1		6.29.66
NP845			B

NOTE 1 FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595

NOTE 2 TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE.

NOTE 3 IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)



CORNER RADIUS- 1/8
 4 HOLES REQ.- 1/8 DIA
 BORDERS- 1/16
 SERIAL BLOCK- 3/16 x 3/4
 CONTACT BLOCK- 1/8 x 1 1/2

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	.032 THK	IDENTIFICATION PLATE	
	STOCK SIZE	TMC MODEL CMO-1	
	ALUMINUM		
	MATERIAL		
	5052-H32		
	TYPE & TEMPER	DRAWN	
	HEAT TREAT. SPEC	CHECKED	
	SEE NOTE	FINAL APPROVAL	
	FINISH & SPEC. NO.	ELEC. DES. APP.	
		MECH. DES. APP.	
			NP845
			B

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS
 .X ± .05
 .XX ± .01
 .XXX ± .005

FRACTIONS
 ± 1/64
 ANGLES
 ± 0° 30'

TOLERANCES

REQ. PER UNIT	MODEL	USED ON ASS'Y. NO.	DATE
	CBE-1		6.29.66


NP846

B

NOTE 1 FINISH: REVERSE ETCH, LUSTERLESS BLACK, (37038) BACKGROUND PER FED-STD-595

NOTE 2 TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE.

NOTE 3 IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)



CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R
 4 HOLES REQ.- 1/8 DIA
 BORDERS- 1/16
 SERIAL BLOCK- 3/16 x 3/4
 CONTACT BLOCK- 1/8 x 1 1/2

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
B	UPDATED	8/26/69	19373	CV	JDe					
A	MFG. FOR NAVY DEPT. WAS NAVELEXSYSCOM	3-29-67	18049	LAK	JDe		.032 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
Ø	ORIGINAL RELEASE FOR	12-16-66	Ø	RME	JDe		STOCK SIZE		IDENTIFICATION, PLATE	
X1	CHGD. BUSHIPS (SHORE) TO NAVELEXSYSCOM	12-12-66	X1	RME	JDe		ALUMINUM		TMC MODEL CBE-1	
							5052-H32			
							TYPE & TEMP. HEAT TREAT. SPEC.			
							SEE NOTE			
							FINISH & SPEC. NO.			
							ELEC. DES. APP. MECH. DES. APP.			

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES

FRACTIONS

DECIMALS

X ± .05

.XX ± .01


.XXX ± .005

SCALE

CODE

1/64 ANGLES ± 0° 30'

REQ. PER UNIT	USED ON			NP849	∅
	MODEL	ASS'Y. NO.	DATE		




NOTE: ALUMINUM COLORED LETTERING ON LUSTERLESS BLACK BACKGROUND SUPPLIED WITH #583 ADHESIVE BACKING

							REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
							.003 TO .005		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
							STOCK SIZE			NAMEPLATE
∅	ORIGINAL RELEASE FOR PRODUCTION	6-22-66	∅	RU			ALUMINUM FOIL			
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE					ANODIZE			
		2:1					TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
DECIMALS	TOLERANCES	FRACTIONS	CODE				SEE NOTE			
.X ± .05		± 1/64								
.XX ± .01		ANGLES								
.XXX ± .005		± 0° 30'					FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	
										NP849 ∅

MODEL INSERT (SEE L/M)

MODEL INSERT (SEE L/M)



REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	KIT-257	A5513	5-19-66
1	KIT-258	A5513	5-19-66

NP850 Ø


NOTES:

- FINISH - REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED - STD - 595
- TMC TO METAL STAMP MODEL, SERIAL # AND CONTRACT NO.
- IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL - P - 15024 AND AMENDS (TYPE "A")
- MODEL BLOCK 1/8 X 7/16
- SERIAL BLOCK 1/8 X 7/16
- CONT. NO. BLOCK 1/8 X 1-3/4
- 4 HOLES - 1/8 DIA.
- BORDER - 1/16

NP850-257

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	F. BUDETTI DESCRIPTION	SYMBOL		
Ø	ORIG. RELEASE FOR PROD.	3-18-68	Ø	R.B.			.032 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	IDENTIFICATION PLATE		
X ₁	REVISED	2-9-67					ALUMINUM					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE	5052-H32				
							1:1	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005							TOLERANCES	SEE NOTE		E.P.	T.T.	NP850 Ø
FRACTIONS ± 1/64 ANGLES ± 0° 30'							CODE A	FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	

TMC PART NO	BACKGROUND COLOR	LETTERING COLOR	TITLE INSERT	REQ. PER UNIT	USED ON			NP851	A
					MODEL	ASS'Y. NO.	DATE		
NP851-1	BLACK	RED	WARNING H.V.		STD				
NP851-2	BLACK	RED	WIRED FOR 230VAC						



COLOR (BACKGROUND) PER CHART
 COLOR LETTERING PER CHART
 PRESSURE SENSITIVE ADHESIVE BACKING UND


SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL			
A	NP851-2 ADDED	8-17-67	18453			EFM	.003 TO .005 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
Ø	ORIGINAL RELEASE FOR PRODUCTION	6-8-66	Ø				STOCK SIZE		ALUMINUM FOIL	PLATE, WARNING,			
							MATERIAL						
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE							28 6/8/66	QC	REC'D 8/8/66		
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		TOLERANCES		FRACTIONS ± 1/64 ANGLES ± 0° 30'		CODE			TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							NOTE						
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.			

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

NP852

USED ON	DATE
ASS'Y. NO.	6-24-66
MODEL	6-24-66
TCP-1	6-24-66
TCP-2	
TCP-3	

PLACE TMC INSIGNIA IN THIS AREA.



NOTE: FINISH
BLACK MATTE BACKGROUND
AND CLEAR LACQUER.

REQ. ITEM	PART NO.	F. BUDETTI DESCRIPTION	SYMBOL
	.032	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW-YORK	
	ALUMINIUM	NAMEPLATE, IDENTIFICATION (COMMERCIAL)	
1100-0			
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	FINAL APPROVAL
SEE NOTE			
FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP.	
			NP852

ORIGINAL RELEASE FOR PRODUCTION

DATE 12/2/66

CH. NO. X1

DATE 6-30-66

CH. NO. X

DATE 6-24-66

CH. NO. X

DESCRIPTION


UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES

TOLERANCES ON

FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2°

REQ. PER UNIT	MODEL	USED ON	DATE
1	KIT 244A	ASSY. NO.	7.26.66
			NP 854



NOTE: ALL LETTERING, SYMBOLS & BORDER TO BE BLACK.
BACKGROUND TO BE ALUMINUM CLEAR ANODIZED.
ADHESIVE BACKING: WATER SOLVENT.

APPLICATION: PAINTED SURFACE

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.003 TO .005 THICK	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
	ALUMINUM FOIL	PLATE, INSTRUCTION, WARNING	
	MATERIAL	WFO	
	TYPE & TEMPER	CHECKED	
	HEAT TREAT. SPEC.	DRAWN	
	SEE NOTE		
	FINISH & SPEC. NO.	ELEC. DES. APP. MECH. DES. APP.	

ORIGINAL RELEASE FOR
REPRODUCTION

CHANGED FROM

DATE: 7/27/66

CH. NO. 0

DRAFTS CV

CHECKER

ENG. APP.

TOLERANCES

DEC. DIM. ±


FRAC. DIM. ±

ANGULAR DIM. ±



SCALE:
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.
REMOVE ALL BURRS AND SHARP EDGES

REQ. PER UNIT	2	MODEL	LFTD-1	USED ON ASS'Y. NO.		DATE	10.10.66
							NP864
							Ø

1/8 BORDER

ANTENNA TUNING UNIT NO. □
 P/O LOW FREQUENCY ANTENNA TUNER

 MODEL NO. LFTD-1
 SERIAL NO.
 300 KHZ-500 KHZ, 10KW
 MANUFACTURED FOR
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK NEW YORK
 BY
 MULTRONICS INCORPORATED
 ROCKWELL MARYLAND

TMC GLOBAL
 INSIGNIA
 (REF: NP493)




NOTE
 (4) FOUR HOLES - 1/8 DIA

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
		NAMEPLATE IDENTIFICATION	
		STOCK SIZE LAMINATED VINYL .015	
		MATERIAL	
		TYPE & TEMPER HEAT TREAT. SPEC.	
		FINISH & SPEC. NO.	
		DATE 10/14/66	
		CH. NO. Ø	
		DRAFTS CV	
		CHECKER	
		ENG. APP.	
		SCALE	
		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	
		TOLERANCES	
		FRACTIONS ± 1/64	
		DECIMALS .XX ± .01	
		ANGLES ± 0° 30'	
		MECH. DES. APP.	
		ELEC. DES. APP.	
		DRAWN	
		CHECKED	
		FINAL APPROVAL	
		NP864	Ø

REQ. PER UNIT	MODEL	USED ON	DATE
	CAB-20 A	ASSY. NO.	10-11-66

NP-867

NOTE: FINISH REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595



CORNER RADIUS - INSIDE AND OUTSIDE - 1/8 R
 4 HOLES REQ. 1/8 DIA
 BORDERS - 1/16
 SERIAL BLOCK - 3/16 X 3/4
 CONTRACT BLOCK - 1/8 X 1 1/2
 U.S. BLOCK - 1/32 SQUARE

IDENTIFICATION PLATES TO BE MANUFACTURED IN ACCORDANCE WITH MIL-R-15024 AND AMENDS. (TYPE "A")

MANSEEC

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	0.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
	ALUMINUM	IDENTIFICATION PLATE	
	5052-H32	MATERIAL	
	SEE NOTE	TYPE & TEMPER HEAT TREAT. SPEC.	
		DRAWN	
		CHECKED	
		FINAL APPROVAL	
		ELEC. DES. APP. MECH. DES. APP.	
		FINISH & SPEC. NO.	
			NP-867


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES

DECIMALS
 .X ± .05
 .XX ± .01
 .XXX ± .005

FRACTIONS
 ± 1/64
 ANGLES
 ± 0° 30'

REQ. PER UNIT	USED ON			NP871	Ø
	MODEL	ASS'Y. NO.	DATE		
1	JB110		10/12/66		




NOTES:

- LETTER TYPE: GOTHIC
- COLOR: SYMBOLS, LETTERS AND BORDERS BLACK
- BACKGROUND: ALUM CLEAR ANODIZED
- APPLICATION: PAINT SURFACE
- ADHESIVE: WATER SOLVENT

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
		.003 - .005	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
		STOCK SIZE	NAMEPLATE, IDENTIFICATION				
		ALUMINUM FOIL					
		MATERIAL					
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
		SEE NOTE					
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP871		Ø

REQ. PER UNIT	USED ON			NP873-Ø
	MODEL	ASS'Y. NO.	DATE	
1	PAL-1KB		10-29-66	



FINISH:
 REVERSE ETCH, ANODIZE ON LUSTERLESS
 BLACK BACKGROUND (TYPE 37038) PER
 FED. STD. NO. 595
 COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE 3/64 HIGH
 APPLICABLE ORDER AND SERIAL NUMBER
 WILL BE STEEL STAMPED BY T.M.C.
 OR
 WHERE PURCHASING REQUIREMENT IS
 SUFFICIENTLY LARGE, ORDER NUMBER
 SHALL BE ETCHED BY VENDOR IN LIEU
 OF ORDER NUMBER BLOCK (SEE CHART
 FOR PROPER NUMBER)

TMC P/N	ORDER NUMBER BLOCK	ORDER NO (ETCHED BY VENDOR)
NP873-1	5/32 x 1-1/8 BLOCK	
NP873-2	NO BLOCK	

NAMEPLATE TO BE IN ACCORDANCE WITH
 MIL-STD-130 AND MIL-M-13231A
 (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
		032	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK			
Ø	ORIGINAL RELEASE FOR PRODUCTION	11/21/66	Ø	CV	NAMEPLATE, IDENTIFICATION	
X	EXP. RELEASE	10-29-66			MODEL PAL-1KB	
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE				
		1:1				
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE C			
5052-H32		HEAT TREAT. SPEC.	DRAWN		CHECKED	FINAL APPROVAL
SEE NOTE						
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.		NP873-Ø	


REQ. PER UNIT	USED ON			NP874- \emptyset
	MODEL	ASS'Y. NO.	DATE	
1	RFD-1B		10-29-66	

FINISH:
 REVERSE ETCH, ANODIZE ON LUSTERLESS
 BLACK BACKGROUND (TYPE 37038) PER
 FED. STD. NO. 595
 COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE 3/64

APPLICABLE ORDER AND SERIAL NUMBER
 WILL BE STEEL STAMPED BY T.M.C.

OR
 WHERE PURCHASING REQUIREMENT IS
 SUFFICIENTLY LARGE, ORDER NUMBER SHALL
 BE ETCHED BY VENDOR IN LIEU OF ORDER
 NUMBER BLOCK (SEE CHART FOR PROPER NO)




TMC P/N	ORDER NUMBER BLOCK	ORDER NO (ETCHED BY VENDOR)
NP874-1	1/8 x 1-1/8 BLOCK	
NP874-2	NO BLOCK	

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		.032	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
\emptyset	ORIGINAL RELEASE FOR PRODUCTION	11/21/66	STOCK SIZE	
X	EXP. RELEASE	10-29-66	ALUMINUM	NAMEPLATE, IDENTIFICATION
SYM	DESCRIPTION	DATE	CH. NO.	MODEL RFD-1B.
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	DRAFTS	
		1:1	CHECKER	
	DECIMALS	FRACTIONS	ENG. APP.	
	.X \pm .05	\pm 1/64		
	.XX \pm .01	ANGLES		
	.XXX \pm .005	\pm 0° 30'		
	TOLERANCES	CODE		
		C		
			5052-H32	
			TYPE & TEMPER	
			HEAT TREAT. SPEC.	
			DRAWN	
			CHECKED	
			FINAL APPROVAL	
			SEE NOTE	
			FINISH & SPEC. NO.	
			ELEC. DES. APP.	
			MECH. DES. APP.	
				NP874- \emptyset

REQ. PER UNIT	USED ON			NP875 ϕ
	MODEL	ASS'Y. NO.	DATE	
1	KMCI-1		11-21-66	



							REQ. ITEM	PART NO.	L. BUTLER	DESCRIPTION SK 3254-5	SYMBOL	
								.062 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK			
ϕ	ORIGINAL RELEASE FOR PRODUCTION	12.19.66	ϕ	RME				STOCK SIZE	NAMEPLATE STRIP			
X	EXP. RELEASE	1/21/66		JL				VINYL				
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.		MATERIAL				
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1/2					MATTE	JL	QC	LB	MM
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
							WHITE			RR	NP875 ϕ	
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.		

CA M/L

TMC MODEL NO.

BJP
STR
STE
QDP
LPP
SPP
RSS
JPP

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.


DATE

SEE CHART

12-20-66

NP 878

∅




MODEL INSERT BLOCK
1-1/2 x 1/8

SERIAL INSERT BLOCK
1/2 x 1/8

FINISH:
BLACK MATTED BACKGROUND & CLEAR LACURE
ALL LETTERING APPROX TO SCALE.

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL				
∅	ORIGINAL RELEASE FOR PRODUCTION	12-21-66	∅	RME	.032 STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
X	EXPERIMENTAL RELEASE	12-20-66	X	RME	ALUMINUM						
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	NAMEPLATE, IDENTIFICATION, BLANK				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE					1100-0	RME			
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'	TOLERANCES	CODE			TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							SEE NOTE				
							FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP 878	∅

REQ. PER UNIT	MODEL	USED ON ASS'Y. NO.	DATE	NP 879
1	ATS-50-CU-2		12/30/66	



NOTE: FINISH


REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED-STD-595.

- 4 HOLES - 1/8 DIA
- SERIAL BLOCK = 1/8 x 3/4
- CONTR. BLOCK = 1/8 x 1-1/16

NAMEPLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 (SHIPS) AND AMENDS. (TYPE "A")

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.032 THK STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
Ø	ORIG RELEASE FOR PROD 6/21/67	Ø	RG
X	EXPERIMENTAL RELEASE 12/30/66	X	RME
SYM	DESCRIPTION	DATE	CH. NO. DRAFTS CHECKER ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1
DECIMALS	FRACTIONS	CODE	
X ± .05	± 1/64		
XX ± .01	ANGLES		
XXX ± .005	± 0° 30'		
TOLERANCES			
5052-H32		5052-H32	SEE NOTE
TYPE & TEMPER		HEAT TREAT. SPEC.	FINISH & SPEC. NO.
RME		EDD	ELEC. DES. APP. MECH. DES. APP.
DRAWN		CHECKED	FINAL APPROVAL
			NP 879

REQ. PER UNIT	USED ON			NP880	Ø
	MODEL	ASSY. NO.	DATE		
1	RFD-1B		12/30/66		



NOTE: FINISH


REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (37038) PER FED-STD-595.

4 HOLES - 1/8 DIA
 SERIAL BLOCK = 1/8 x 3/4
 CONT. BLOCK = 1/8 x 1-1/16

NAMEPLATE TO BE MANUFACTURED
 IN ACCORDANCE WITH MIL-P-15024
 (SHIPS) AND AMENDS. (TYPE "A")

REQ. ITEM	PART NO.	DESCRIPTION				SYMBOL
Ø	ORIG RELEASE FOR PROD	6-21-67	Ø	RG		
X	EXPERIMENTAL RELEASE	12-29-66	X	RME		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1			
	DECIMALS X ± .01 XX ± .01 XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE			
	TOLERANCES					
		5052-H32	—H	RME	COO	W.M. King
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
		SEE NOTE				
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP880	

REQ. PER UNIT	USED ON			NP881	Ø
	MODEL	ASS'Y. NO.	DATE		
1	PS-5B		12/30/66		




NOTE: FINISH
 REVERSE ETCH, ANODIZED ON
 LUSTERLESS BLACK BACK-
 GROUND (TYPE 37038) PER
 FED-STD-595.

CONTRACT BLOCK - 5/32 x 1/8
 SERIAL BLOCK - 3/16 x 3/4
 4 HOLES - 1/8 DIA.

NAMEPLATE TO BE MANUFACTURED
 IN ACCORDANCE WITH MIL-P-15024
 (SHIPS) AND AMENDS. (TYPE "A")

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
Ø	ORIG RELEASE FOR PROD	6-21-67	Ø	RG			.032		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
X1	PP-2766A/URA-36 WAS PP-2766A/URA-32	6-21-67	X1				STOCK SIZE				
X	EXPERIMENTAL RELEASE	12-29-66	X	RME			ALUMINUM		NAMEPLATE, IDENTIFICATION		
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1				5052-H32	-1-	RME	COO	MM/Am
	DECIMALS X ± .05 XX ± .01 XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE				TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
	TOLERANCES						SEE NOTE				NP881
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	Ø

REQ. PER UNIT 1	USED ON		
	MODEL APP-4	ASS'Y. NO.	DATE 12/30/66
NP882			




NOTE: FINISH
 REVERSE ETCH, ANODIZED
 ON LUSTERLESS BLACK
 BACKGROUND (TYPE 37038)
 PER FED-STD-595.

CONTRACT BLOCK - 5/32 x 1 1/8
 SERIAL BLOCK - 3/16 x 3/4
 4 HOLES - 1/8 DIA.

NAMEPLATE TO BE MANUFACTURED
 IN ACCORDANCE WITH MIL-P-15024
 (SHIPS) AND AMENDS. (TYPE "A")

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
									THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
Ø	ORIG RELEASE FOR PROD	6/21/67	Ø	RG			.032	STOCK SIZE	NAMEPLATE, IDENTIFICATION		
X	EXPERIMENTAL RELEASE	12/29/66	X	RME			ALUMINUM	MATERIAL			
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1				5052-H32		RME		
	DECIMALS X ± .05 XX ± .01 XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE				SEE NOTE				
	TOLERANCES						FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP882	

REQ. PER UNIT	USED ON			NP883	Ø
	MODEL	ASS'Y. NO.	DATE		
1	ATS-MCV-2B		12/30/66		



NOTE: FINISH


REVERSE ETCH, ANODIZE ON LUSTER-LESS BLACK BACKGROUND (TYPE 37038) PER FED-STD-595.

4 HOLES - 1/8 DIA
 SERIAL BLOCK = 1/8 x 3/4
 CONT. BLOCK = 1/8 x 1-1/16

NAMEPLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 (SHIPS) AND AMENDS. (TYPE "A")

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL							
	.032 THK STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK								
Ø	ORIG RELEASE FOR PROD 62167	NAMEPLATE, IDENTIFICATION	Ø							
X	EXPERIMENTAL RELEASE 12/30/66									
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1		5052-H32	—	RME	ewd	FINAL APPROVAL	
DECIMALS	FRACTIONS	CODE			SEE NOTE					
.X ± .05	± 1/64				FINISH & SPEC. NO.					NP883
.XX ± .01	ANGLES				ELEC. DES. APP.					Ø
.XXX ± .005	± 0° 30'				MECH. DES. APP.					

REQ. PER UNIT	USED ON			NP884	Ø
	MODEL	ASSY. NO.	DATE		
1	ATS-50-TU-2A		12/30/66		



NOTE: FINISH

REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED-STD-595.


4 HOLES - 1/8 DIA
 SERIAL BLOCK = 1/8 x 3/4
 CONT. BLOCK = 1/8 x 1-1/16

NAMEPLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 (SHIPS) AND AMENDS. (TYPE "A")

REQ.	ITEM	PART NO.				DESCRIPTION	SYMBOL
		.032 THK STOCK SIZE				THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	Ø
		ALUMINUM					
		MATERIAL				NAMEPLATE, IDENTIFICATION	Ø
		5052-H32		RME	edw		
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
		SEE NOTE					
		FINISH & SPEC. NO.				ELEC. DES. APP.	MECH. DES. APP.
						NP884	Ø

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1
DECIMALS X ± .05 XX ± .01 XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'

REQ. PER UNIT	USED ON		NP885	Ø
	MODEL	ASS'Y. NO.		
1	ATS-50-2A		12/30/66	



NOTE: FINISH


REVERSE ETCH, ANODIZE ON LUSTER-LESS ORANGE BACKGROUND (TYPE 32246) PER FED-STD-595.

4 HOLES - 1/8 DIA
 SERIAL BLOCK = 1/8 x 3/4
 CONT. BLOCK = 1/8 x 1-1/16

NAMEPLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 (SHIPS) AND AMENDS. (TYPE "A")

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.032 THK STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
Ø	ORIG RELEASE FOR PROD 6-21-67	Ø	RG
X	EXPERIMENTAL RELEASE 12/30/66	X	RME
SYM	DESCRIPTION	DATE	CH. NO. DRAFTS CHECKER ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1
DECIMALS	FRACTIONS	CODE	
.X ± .05	± 1/64		
.XX ± .01	ANGLES		
.XXX ± .005	± 0° 30'		
TOLERANCES			
MATERIAL		5052-H32	
TYPE & TEMPER		HEAT TREAT. SPEC.	RME
SEE NOTE		DRAWN	CHECKED
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.
		NP885	

REQ. PER UNIT	USED ON			NP887	Ø
	MODEL	ASS'Y. NO.	DATE		
	SBT1KF5		12/30/66		




NOTE:
FINISH - REVERSE ETCH, ANODIZE
ON LUSTERLESS ORANGE BACKGROUND
(TYPE 32246) PER FED-STD-595.

NAMEPLATE TO BE MANUFACTURED IN
ACCORDANCE WITH MIL-P-15024B
(SHIPS) TYPE A, AND AMENDS.

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø	ORIG RELEASE FOR PROD	621-67	Ø	RG
X	AN/FRT-81A, WAS AN/FRT-70B	621-67	X	RME
X	EXPER. RELEASE	12/30/66	X	RME
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1	
DECIMALS	FRACTIONS	CODE		
X ± .05	± 1/64			
XX ± .01	ANGLES			
XXX ± .005	± 6° 30'			
TOLERANCES				
5052-H32		—	RME	
TYPE & TEMPER		HEAT TREAT. SPEC.	DRAWN	CHECKED
SEE NOTES				
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	
				NP887

REQ. PER UNIT	USED ON		NP 888	Ø
	MODEL	ASS'Y. NO.		
	PAL-1KB1		12/30/66	




NOTE:
FINISH—REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED-STD-595.

4 HOLES 1/8 DIA.
SERIAL BLOCK 3/16 X 3/4
CONTRACT BLOCK 1/8 X 1-1/16

NAMEPLATE TO BE MANUFACTURED ACCORDANCE WITH MIL-15024 (SHIPS) TYPE "A", & AMENDS.

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
		.032 THK. STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
Ø	ORIG RELEASE FOR PROD	6/21/67	Ø	RG			
X	EXPER. RELEASE	12/30/66	X	RME			
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1				
DECIMALS X ± .03 XX ± .01 XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	A			
		5052-H32	MATERIAL		RME	EDD	
		TYPE & TEMPER	HEAT TREAT. SPEC.		DRAWN	CHECKED	FINAL APPROVAL
		SEE NOTES					
		FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.	
						NP888	Ø

REQ. PER UNIT	USED ON			NP889
	MODEL	ASSY. NO.	DATE	
1	PS-4B		12.30.66	




NOTE: FINISH
 REVERSE ETCH, ANODIZE ON
 LUSTERLESS BLACK BACK-
 GROUND (TYPE 3703B) PER
 FED-STD-595.

NAMEPLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-1502A(SHIPS) AND AMENDS (TYPE A)

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
							.032		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
Ø	ORIG RELEASE FOR PROD	6.21.67	Ø	RG			STOCK SIZE		NAMEPLATE, IDENTIFICATION		
X	EXPERIMENTAL RELEASE	12.30.66	X	RME			ALUMINUM				
							MATERIAL				
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1				5052-H32		RME	COO	
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							SEE NOTE				
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	NP889

REQ. PER UNIT	USED ON			NP 890	Ø
	MODEL	ASS'Y. NO.	DATE		
	KMCU-2		1/11/67		



NOTE 1 FINISH
REVERSE ETCH, LUSTERLESS BLACK
(37038) BACKGROUND PER FED-STD-595

NOTE 2 TYPE FACE
LETTERING TO BE GOTHIC OR SPARTAN;
W/MODIFIER (HEAVY, MEDIUM, CONDENSED
ETC.)
AS REQUIRED TO FIT SPACE.

NOTE 3 IDENTIFICATION PLATE TO BE
MANUFACTURED IN ACCORDANCE WITH
MIL-P-15024 AND AMENDS. (TYPE A)


CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R
4 HOLES REQ.- 1/8 DIA
BORDERS- 1/16
SERIAL BLOCK- 3/16 x 3/4
CONTACT BLOCK- 1/8 x 1 1/2
U.S. BLOCK- 7/32 SQUARE

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL	
		.032 THK.	THE TECHNICAL MATERIEL CORP.					
		STOCK SIZE	MAMARONECK, NEW YORK					
Ø	ORIGINAL RELEASE FOR PRODUCTION	2/6/67	Ø	CV	ALUMINUM		IDENTIFICATION, PLATE	
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE						
DECIMALS	TOLERANCES	FRACTIONS	CODE					
.X ± .05		± 1/64						
.XX ± .01		ANGLES						
.XXX ± .005		± 0° 30'						
		5052-H32						
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL		
		SEE NOTE						
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.				
					NP 890		Ø	

REQ. PER. UNIT	MODEL	USED ON
1	GPT 10KR5(M)	ASSY. NO.
		DATE
		2.15.67

NP891

NOTE: FINISH
LUSTERLESS ORANGE (32246)
PER FED-STD - 595




NAMEPLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024B (SHIPS) TYPE A AND AMENDS

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	ALUMINUM	PLATE, IDENTIFICATION	
5052-H32		GPT 10KR5(M)	
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	FINAL APPROVAL
SEE NOTE		WHD	NP891
ISSUE ITEM	CH. NO.	DATE	DATE
	62168	2.15.67	6/21/68
	4		
TOLERANCES			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES			
DEC. DIM. ±			
FRAC. DIM. ±			
ANGULAR DIM. ±			

REQ. PER UNIT	MODEL	USED ON
	SBG-ID	ASSY. NO.
		DATE
		2.15.67

NP893




NOTE: FINISH
LUSTERLESS ORANGE (32246)
PER FED-STD-595

NAMEPLATE TO BE MANUFACTURED IN ACCORDANCE WITH
MIL-P-15024B (SHIPS) TYPE A AND AMENDS.

ISSUE ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REG. ITEM	PART NO.	DESCRIPTION	SYMBOL
							.032 THICK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
							ALUMINUM	PLATE, IDENTIFICATION (MODEL SBG-ID)		
							5052-H32			
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
							SEE NOTE			FINAL APPROVAL
							FINISH & SPEC. NO.			NP893

SCALE: NOT TO SCALE
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

APPLICATION			REVISIONS						
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
	STANDARD		X	EXPERIMENTAL RELEASE	3.31.67	—	W.H.W.	<i>Jde</i>	<i>W.H.W.</i>
			Ø	ORIGINAL RELEASE	3/31/67	Ø			<i>Jde</i>



NOTE:
 ALL LETTERING, SYMBOLS & BORDER TO BE BLACK
 BACKGROUND TO BE ALUMINUM CLEAR ANODIZED
 ADHESIVE BACKING WATER SOLVENT

APPLICATION: IRRIDITE SURFACE

LETTER TYPE & STYLE:

10 POINT #3 GOTHIC

MATERIAL: ALUMINUM FOIL
 .003 - .005 THICK


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
LIST OF MATERIAL						
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005 FRACTIONS 1/64 TOLS. ANGLES 0° - 30'		FINAL APPROVAL <i>[Signature]</i> DATE 3/31/67		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK PLATE, IDENTIFICATION		
MATERIAL SEE NOTE		MECH. DES. <i>[Signature]</i> DATE 4-3-67				
FINISH SEE NOTE		ELECT. DES. DATE				
		CHECKED <i>[Signature]</i> DATE 3/31/67				
		DRAWN W. WILLIAMS DATE 3.31.67				
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.				SIZE A	CODE IDENT. NO. 82679	DWG NO. NP 894
				SCALE <i>N/C</i>	SHEET <i>[Signature]</i>	ISSUE Ø
					OF	

REQ. PER UNIT	1
MODEL	TRX-1
ASSY. NO.	
DATE	6-14-67
USED ON	NP 895

NOTE 1
FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595

NOTE 2
TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE.

NOTE 3
IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)



CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R
4 HOLES REQ.- 1/8 DIA
BORDERS- 1/16
SERIAL BLOCK- 3/16 x 3/4
CONTACT BLOCK- 1/8 x 1-1/2
U.S. BLOCK- 7/32 SQUARE

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	ALUMINUM	NAMEPLATE, IDENTIFICATION	
5052-432		TMC MODEL 0001	
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
SEE NOTE		CV 6/14/67	6/14/67
FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP.	NP 895

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES

DECIMALS
.X ± .05
.XX ± .01
.XXX ± .005

FRACTIONS
± 1/64
ANGLES
± 0° 30'

SCALE 1:1

DATE 6/15/67

CH. NO. 2


DRAFTS RME

CHECKER/ENG. APP. [Signature]

CODE C

REQ. PER UNIT	MODEL	USED ON
	HVRB-2	ASSY. NO.
		DATE
		11-8-67
		NP 897

- NOTE 1 FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
- NOTE 2 TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE.
- NOTE 3 IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)



CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R
 4 HOLES REQ.- 1/8 DIA
 BORDERS- 1/16
 SERIAL BLOCK- 3/16 x 3/4
 CONTRACT BLOCK- 1/8 x 1 1/2
 U.S. BLOCK- 7/32 SQUARE


NAVSEEC

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.032 THK STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
	ALUMINIUM MATERIAL	IDENTIFICATION PLATE	
5052-432		TMC MODEL HVRB-2	
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
SEE NOTE		FINAL APPROVAL	
FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP.	

REQ. PER UNIT	MODEL	DATE
	HVRC-2	11-8-67
USED ON	ASS'Y. NO.	

NP898 A

- NOTE 1 FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
- NOTE 2 TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE.
- NOTE 3 IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)




CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R
 4 HOLES REQ.- 1/8 DIA
 BORDERS- 1/16
 SERIAL BLOCK- 3/16 x 3/4
 CONTRACT BLOCK- 1/8 x 1 1/2
 U.S. BLOCK- 7/32 SQUARE

NAVSEEC

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
	STOCK SIZE	IDENTIFICATION PLATE	
	ALUMINUM	TMC MODEL HVRC-2	
	MATERIAL	Jade	
5052-432		CHECKED	
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	
SEE NOTE		FINAL APPROVAL	
FINISH & SPEC. NO.		MECH. DES. APP.	NP898 A
		ELEC. DES. APP.	ML 988

REQ. PER UNIT 1
 MODEL RFC-1B
 USED ON ASSY. NO. DATE 11-8-67

NP 899 A



- NOTE 1 FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
- NOTE 2 TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED, ETC.) AS REQUIRED TO FIT SPACE.
- NOTE 3 IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)

INSERT TITLE AS SHOWN
 NAVAL ELECTRONIC SYSTEMS COMMAND

CORNER RADIUS - INSIDE AND OUTSIDE - 1/8R
 4 HOLES - 1/8 DIA
 BORDERS - 1/16
 SERIAL BLOCK - 1/8 x 3/4
 CONTRACT BLOCK - 1/8 x 1 1/8
 U.S. BLOCK - 7/32 SQUARE

NAVSEEC

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
A	0.032 THK STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	ALUMINUM	PLATE, IDENTIFICATION	
	5052-H32		
	TYPE & TEMPER	HEAT TREAT. SPEC.	
	SEE NOTE		
	FINISH & SPEC. NO.		
		ELEC. DES. APP.	
		MECH. DES. APP.	
		CHECKED	
		DRAWN	
		FINAL APPROVAL	
			NP 899 A