


APPLICATION		REVISIONS							
QTY	MODEL USED ON	ASSY NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
	RAK125-3		X	EXPERIMENTAL RELEASE	1/16/64		C.V.		
			Ø	ORIG RELEASE FOR PROD	10/28/63		C.V.		J.D.



CORNER RADIUS INSIDE AND OUTSIDE: 1/8R
 4 HOLES: 1/8 DIA
 BORDERS: 1/16
 SERIAL BLOCK: 1/8 X 3/4
 CONTRACT BLOCK: 1/8 X 1-1/8

NOTES:

1. FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
2. TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED, ETC) AS REQUIRED TO FIT SPACE.
3. IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A).

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS		LIST OF MATERIAL				
FRACTIONS		THE TECHNICAL MATERIEL CORP.				
.X ± .05		MAMARONECK, NEW YORK				
.XX ± .01		PLATE, IDENTIFICATION				
.XXX ± .005		SIZE CODE IDENT. NO. DWG NO. ISSUE				
TOLS. 1/64		A 82679 NP 948 Ø				
ANGLES 0° 30'		SCALE SHEET OF				
MATERIAL .032 ALUM 5052-H32		FINAL APPROVAL DATE				
FINISH SEE NOTE		MECH. DES. DATE				
		ELECT. DES. DATE				
		CHECKED DATE				
		DRAWN DATE				

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.