


REQ. PER UNIT	USED ON			NP 900	B
	MODEL	ASS'Y. NO.	DATE		
	CSS-3B		11-9-67		

NOTE 1 FINISH:  
REVERSE ETCH, LUSTERLESS BLACK  
(37038) BACKGROUND PER FED-STD-595

NOTE 2 TYPE FACE  
LETTERING TO BE GOTHIC OR SPARTAN;  
W/MODIFIER (HEAVY, MEDIUM, CONDENSED  
ETC.)  
AS REQUIRED TO FIT SPACE.

NOTE 3 IDENTIFICATION PLATE TO BE  
MANUFACTURED IN ACCORDANCE WITH  
MIL-P-15024 AND AMENDS. (TYPE A)




CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R  
4 HOLES REQ.- 1/8 DIA  
BORDERS- 1/16  
SERIAL BLOCK- 1/8 x 3/4  
CONTRACT BLOCK- 1/8 x 1 1/8  
U.S. BLOCK- 7/32 SQUARE

NAVSEEC

B	FRT WAS URT	2-19-69	19291	GE	HO	FB	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
A	DEMENSIONS REVISED	1-4-68	18702	4.1	MT	FB	.032 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	IDENTIFICATION PLATE	
B	ORIG. RELEASE FOR PROD	11-9-67					STOCK SIZE				
X	EXP. RELEASE	11-9-67		HY			ALUMINUM				
							MATERIAL	5052-H32	TMC MODEL CSS-3B		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE				SEE NOTE		HY		OB SPM
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		TOLERANCES				FINISH & SPEC. NO.				NP 900 B
	FRACTIONS ± 1/64 ANGLES ± 0° 30'		CODE						ELEC. DES. APP.	MECH. DES. APP.	

REQ. PER UNIT	USED ON			NP 901
	MODEL	ASS'Y. NO.	DATE	
1	GPT40KEF		11-8-67	



NOTE:  
FINISH: LUSTERLESS ORANGE 32246  
PER FED STD 595.

NAMEPLATE TO BE IN ACCORDANCE  
WITH MIL-I-15024B (SHIPS)  
TYPE A, & AMENDS.

SERIAL BLOCK: 3/4 x 3/16  
CONTRACT BLOCK: 3/16 x 1-1/2  
4 HOLES 1/8 DIA.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø	ORIG RELEASE FOR PROD	11-9-67	Ø	RB			.032 THK.		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK.	NP 901
X	EXPERIMENTAL RELEASE	11/8/67	X				STOCK SIZE			
							ALUMINUM		NAMEPLATE, IDENTIFICATION	
							MATERIAL			
							5052-H32			
							TYPE & TEMPER	HEAT TREAT. SPEC.		
							SEE NOTES			
							FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	

## APPLICATION

QTY  
MODEL USED ON  
AX-104

LTR

DESCRIPTION

REVISIONS

DATE

E.M.N.NO

DRAFT

CHKD

APPD

X

EXP.RELEASE

11-8-67

HEJ.

Ø

ORIG. RELEASE FOR PROD.

11-9-67

RG

A


UPDATED

9/28/69

19400

CW.

EFM



CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R  
2 HOLES REQ.- 1/8 DIA.  
BORDERS- 1/16  
SERIAL BLOCK- 3/16 x 3/4  
CONTRACT BLOCK- 1/8 x 1-1/2  
SERIAL BLOCK- 1/8 x 5/8

## NOTE 1 FINISH:

REVERSE ETCH, LUSTERLESS BLACK  
(37038) BACKGROUND PER FED-STD-595

## NOTE 2 TYPE FACE

LETTERING TO BE GOTHIC OR SPARTAN;  
W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.)  
AS REQUIRED TO FIT SPACE.

NOTE 3 IDENTIFICATION PLATE TO BE MANUFACTURED IN  
ACCORDANCE WITH MIL-P-15024 AND AMENDS.  
(TYPE A)

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
AND INCLUDE CHEMICALLY APPLIED  
OR PLATED FINISHES

DECIMALS  
.X ± .05 TOLS. 1/64  
.XX ± .01 ANGLES  
.XXX ± .005 0° 30'

MATERIAL .032 ALUMINUM  
5052-H32

FINISH  
SEE NOTE

M/L 988

REQ'D ITEM

PART NUMBER

DESCRIPTION

SYM.

FINAL APPROVAL

LIST OF MATERIAL

DATE 11/19/67

MECH. DES. DATE

THE TECHNICAL MATERIEL CORP.

MAMARONECK, NEW YORK

ELECT. DES. DATE

CHECKED DATE 11-5-67

IDENTIFICATION PLATE

DRAWN DATE 11-8-67

## NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE

CODE IDENT. NO.

DWG NO.

ISSUE

A 82679

NP 902

A

SCALE

SHEET


OF

REQ. PER UNIT	USED ON			NP 903 $\emptyset$
	MODEL	ASS'Y. NO.	DATE	
	AP-104		11-8-67	

NOTE 1 FINISH:  
REVERSE ETCH, LUSTERLESS BLACK  
(37038) BACKGROUND PER FED-STD-595

NOTE 2 TYPE FACE  
LETTERING TO BE GOTHIC OR SPARTAN;  
W/MODIFIER (HEAVY, MEDIUM, CONDENSED  
ETC.)  
AS REQUIRED TO FIT SPACE.

NOTE 3 IDENTIFICATION PLATE TO BE  
MANUFACTURED IN ACCORDANCE WITH  
MIL-P-15024 AND AMENDS. (TYPE A)



CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R  
4 HOLES REQ.- 1/8 DIA  
BORDERS- 1/16  
SERIAL BLOCK- 3/16 x 3/4  
CONTRACT BLOCK- 1/8 x 1 1/2  
U.S. BLOCK- 7/32 SQUARE


NAVSEEC

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	STOCK SIZE		
	ALUMINIUM	IDENTIFICATION PLATE	
	MATERIAL	TMC MODEL: AP104	
SYM	DESCRIPTION	DATE	CH. NO. DRAFTS CHECKER ENG. APP.
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	
	DECIMALS .X $\pm$ .05 .XX $\pm$ .01 .XXX $\pm$ .005	FRACTIONS $\pm$ 1/64 ANGLES $\pm$ 0° 30'	CODE
	TOLERANCES		
	5052-H32	JAD. <i>JAD</i>	<i>OB sm</i>
	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN CHECKED FINAL APPROVAL
	SEE NOTE		
	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.
			NP 903 $\emptyset$



REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
	SWCU-1		11-8-67

NP 904 A



NOTE 1 FINISH:  
REVERSE ETCH, LUSTERLESS BLACK  
(37038) BACKGROUND PER FED-STD-595

NOTE 2 TYPE FACE  
LETTERING TO BE GOTHIC OR SPARTAN;  
W/MODIFIER (HEAVY, MEDIUM, CONDENSED  
ETC.)  
AS REQUIRED TO FIT SPACE.


NOTE 3 IDENTIFICATION PLATE TO BE  
MANUFACTURED IN ACCORDANCE WITH  
MIL-P-15024 AND AMENDS. (TYPE A)

CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R  
4 HOLES REQ.- 1/8 DIA  
BORDERS- 1/16  
SERIAL BLOCK- 3/16 x 3/4  
CONTRACT BLOCK- 1/8 x 1 1/2  
U.S. BLOCK- 7/32 SQUARE

NAVSEEC

REQ.	ITEM	PART NO.	DESCRIPTION		SYMBOL
A	UPDATED	19400	CU	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
Ø	ORIG. RELEASE FOR PROD.	11-9-67	RG	IDENTIFICATION PLATE	
X	EXP. RELEASE	11-8-67	H.S.	TMC MODEL SWCU-1	
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE			
DECIMALS	FRACTIONS	CODE			
.X ± .05	± 1/64				
.XX ± .01	ANGLES				
.XXX ± .005	± 0° 30'				
TOLERANCES					
5052-H32		HEAT TREAT. SPEC.		DRAWN	
SEE NOTE		CHECKED		FINAL APPROVAL	
FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.	
		HG		JHE	
		ØB		SAM	
		NP 904		A	

REQ. PER UNIT	USED ON			NP 905	B
	MODEL	ASS'Y. NO.	DATE		
	APP-10		11-9-67		



NOTE 1 FINISH:  
REVERSE ETCH, LUSTERLESS BLACK  
(37038) BACKGROUND PER FED-STD-595

NOTE 2 TYPE FACE  
LETTERING TO BE GOTHIC OR SPARTAN;  
W/MODIFIER (HEAVY, MEDIUM, CONDENSED  
ETC.)  
AS REQUIRED TO FIT SPACE.


NOTE 3 IDENTIFICATION PLATE TO BE  
MANUFACTURED IN ACCORDANCE WITH  
MIL-P-15024 AND AMENDS. (TYPE A)

CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R  
4 HOLES REQ.- 1/8 DIA  
BORDERS- 1/16  
SERIAL BLOCK- 1/8 x 3/4  
CONTRACT BLOCK- 1/8 x 1 1/8

B	UPDATE	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
A	DIMENSIONS REVISED	1-4-68	18702	1	RG	FB	.032 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK IDENTIFICATION PLATE TMC MODEL APP-10		
B	ORIG. RELEASE FOR PROD.	11-9-67					STOCK SIZE				
X	EXP. RELEASE	11-9-67					ALUMINUM				
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE					5052-H32				
DECIMALS X ± .05 XX ± .01 XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE				TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							SEE NOTE				
							FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP 905	B



REQ. PER UNIT	USED ON		NP 907 0
	MODEL	DATE	
1	BSP-1D	1-8-68	



NOTE 1 FINISH:  
REVERSE ETCH, LUSTERLESS BLACK  
(37038) BACKGROUND PER FED-STD-595

NOTE 2 TYPE FACE  
LETTERING TO BE GOTHIC OR SPARTAN;  
W/MODIFIER (HEAVY, MEDIUM, CONDENSED  
ETC.)  
AS REQUIRED TO FIT SPACE.


NOTE 3 IDENTIFICATION PLATE TO BE  
MANUFACTURED IN ACCORDANCE WITH  
MIL-P-15024 AND AMENDS. (TYPE A)

CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R  
4 HOLES REQ.- 1/8 DIA  
BORDERS- 1/16  
SERIAL BLOCK- 3/16 x 3/4  
CONTACT BLOCK- 1/8 x 1 1/2

NAVSEEC

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		STOCK SIZE		
		ALUMINIUM	IDENTIFICATION PLATE	
		MATERIAL	TMC MODEL	BSP-1D
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE		
DECIMALS X ± .05 XX ± .01	TOLERANCES	FRACTIONS ± 1/64 ANGLES	CODE	
			5052-H32	JW 1/8/68
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN
		SEE NOTE		CHECKED
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.
				FINAL APPROVAL
				NP 907 0

REQ. PER UNIT	USED ON			NP 908	Ø
	MODEL	ASS'Y. NO.	DATE		
1	BSP-2D		1-8-68		



- NOTE 1 FINISH:  
REVERSE ETCH, LUSTERLESS BLACK  
(37038) BACKGROUND PER FED-STD-595
- NOTE 2 TYPE FACE  
LETTERING TO BE GOTHIC OR SPARTAN;  
W/MODIFIER (HEAVY, MEDIUM, CONDENSED  
ETC.)  
AS REQUIRED TO FIT SPACE.
- NOTE 3 IDENTIFICATION PLATE TO BE  
MANUFACTURED IN ACCORDANCE WITH  
MIL-P-15024 AND AMENDS. (TYPE A)

CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R  
4 HOLES REQ.- 1/8 DIA  
BORDERS- 1/16  
SERIAL BLOCK- 3/16 x 3/4  
CONTACT BLOCK- 1/8 x 1 1/2

NAVSEEC

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		.032 THK STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		ALUMINUM MATERIAL	IDENTIFICATION PLATE TMC MODEL BSP-2D	
		5052-H32	JW 1/8/68	
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN
		SEE NOTE		CHECKED
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.
				FINAL APPROVAL
				NP 908






APPLICATION

QTY	MODEL USED ON	ASSY NO.	LTR
	STR		X

REVISIONS

DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
EXPERIMENTAL REL	2/16/68	X	JK		
ORIG. RELEASE FOR PROD.	2-16-68	Ø	RG		




NOTE: FINISH  
BLACK MATTE BACKGROUND  
& CLEAR LACQUER

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
LIST OF MATERIAL				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
NAMEPLATE, IDENTIFICATION				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES				
DECIMALS	FRACTIONS			
.X ± .05	TOLS. 1/64			
.XX ± .01	ANGLES 0° - 30'			
.XXX ± .005				
MATERIAL .032 THK ALUMINUM, 5052 H32				
FINISH SEE NOTE				
FINAL APPROVAL	DATE			
Mech. DES	2/16/68			
ELECT. DES.	DATE			
CHECKED	DATE			
DRAWN	DATE			
SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
A	82679	NP 910	Ø	
SCALE	SHEET		OF	

NOTICE TO PERSONS RECEIVING THIS DRAWING  
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

REVISIONS

APPLICATION		REVISIONS							
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	DDRR-10K		X	EXPERIMENTAL RELEASE	4/15/68		SW		
			X1	AGENCY CLARIFIED	5/16/68		CV		
			Ø	ORIG. RELEASE FOR PROD.	9-19-68	Ø	R.G.		



NOTES


- TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MED. CONDENSED, ETC) AS REQUIRED TO FIT SPACE
- FINISH: REVERSE ETCH, LUSTERLESS ORANGE (32246) BACKGROUND PER FED-STD-595.
- IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A)

- CORNER RADIUS INSIDE & OUTSIDE: 1/8R
- 4 HOLES REQ.: 1/8 DIA
- SERIAL BLOCK: 3/16 X 3/4
- CONTRACT BLOCK: 3/16 X 1-1/2
- U.S. BLOCK: 7/32 SQUARE
- BORDER: 1/8

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS				LIST OF MATERIAL	
FRACTIONS					
X ± .05 TOLS. 1/64 ANGLES 9°-30°	FINAL APPROVAL			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
.XX ± .01	MECH. DES.				
.XXX ± .005	ELECT. DES.				
MATERIAL .032 ALUMINUM 5052-H32	CHECKED			PLATE, IDENTIFICATION	
FINISH SEE NOTE	DRAWN				
	NOTICE TO PERSONS RECEIVING THIS DRAWING				
	THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.				
	SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
A	82679	NP 911			
SCALE	NTS	SHEET	OF		

REVISIONS

APPLICATION		REVISIONS						
QTY	MODEL USED ON	ASS'Y NO.	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	DDRR-10M		EXPERIMENTAL RELEASE	4/15/68				
			XI AGENCY CLARIFIED	5/6/68				
			Ø ORIG. RELEASE FOR PROD.	9-19-68	Ø	R.G.		J.M.C.



NOTES

TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MED. CONDENSED, ETC) AS REQUIRED TO FIT SPACE

FINISH: REVERSE ETCH, LUSTERLESS ORANGE (32246) BACKGROUND PER FED-STD-595.

IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A)

CORNER RADIUS INSIDE & OUTSIDE: 1/8R

4 HOLES REQ.: 1/8 DIA

SERIAL BLOCK: 3/16 X 3/4

CONTRACT BLOCK: 3/16 X 1-1/2

U.S. BLOCK: 7/32 SQUARE

BORDER: 1/8


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.			
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FINAL APPROVAL			LIST OF MATERIAL				
FRACTIONS 1/64 ANGLES 0°-30°	MECH. DES.							
MATERIAL .032 ALUMINUM 5052-H32	ELECT.-DES.			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
FINISH SEE NOTE	CHECKED			PLATE, IDENTIFICATION				
	DRAWN							
	DATE	DATE	DATE	SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
	5/18/68	5/18/68	4-10-68	A	82679		NP 912	
				SCALE	N.T.S		SHEET	OF

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.



APPLICATION		REVISIONS						
QTY	MODEL USED ON	ASS'Y. NO.	LTR	DESCRIPTION	E.M.N. NO	DRAFT	CHKD	APPD
1	COPB-2		X	EXPERIMENTAL RELEASE		C.V.		
			Ø	ORIG. RELEASE FOR PROD.	Ø	C.V.		JML



CORNER RADIUS INSIDE AND OUTSIDE: 1/8R  
 4 HOLES: 1/8 DIA  
 BORDERS: 1/16  
 SERIAL BLOCK: 1/8 X 3/4  
 CONTRACT BLOCK: 1/8 X 1-1/8

NOTES:

1. FINISH: REVERSE ETCH, LUSTERLESS ORANGE (32246)  
 BACKGROUND PER FED-STD-595
2. TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN;  
 W/MODIFIER (HEAVY, MEDIUM, CONDENSED, ETC) AS REQUIRED TO FIT SPACE.
3. IDENTIFICATION PLATE TO BE MANUFACTURED  
 IN ACCORDANCE WITH MIL-P-15024 AND AMENDS  
 (TYPE A)


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS FRACTIONS .X ± .05 TOLS 1/64 .XX ± .01 ANGLES 0° 30' .XXX ± .005	FINAL APPROVAL			LIST OF MATERIAL	
MATERIAL .032 ALUM 5052-H32	MECH. DES			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH SEE NOTE	ELECT. DES.			PLATE, IDENTIFICATION	
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.	CHECKED				
	DRAWN				
SIZE A	CODE IDENT. NO. 82679	DWG NO.	NP 913	ISSUE	Ø
SCALE N73				SHEET	OF



APPLICATION

REVISIONS

QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	CON-102BJ		X	EXPERIMENTAL RELEASE	9/16/68		C.V.		
			X1	AGENCY CLARIFIED	9/16/68		C.V.		
			Ø	ORIG. RELEASE FOR PROD.		Ø	R.G.		J.M. White



CORNER RADIUS INSIDE AND OUTSIDE: 1/8R  
 4 HOLES: 1/8 DIA  
 BORDERS: 1/16  
 SERIAL BLOCK: 1/8 X 3/4  
 CONTRACT BLOCK: 1/8 X 1-1/8


NOTES:

1. FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
2. TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED, ETC) AS REQUIRED TO FIT SPACE.
3. IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS X ± .05 TOLS. .XX ± .01 ANGLES .XXX ± .005 0°-30' FRACTIONS 1/64 MATERIAL .032 ALUM 5052-H32 FINISH SEE NOTE	FINAL APPROVAL		LIST OF MATERIAL	
	MECH. DES.		THE TECHNICAL MATERIEL CORP.	
	ELECT. DES.		MAMARONECK, NEW YORK	
	CHECKED		PLATE, IDENTIFICATION	
	DRAWN			
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		SIZE A	CODE IDENT. NO. 82679	DWG NO. NP 914
		SCALE	NTS	SHEET OF
				ISSUE

REVISIONS

QTY	MODEL USED ON	ASSY NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	HFSR-4		X	EXPERIMENTAL RELEASE	4/16/68		C.V.		
			X1	AGENCY CLARIFIED	7/18/68		C.V.		
			Ø	ORIG. RELEASE FOR PROD.	7-17-68	Ø	R.G.		<i>[Signature]</i>



CORNER RADIUS INSIDE AND OUTSIDE: 1/8R  
 4 HOLES: 1/8 DIA  
 BORDERS: 1/16  
 SERIAL BLOCK: 1/8 X 3/4  
 CONTRACT BLOCK: 1/8 X 1-1/8

NOTES:

- FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
- TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED, ETC) AS REQUIRED TO FIT SPACE
- IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A).

APPLICATION		DESCRIPTION		SYMBOL	
QTY	MODEL USED ON	ASSY NO.	LTR	DESCRIPTION	SYMBOL
1	HFSR-4		X	EXPERIMENTAL RELEASE	
			X1	AGENCY CLARIFIED	
			Ø	ORIG. RELEASE FOR PROD.	

REQ'D	ITEM	PART NUMBER	DESCRIPTION
			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK

DECIMALS	FRACTIONS	1/64	DATE
.X ± .05	TOLS.		
.XX ± .01	ANGLES		
.XXX ± .005	Ø-3Ø		

MATERIAL 0-032 ALUMINUM 5052-H32

FINISH	SEE NOTE	CHECKED	DATE	ELECT. DES.	DATE	DRAWN	DATE
		<i>[Signature]</i>	7/18/68			<i>[Signature]</i>	4-1-68

SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
A	82679		Ø

SCALE	NOTES	SHEET	OF
		NP 915	

PLATE, IDENTIFICATION

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.




APPLICATION

QTY	MODEL USED ON	ASS'Y NO.	LTR
1	RTMU-41		X

REVISIONS

DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
EXPERIMENTAL RELEASE		X	C.V.		
NO MENC L E AGENCY CLARIFIED 9/16/68	9/16/68	X1	C.V.		
ORIG. RELEASE FOR PROD.	9-19-68	Ø	R.G.		

CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R  
 4 HOLES REQ- 1/8 DIA  
 BORDERS- 1/16  
 SERIAL BLOCK- 3/16 X 3/4  
 CONTRACT BLOCK- 1/8 X 1-1/2



- NOTE 1 FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
- 2 TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE
- 3 IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS .X ± .05  
.XX ± .01  
.XXX ± .005

FRACTIONS 1/64  
TOLS. 1/64  
ANGLES 0° .30'

MATERIAL .032 ALUMINUM 5052-H32

FINISH SEE NOTE

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
LIST OF MATERIAL				
<b>THE TECHNICAL MATERIEL CORP.</b> MAMARONECK, NEW YORK				
PLATE, IDENTIFICATION				
SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
A	82679	NP 917		
SCALE	NTS		SHEET	OF

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.





APPLICATION

QTY 1  
MODEL USED ON RTTD-4  
ASSY NO.

DESCRIPTION

X EXPERIMENTAL RELEASE  
XI AGENCY CLASSIFIED

E.M.N.NO X  
DATE 8/16/68  
DRAFT C.V.

CHKD

APPD

Ø ORIG. RELEASE FOR PROD. 9-19-68

Ø R.G. JMG

CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R  
4 HOLES REQ- 1/8 DIA  
BORDERS- 1/16  
SERIAL BLOCK- 3/16 X 3/4  
CONTRACT BLOCK- 1/8 X 1-1/2



NOTE 1

FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595

2

TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE

3

IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS .X ± .05  
.XX ± .01  
.XXX ± .005

FRACTIONS 1/64  
ANGLES 0°-30'

MATERIAL .032 ALUMINUM 5052-H32

FINISH SEE NOTE

REQ'D ITEM

PART NUMBER

DESCRIPTION

SYM.

LIST OF MATERIAL

FINAL APPROVAL [Signature] DATE 9/16/68  
MECH. DES. [Signature] DATE 9/16/68  
ELECT-DES. [Signature] DATE 9/16/68  
CHECKED [Signature] DATE 9/16/68  
DRAWN [Signature] DATE 9/16/68

THE TECHNICAL MATERIEL CORP.  
MAMARONECK, NEW YORK

PLATE IDENTIFICATION

NOTICE TO PERSONS RECEIVING THIS DRAWING  
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE CODE IDENT. NO. DWG NO.

A 82679

NP 919

ISSUE

SCALE NTS

SHEET

OF



## APPLICATION

QTY  
MODEL USED ON  
RTIH-3

LTR

DESCRIPTION

REVISIONS

ASS'Y NO.  
X

EXPERIMENTAL RELEASE  
4/15/68

DRAFT

APPD

XI UNIT FUNCTION CLARIFIED  
7/18/68

XI

JW


APPD

Ø ORIG. RELEASE FOR PROD.  
9-19-68

Ø

R.G.

JAD



2 HOLES:  $\frac{1}{8}$  DIA  
BORDERS:  $\frac{1}{16}$   
SERIAL BLOCK:  $\frac{1}{8} \times \frac{3}{16}$   
CONTRACT BLOCK:  $\frac{1}{8} \times \frac{1}{2}$

## NOTES:

- FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038)  
BACKGROUND PER FED-STD-595
- TYPE FACE  
LETTERING TO BE GOTHIC OR SPARTAN;  
W/MODIFIER (HEAVY, MEDIUM, CONDENSED, ETC)  
AS REQUIRED TO FIT SPACE
- IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH  
MIL-P-15024 AND AMENDS. (TYPE A)

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
AND INCLUDE CHEMICALLY APPLIED  
OR PLATED FINISHES

DECIMALS  
X ± .05  
XX ± .01  
.XXX ± .005

FRACTIONS  
1/64  
ANGLES  
0° .30'

MATERIAL 0.032 ALUMINUM  
5052-H32

FINISH SEE NOTE

REQ'D ITEM

PART NUMBER

DESCRIPTION

SYM.

LIST OF MATERIAL

THE TECHNICAL MATERIEL CORP.  
MAMARONECK, NEW YORK

FINAL APPROVAL

DATE

MÉCH. DES.

DATE

ELECT. DES.

DATE

CHECKED

DATE

DRAWN

DATE

PLATE, IDENTIFICATION

## NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE

A 82679

CODE IDENT. NO. DWG NO.

NP 921

ISSUE

SCALE

N75

SHEET

OF

APPLICATION


QTY 1  
 MODEL USED ON MSA-4  
 ASSY NO.

LTR  
 X  
 X1  
 Ø

DESCRIPTION  
 EXPERIMENTAL RELEASE  
 AGENCY CLARIFIED  
 ORIG. RELEASE FOR PROD.

REVISIONS

DATE	E.M.N.NO	DRAFT	CHKD	APPD
4/16/68		C.V.		
9/18/68		C.V.		
9-19-68	Ø	R.G.		



CORNER RADIUS INSIDE AND OUTSIDE: 1/8R  
 4 HOLES: 1/8 DIA  
 BORDERS: 1/16  
 SERIAL BLOCK: 1/8 X 3/4  
 CONTRACT BLOCK: 1/8 X 1-1/8

NOTES:

1. FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
2. TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED, ETC) AS REQUIRED TO FIT SPACE.
3. IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS FRACTIONS  
 .X ± .06 1/64  
 .XX ± .01 .015  
 .XXX ± .005 .003

MATERIAL .032 ALUM 5052-H32

FINISH SEE NOTE

REQ'D ITEM

FINAL APPROVAL

MECH. DES.

ELECT-DES.

CHECKED

DRAWN

DATE

DATE

DATE

DATE

DATE

PART NUMBER

LIST OF MATERIAL

DESCRIPTION

THE TECHNICAL MATERIEL CORP.  
 MAMARONECK, NEW YORK

PLATE, IDENTIFICATION

SIZE CODE IDENT. NO. DWG NO.

A 82679 NP 924

ISSU

Ø

SHEET OF

SCALE NTS

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.




## APPLICATION

QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	HFS-4		X	EXPERIMENTAL RELEASE	4/16/68		C.V.		

X1	AGENCY CLARIFIED	9/18/68							
Ø	ORIG. RELEASE FOR PROD.	9-19-68				Ø	R.G.		
A	TITLE WAS GENERATOR, RF SIGNAL	1/22/69				19191	C.V.		

## REVISIONS

QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	HFS-4		X	EXPERIMENTAL RELEASE	4/16/68		C.V.		
			X1	AGENCY CLARIFIED	9/18/68		C.V.		
			Ø	ORIG. RELEASE FOR PROD.	9-19-68	Ø	R.G.		
			A	TITLE WAS GENERATOR, RF SIGNAL	1/22/69	19191	C.V.		



CORNER RADIUS INSIDE AND OUTSIDE: 1/8R

4 HOLES: 1/8 DIA

BORDERS: 1/16

SERIAL BLOCK: 1/8 X 3/4

CONTRACT BLOCK: 1/8 X 1-1/8

## NOTES:

1. FINISH:  
REVERSE ETCH, LUSTERLESS BLACK (37038)  
BACKGROUND PER FED-STD-595
2. TYPE FACE:  
LETTERING TO BE GOTHIC OR SPARTAN;  
W/MODIFIER (HEAVY, MEDIUM, CONDENSED,  
ETC) AS REQUIRED TO FIT SPACE
3. IDENTIFICATION PLATE TO BE MANUFACTURED  
IN ACCORDANCE WITH MIL-P-15024 AND AMENDS  
(TYPE A).

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
AND INCLUDE CHEMICALLY APPLIED  
OR PLATED FINISHES

DECIMALS  
X ± .05 TOLS. 1/64  
.XX ± .01 ANGLES  
.XXX ± 0°-30'

MATERIAL 0.032 ALUMINUM  
5052-H32

FINISH  
SEE NOTE

REQ'D ITEM	PART NUMBER	DESCRIPTION	SYM.
LIST OF MATERIAL			
<b>THE TECHNICAL MATERIEL CORP.</b> MAMARONECK, NEW YORK			
FINAL APPROVAL	DATE		
MECH. DES.	DATE		
ELECT. DES.	DATE		
CHECKED	DATE		
DRAWN	DATE		

## NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
A	82679	NP 925	A

SCALE N/T'S

SHEET

OF



APPLICATION

QTY 1  
MODEL USED ON DDR-10L

ASS'Y NO.

LTR X

DESCRIPTION  
EXPERIMENTAL RELEASE

DATE 4/15/68

E.M.N.NO.

DRAFT JW

CHKD

APPD

1

DDR-10L

ASS'Y NO.

LTR X

DESCRIPTION  
EXPERIMENTAL RELEASE

DATE 4/15/68

E.M.N.NO.

DRAFT JW

CHKD

APPD

XI AGENCY CLARIFIED 5/16/68


Ø. ORIG. RELEASE FOR PROD. 9-19-68

Ø

DRAFT CV

CHKD

APPD R.G.



CORNER RADIUS INSIDE & OUTSIDE: 1/8R  
 4 HOLES REQ.: 1/8 DIA  
 SERIAL BLOCK: 3/16 X 3/4  
 CONTRACT BLOCK: 3/16 X 1-1/2  
 U.S. BLOCK: 7/32 SQUARE  
 BORDER: 1/8

TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN;  
 W/MODIFIER (HEAVY, MED. CONDENSED,  
 ETC) AS REQUIRED TO FIT SPACE  
 FINISH: REVERSE ETCH, LUSTERLESS ORANGE  
 (32246) BACKGROUND PER FED-STD-595.  
 IDENTIFICATION PLATE TO BE MANUFACTURED IN  
 ACCORDANCE WITH MIL-P-15024 AND AMENDS  
 (TYPE A)

NOTES

UNLESS OTHERWISE SPECIFIED  
 DIMENSIONS ARE IN INCHES  
 AND INCLUDE CHEMICALLY APPLIED  
 OR PLATED FINISHES

DECIMALS FRACTIONS  
 X ± .05 TOLS. 1/64  
 XX ± .01 ANGLES 0°-30'  
 .XXX ± .005

MATERIAL: .032 ALUMINUM  
 5052-H32


FINISH SEE NOTE

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
FINAL APPROVAL	DATE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
MECH. DES.	DATE	PLATE, IDENTIFICATION		
ELECT. DES.	DATE			
CHECKED	DATE			
DRAWN	DATE			

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material  
 disclosed hereon. This drawing is issued in confidence for engineering information only  
 and may not be reproduced or used to manufacture anything shown hereon without  
 permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is  
 loaned for mutual assistance and is subject to recall at any time.

SIZE A	CODE IDENT. NO. 82679	DWG NO. NP 926	ISSUE
SCALE N.T.S.	SHEET		OF

APPLICATION		REVISIONS							
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	DDR-10K		X	EXPERIMENTAL RELEASE	4/15/68				
			X	AGENCY CLARIFIED	5/16/68				
			Ø	ORIG. RELEASE FOR PROD.	8-19-68	Ø	R.G.		JMD



NOTES

CORNER RADIUS INSIDE & OUTSIDE: 1/8R  
 4 HOLES REQ.: 1/8 DIA  
 SERIAL BLOCK: 3/16 X 3/4  
 CONTRACT BLOCK: 3/16 X 1-1/2  
 U.S. BLOCK: 7/32 SQUARE  
 BORDER: 1/8

TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN;  
 W/MODIFIER (HEAVY, MED. CONDENSED,  
 ETC) AS REQUIRED TO FIT SPACE  
 FINISH: REVERSE ETCH, LUSTERLESS ORANGE  
 (32246)BACKGROUND PER FED-STD-595.

IDENTIFICATION PLATE TO BE MANUFACTURED IN  
 ACCORDANCE WITH MIL-P-15024 AND AMENDS  
 (TYPE A)


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
LIST OF MATERIAL						
MATERIAL .032 ALUMINUM 5052-H32		FINAL APPROVAL			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH SEE NOTE		MECH. DES.				
		ELECT-DES.			PLATE, IDENTIFICATION	
		CHECKED				
		DRAWN				
		DATE	DATE	DATE	DATE	DATE
		4-10-68	4-10-68	4-10-68	4-10-68	4-10-68
NOTICE TO PERSONS RECEIVING THIS DRAWING		SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		A	82679		NP 927	Ø
		SCALE	NTS	SHEET	OF	

APPLICATION

QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N. NO	DRAFT	CHKD	APPD
1	DDR-IOM		X	EXPERIMENTAL RELEASE	4/15/68		JW		

REVISIONS

Ø	ORIG. RELEASE FOR PROD.	9-19-68	Ø	R.G.



CORNER RADIUS INSIDE & OUTSIDE: 1/8R  
 4 HOLES REQ.: 1/8 DIA  
 SERIAL BLOCK: 3/16 X 3/4  
 CONTRACT BLOCK: 3/16 X 1-1/2  
 U.S. BLOCK: 7/32 SQUARE  
 BORDER: 1/8

TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN;  
 W/MODIFIER (HEAVY, MED, CONDENSED,  
 ETC) AS REQUIRED TO FIT SPACE  
 FINISH: REVERSE ETCH, LUSTERLESS ORANGE  
 (32246)BACKGROUND PER FED-STD-595.

IDENTIFICATION PLATE TO BE MANUFACTURED IN  
 ACCORDANCE WITH MIL-P-15024 AND AMENDS  
 (TYPE A)

NOTES

UNLESS OTHERWISE SPECIFIED  
 DIMENSIONS ARE IN INCHES  
 AND INCLUDE CHEMICALLY APPLIED  
 OR PLATED FINISHES

DECIMALS FRACTIONS  
 .X ± .05 TOLS. 1/64  
 .XX ± .01 ANGLES  
 .XXX ± .005 0°-30°

MATERIAL .032 ALUMINUM  
 5052-H32

FINISH SEE NOTE

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
LIST OF MATERIAL				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
PLATE, IDENTIFICATION				

FINAL APPROVAL	DATE
MECH. DES	DATE
ELECT-DES.	DATE
CHECKED	DATE
DRAWN	DATE

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material  
 disclosed hereon. This drawing is issued in confidence for engineering information only  
 and may not be reproduced or used to manufacture anything shown hereon without  
 permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is  
 loaned for mutual assistance and is subject to recall at any time.

SIZE A

CODE IDENT. NO. 82679

DWG NO. NP 928

ISSUE

SCALE NTS

SHEET OF


APPLICATION

QTY	MODEL USED ON	ASSY NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	TIS-3D		X	EXPERIMENTAL RELEASE		X	C.V.		

REVISIONS

			XI	NOMENCLATURE REVISED	9/30/68	XI	C.V.		
			Ø	ORIG RELEASE FOR PROD	10/2/68	Ø	C.V.		
			A	UPDATED	10/28/69	19400	C.V.		

CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R  
 4 HOLES REQ- 1/8 DIA  
 BORDERS- 1/16  
 SERIAL BLOCK- 3/16 X 3/4  
 CONTRACT BLOCK- 1/8 X 1-1/2



NOTE 1

FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595

2

TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE

3

IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS FRACTIONS  
 X ± .05 1/64  
 .XX ± .01 ANGLES  
 .XXX ± .005 0° 30'

MATERIAL .032 ALUMINUM 5052-H32

FINISH SEE NOTE

REQ'D ITEM PART NUMBER DESCRIPTION SYM.

LIST OF MATERIAL

THE TECHNICAL MATERIEL CORP.  
 MAMARONECK, NEW YORK

PLATE, IDENTIFICATION


FINAL APPROVAL	DATE
<i>JPM</i>	
MECH. DES.	DATE
<i>W. Stussman</i>	4/23/68
ELECT. DES.	DATE
CHECKED	DATE
<i>J. White</i>	10/2/68
DRAWN	DATE
<i>Tom Buchanan</i>	4-11-68

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
A	82679	NP 930	A
SCALE		SHEET	OF

REVISIONS

APPLICATION		REVISIONS		DESCRIPTION		DATE		E.M.N.NO		DRAFT		CHKD		APPD	
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD						
1	GPTM 10KAB		X	EXPERIMENTAL RELEASE	4/15/68		JW								
			X1	ELECTRICAL DATA REVISED	8/7/68		C.V.								
			X2	NOMENCLATURE REVISED	9/30/68		C.V.								
			Ø	ORIG RELEASE FOR PROD	10/12/68										
			A	UPDATED	9/28/69	19400	CU								



NOTES

TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MED. CONDENSED, ETC) AS REQUIRED TO FIT SPACE

FINISH: REVERSE ETCH, LUSTERLESS ORANGE (32246) BACKGROUND PER FED-STD-595.

IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A)

CORNER RADIUS INSIDE & OUTSIDE: 1/8R

4 HOLES REQ.: 1/8 DIA

SERIAL BLOCK: 3/16 X 3/4

CONTRACT BLOCK: 3/16 X 1-1/2

U.S. BLOCK: 7/32 SQUARE

BORDER: 1/8

DESCRIPTION

LIST OF MATERIAL

THE TECHNICAL MATERIEL CORP.  
MAMARONECK, NEW YORK

SYM.

REQ'D	ITEM	PART NUMBER	DESCRIPTION
FINAL APPROVAL	<i>JFM</i>	DATE 10-2-68	
MECH. DES.	<i>J. J. Stetson</i>	DATE 4/23/68	
ELECT. DES.		DATE	
CHECKED	<i>J. J. Stetson</i>	DATE 10/2/68	
DRAWN	<i>J. J. Stetson</i>	DATE 4-10-68	

PLATE, IDENTIFICATION


FINISH	See Note
MATERIAL .032 ALUMINUM 5052-H32	
SIZE A	CODE IDENT. NO. 82679
SCALE 1:1	DWG NO. NP931
	SHEET OF
	ISSUE A

NOTICE TO PERSONS RECEIVING THIS DRAWING  
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.



REVISIONS

APPLICATION		REVISIONS						
QTY	MODEL USED ON	ASS'Y NO.	DESCRIPTION	DATE	E.M.N. NO	DRAFT	CHKD	APPD
1	A X5031		EXPERIMENTAL RELEASE	4/16/68		C.V.		
			NOMENCLATURE REVISED	9/30/68		C.V.		
			ORIG RELEASE FOR PROD	10/2/68	Ø	C.V.		
			UPDATED	4/28/69	19400	CU		



CORNER RADIUS INSIDE AND OUTSIDE: 1/8R  
 4 HOLES: 1/8 DIA  
 BORDERS: 1/16  
 SERIAL BLOCK: 1/8 X 3/4  
 CONTRACT BLOCK: 1/8 X 1-1/8

INSERT TITLE AS SHOWN  
 NAVAL ELECTRONIC SYSTEMS COMMAND

NOTES:

1. FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
2. TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED, ETC) AS REQUIRED TO FIT SPACE.
3. IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS FRACTIONS  
 .X ± .05 1/64  
 .XX ± .01 ANGLES  
 .XXX ± 0° 30'

MATERIAL .032 ALUM  
 5052-H32

FINISH SEE NOTES

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
LIST OF MATERIAL				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
PLATE, IDENTIFICATION				

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.


SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
A	82679	NP 932	A
SCALE	1:1	SHEET	OF

APPLICATION

QTY	MODEL USED ON	ASSY NO.	LTR
	TTRR		X

REVISIONS

DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
EXPERIMENTAL RELEASE	5/23/68		C.V.		
ORIGINAL RELEASE	5/23/68		C.V.		



4 HOLES: 3/32 DIA  
 BORDER: 1/16  
 SERIAL BLOCK: 5/32 X 29/32  
 MODEL BLOCK: 5/32 X 7/16

MATERIAL NOTE:


.032 THK ALUMINUM  
 ALCAN 2S-H  
 ALCAN 3S-H  
 ALCOA 2S-H15

NOTES:

1. FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595.
2. TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN; WITH MODIFIER (HEAVY, MEDIUM, CONDENSED, ETC) AS REQUIRED TO FIT SPACE.
3. IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A).

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS ± .05 .XX ± .01 .XXX ± .005	FINAL APPROVAL		LIST OF MATERIAL	
FRACTIONS 1/64	MECH. DES			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK
TOLS. ANGLES 0°-30'	ELECT. DES			
MATERIAL SEE MATERIAL NOTE	CHECKED			
FINISH	DRAWN			
NOTICE TO PERSONS RECEIVING THIS DRAWING			PLATE, IDENTIFICATION	
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.			SIZE	ISSUE
			A 82679	NP 933
			SCALE 1:1	SHEET OF
			DWG NO.	

APPLICATION			REVISIONS						
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
	TTRT( )D		X	EXPERIMENTAL RELEASE	5/23/68		JW		
			Ø	ORIGINAL RELEASE	5/23/68	Ø	JW		JW



2 HOLES: 9/64 DIA.  
 BORDER: 1/16  
 SERIAL BLOCK: 1/8 X 17/32  
 MODEL BLOCK: 5/32 X 13/32

MATERIAL NOTE:  
 .032 THK ALUMINUM  
 ALCAN 2S-H OR  
 ALCAN 3S-H  
 ALCOA 2S-H15


NOTES:

1. FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
2. TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED, ETC) AS REQUIRED TO FIT SPACE
3. IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS .X ± .05 TOLS. .XX ± .01 ANGLES .XXX ± 0° .30'	FINAL APPROVAL			LIST OF MATERIAL	
FRACTIONS 1/64	MECH. DES.				
MATERIAL SEE MATERIAL NOTE	ELECT. DES.				
FINISH	CHECKED				
	DRAWN			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
				PLATE, IDENTIFICATION	
				SIZE A	ISSUE Ø
				CODE IDENT. NO. 82679	DWG NO. NP 934
				SCALE 2:1	SHEET OF

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

APPLICATION			REVISIONS						
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	RFC-1A		X	EXPERIMENTAL RELEASE	6/17/68		C.V.		
			Ø	ORIG. RELEASE FOR PROD.	6-25-68	Ø	R.G.		JAG



CORNER RADIUS INSIDE AND OUTSIDE: 1/8R  
 4 HOLES: 1/8 DIA  
 BORDERS: 1/16  
 SERIAL BLOCK: 1/8 X 3/4  
 CONTRACT BLOCK: 1/8 X 1-1/8

NOTES:

1. FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
2. TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED, ETC) AS REQUIRED TO FIT SPACE.
3. IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005 FRACTIONS 1/64 ANGLES 0° - 30'	FINAL APPROVAL		LIST OF MATERIAL	
MATERIAL • 032 ALUM 5052-H32	MECH. DES.		THE TECHNICAL MATERIEL CORP.	
FINISH	ELECT. DES.		MAMARONECK, NEW YORK	
SEE NOTE	CHECKED		PLATE, IDENTIFICATION	
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.	DRAWN		SIZE	ISSUE
	C.V.		A	Ø
			CODE IDENT. NO.	DWG NO.
			82679	NP 935
			SCALE	SHEET OF




APPLICATION

QTY	MODEL USED ON	ASSY NO.	LTR
1	GPT10KRA7		X

REVISIONS

DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
EXPERIMENTAL RELEASE	6/17/68		JW		
ORIG. RELEASE FOR PROD.	6-28-68	Ø	R.G.		
REVISED VOLT & CURR DESIG	19057	C.V.			



CORNER RADIUS INSIDE & OUTSIDE: 1/8R.  
 4 HOLES REQ.: 1/8 DIA  
 SERIAL BLOCK: 3/16 X 3/4  
 CONTRACT BLOCK: 3/16 X 1-1/2  
 U.S. BLOCK: 7/32 SQUARE  
 BORDER: 1/8

NOTES

TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN;  
 W/MODIFIER (HEAVY, MED. CONDENSED,  
 ETC) AS REQUIRED TO FIT SPACE

FINISH: REVERSE ETCH, LUSTERLESS ORANGE  
 (32246) BACKGROUND PER FED-STD-595.

IDENTIFICATION PLATE TO BE MANUFACTURED IN  
 ACCORDANCE WITH MIL-P-15024 AND AMENDS  
 (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DESCRIPTION	
DECIMALS	FRACTIONS	REQ'D ITEM	PART NUMBER
.X ± .05	TOLS. 1/64	FINAL APPROVAL	DATE
.XX ± .01	ANGLES 0°-30'	MECH. DES.	DATE
.XXX ± .005		ELECT. DES.	DATE
MATERIAL: .032 ALUMINUM 5052-H32		CHECKED	DATE
FINISH SEE NOTE		DRAWN	DATE
LIST OF MATERIAL		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
PLATE, IDENTIFICATION		SIZE	CODE IDENT. NO.
		A	82679
		DWG NO.	NP 936
		ISSUE	A
NOTICE TO PERSONS RECEIVING THIS DRAWING		SCALE	1:1
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		SHEET	OF




APPLICATION

QTY	MODEL USED ON	ASS'Y NO.	LTR
1	GPT10KRF8		X

REVISIONS

DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
EXPERIMENTAL RELEASE	6/17/68		JW		
ORIG. RELEASE FOR PROD.		Ø	R.G.		
REVISED VOLT & CURR DESIG		19057	C.V.		



CORNER RADIUS INSIDE & OUTSIDE: 1/8R  
 4 HOLES REQ.: 1/8 DIA  
 SERIAL BLOCK: 3/16 X 3/4  
 CONTRACT BLOCK: 3/16 X 1-1/2  
 U.S. BLOCK: 7/32 SQUARE  
 BORDER: 1/8

NOTES


TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN;  
 W/MODIFIER (HEAVY, MED. CONDENSED,  
 ETC) AS REQUIRED TO FIT SPACE

FINISH: REVERSE ETCH, LUSTERLESS ORANGE  
 (32246)BACKGROUND PER FED-STD-595.

IDENTIFICATION PLATE TO BE MANUFACTURED IN  
 ACCORDANCE WITH MIL-P-15024 AND AMENDS  
 (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	DECIMALS	FRACTIONS	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.		
	.X ± .05 .XX ± .01 .XXX ± .005	1/64 ANGLES Ø .30V							
MATERIAL .032 ALUMINUM 5052-H32			FINAL APPROVAL	DATE	LIST OF MATERIAL				
FINISH SEE NOTE			MECH. DES.	DATE	THE TECHNICAL MATERIEL CORP.				
			ELECT. DES.	DATE	MAMARONECK, NEW YORK				
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.			CHECKED	DATE	PLATE, IDENTIFICATION				
			DRAWN	DATE	SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
			DRAWN: J. Hochberg		DATE: 6-17-68	A	82679	NP 937	A
			SCALE: 1:1		SHEET		OF		

APPLICATION		REVISIONS							
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	GPT10KRJ8		X	EXPERIMENTAL RELEASE	6/17/68		JW		
			Ø	ORIG. RELEASE FOR PROD.	6/25/68	Ø	R.G.		
			A	REVISED VOLT & CURR DESIG	9/30/68	19057	C.V.		



CORNER RADIUS INSIDE & OUTSIDE: 1/8R  
 4 HOLES REQ.: 1/8 DIA  
 SERIAL BLOCK: 3/16 X 3/4  
 CONTRACT BLOCK: 3/16 X 1-1/2  
 U.S. BLOCK: 7/32 SQUARE  
 BORDER: 1/8

NOTES

TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN;  
 W/MODIFIER (HEAVY, MED, CONDENSED,  
 ETC) AS REQUIRED TO FIT SPACE

FINISH: REVERSE ETCH, LUSTERLESS ORANGE  
 (32246) BACKGROUND PER FED-STD-595.

IDENTIFICATION PLATE TO BE MANUFACTURED IN  
 ACCORDANCE WITH MIL-P-15024 AND AMENDS  
 (TYPE A)

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
LIST OF MATERIAL				
<b>THE TECHNICAL MATERIEL CORP.</b> MAMARONECK, NEW YORK				
PLATE, IDENTIFICATION				
SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
A	82679	NP 938	A	
SCALE 1:1				
SHEET OF				

REVISIONS	DATE	DESCRIPTION
Ø	6/25/68	ORIG. RELEASE FOR PROD.
A	9/30/68	REVISED VOLT & CURR DESIG

REVISIONS	DATE	DESCRIPTION
Ø	6/25/68	ORIG. RELEASE FOR PROD.
A	9/30/68	REVISED VOLT & CURR DESIG

REVISIONS	DATE	DESCRIPTION
Ø	6/25/68	ORIG. RELEASE FOR PROD.
A	9/30/68	REVISED VOLT & CURR DESIG

REVISIONS	DATE	DESCRIPTION
Ø	6/25/68	ORIG. RELEASE FOR PROD.
A	9/30/68	REVISED VOLT & CURR DESIG

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS: .X ± .05 TOLS. 1/64 ANGLES: .XX ± .01 .XXX ± .005

MATERIAL: .032 ALUMINUM 5052-H32

FINISH: SEE NOTE

NOTICE TO PERSONS RECEIVING THIS DRAWING: THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

APPLICATION

QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	GPT40KE44		X	EXPERIMENTAL RELEASE	6/17/68		JW		


Ø  
A

Ø  
A

Ø  
A

REVISIONS

Ø	ORIG. RELEASE FOR PROD.	6-25-68	Ø	R.G.	
A	REVISED VOLT & CURR DESIG	9/20/68	19057	C.V.	



CORNER RADIUS INSIDE & OUTSIDE: 1/8R  
 4 HOLES REQ.: 1/8 DIA  
 SERIAL BLOCK: 3/16 X 3/4  
 CONTRACT BLOCK: 3/16 X 1-1/2  
 U.S. BLOCK: 7/32 SQUARE  
 BORDER: 1/8

NOTES  
 TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN;  
 W/MODIFIER (HEAVY, MED. CONDENSED,  
 ETC). AS REQUIRED TO FIT SPACE  
 FINISH: REVERSE ETCH, LUSTERLESS ORANGE  
 (32246)BACKGROUND PER FED-STD-595.  
 IDENTIFICATION PLATE TO BE MANUFACTURED IN  
 ACCORDANCE WITH MIL-P-15024 AND AMENDS  
 (TYPE A)

UNLESS OTHERWISE SPECIFIED  
 DIMENSIONS ARE IN INCHES  
 AND INCLUDE CHEMICALLY APPLIED  
 OR PLATED FINISHES

DECIMALS	FRACTIONS
X ± .05	1/64
.XX ± .01	ANGLES
.XXX ± .005	0°-30'

MATERIAL: .032 ALUMINUM  
 5052-H32

FINISH SEE NOTE

REQ'D ITEM	PART NUMBER	DESCRIPTION	DATE
FINAL APPROVAL			
MECH. DES.			
ELECT. DES.			
CHECKED			
DRAWN			

LIST OF MATERIAL

THE TECHNICAL MATERIEL CORP.  
 MAMARONECK, NEW YORK

PLATE, IDENTIFICATION


NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used in manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
A	82679	NP 939	A
SCALE	1:1	SHEET	OF

APPLICATION

REVISIONS

QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	GPT40KEC4		X	EXPERIMENTAL RELEASE	6/17/68		JW		
			Ø	ORIG. RELEASE FOR PROD.	6-23-68	Ø	R.G.		
			A	REVISED VOLT & CURR DESIG	9/20/68	19057	C.V.		



CORNER RADIUS INSIDE & OUTSIDE: 1/8R  
 4 HOLES REQ.: 1/8 DIA  
 SERIAL BLOCK: 3/16 X 3/4  
 CONTRACT BLOCK: 3/16 X 1-1/2  
 U.S. BLOCK: 7/32 SQUARE  
 BORDER: 1/8

NOTES  
 TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN;  
 W/MODIFIER (HEAVY, MED. CONDENSED,  
 ETC) AS REQUIRED TO FIT SPACE  
 FINISH: REVERSE ETCH, LUSTERLESS ORANGE  
 (32246) BACKGROUND PER FED-STD-595.  
 IDENTIFICATION PLATE TO BE MANUFACTURED IN  
 ACCORDANCE WITH MIL-P-15024 AND AMENDS  
 (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS -X ± .05 TOLS. .XX ± .01 ANGLES .XXX ± .005 0°-30'	FINAL APPROVAL			LIST OF MATERIAL	
	MATERIAL .032 ALUMINUM 5052-H32			<b>THE TECHNICAL MATERIEL CORP.</b> MAMARONECK, NEW YORK	
FINISH	SEE NOTE			PLATE, IDENTIFICATION*	
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
	A	82679		NP 940	A
	SCALE 1:1			SHEET	OF


APPLICATION

QTY MODEL USED ON ASS'Y NO. LTR

1 (ITER 25 KA/50U)  
A  
B

REVISIONS

DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
REVISED & UPDATED	10-16-89		CDL		208
SPACE & NAVAL - WAS NAVAL SUP. -	11-26-91		CDL		208



FINISH:

- 1- REVERSE ETCH. LUSTERLESS BLACK (3703B) BACKGROUND PER FED.-STD-595
- 2- LETTERING TO BE GOTHIC OR SPARTAN;
- 3- IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS FRACTIONS  
 .X ± .05 TOLS. 1/64  
 .XX ± .01 ANGLES 0° - 30'  
 .XXX ± .005

MATERIAL .032 ALUM.  
 5052-H32

FINISH SEE NOTE

REQ'D ITEM PART NUMBER

FINAL APPROVAL	DATE
<i>CDL</i>	10/18/89
MECH. DES.	DATE
ELECT. DES.	DATE
CHECKED	DATE
DRAWN	DATE
<i>G.D.L</i>	10-16-89

DESCRIPTION LIST OF MATERIAL SYM.

THE TECHNICAL MATERIEL CORP.  
 MAMARONECK, NEW YORK

PLATE, IDENTIFICATION

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE CODE IDENT. NO. DWG NO. ISSUE  
 A 82679 NP 941 B


SCALE 1:1 SHEET OF



APPLICATION

QTY	MODEL USED ON	ASSY NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
	RAK120-1		X	EXPERIMENTAL RELEASE	1/16/68		C.V.		
			Ø	ORIG RELEASE FOR PROD	1/8/68		C.V.		40

REVISIONS



CORNER RADIUS INSIDE AND OUTSIDE: 1/8R  
 4 HOLES: 1/8 DIA  
 BORDERS: 1/16  
 SERIAL BLOCK: 1/8 X 3/4  
 CONTRACT BLOCK: 1/8 X 1-1/8


NOTES:

1. FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
2. TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED, ETC) AS REQUIRED TO FIT SPACE.
3. IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		REQ'D ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FINAL APPROVAL		LIST OF MATERIAL	
FRACTIONS 1/64		MECH. DES.		THE TECHNICAL MATERIEL CORP.	
TOLS. ANGLES 0°-30°		ELECT. DES.		MAMARONECK, NEW YORK	
MATERIAL .032 ALUM 5052-H32		CHECKED		PLATE, IDENTIFICATION	
FINISH SEE NOTE		DRAWN			
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		DATE	DATE	DATE	DATE
		DATE	DATE	DATE	DATE
		DATE	DATE	DATE	DATE
		DATE	DATE	DATE	DATE
		DATE	DATE	DATE	DATE
SIZE	CODE IDENT. NO.	DWG NO.	ISSUE		
A	82679	NP 944	Ø		
SCALE		SHEET	OF		



APPLICATION		REVISIONS							
QTY	MODEL USED ON	ASSY NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
	RAK125-3		X	EXPERIMENTAL RELEASE	1/16/64		C.V.		
			Ø	ORIG RELEASE FOR PROD	10/28/63		C.V.		J.D.



CORNER RADIUS INSIDE AND OUTSIDE: 1/8R  
4 HOLES: 1/8 DIA  
BORDERS: 1/16  
SERIAL BLOCK: 1/8 X 3/4  
CONTRACT BLOCK: 1/8 X 1-1/8

NOTES:

1. FINISH:  
REVERSE ETCH, LUSTERLESS BLACK (37038)  
BACKGROUND PER FED-STD-595
2. TYPE FACE:  
LETTERING TO BE GOTHIC OR SPARTAN;  
W/MODIFIER (HEAVY, MEDIUM, CONDENSED,  
ETC) AS REQUIRED TO FIT SPACE.
3. IDENTIFICATION PLATE TO BE MANUFACTURED  
IN ACCORDANCE WITH MIL-P-15024 AND AMENDS  
(TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS	FRACTIONS	LIST OF MATERIAL				
.X ± .05	1/64	THE TECHNICAL MATERIEL CORP.				
.XX ± .01	TOLS. ANGLES	MAMARONECK, NEW YORK				
.XXX ± .005	0° 30'	PLATE, IDENTIFICATION				
MATERIAL	.032 ALUM	SIZE		CODE IDENT. NO.	DWG NO.	ISSUE
FINISH	5052-H32	A		82679	NP 948	Ø
SEE NOTE		SCALE		SHEET		OF
<p>NOTICE TO PERSONS RECEIVING THIS DRAWING</p> <p>THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.</p>						



APPLICATION

QTY 1  
 MODEL USED ON HFS-2


ASS'Y NO. X

DESCRIPTION  
 EXPERIMENTAL RELEASE

REVISIONS

DATE	E.M.N.NO	DRAFT	CHKD	APPD
2/17/69	X	C.V.		
2-18-69	Ø	RG		

Ø ORIG. RELEASE FOR PROD



NOTE 1

FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595

2

TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE

3

IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS .X ± .05  
 .XX ± .01  
 .XXX ± .005

FRACTIONS 1/64  
 TOLS. ANGLES 0°-30°

MATERIAL .032 ALUMINUM 5052-H32

FINISH SEE NOTE

REQ'D ITEM PART NUMBER

DESCRIPTION

LIST OF MATERIAL

SYM.

FINAL APPROVAL	MECH. DES.	ELECT. DES.	CHECKED	DRAWN	DATE	DATE	DATE	DATE
<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	2/17/69	2/17/69	2/17/69	2/17/69

THE TECHNICAL MATERIEL CORP.  
 MAMARONECK, NEW YORK

PLATE, IDENTIFICATION

NOTICE TO PERSONS RECEIVING THIS DRAWING: THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE A  
 CODE IDENT. NO. 82679

DWG NO. NP 950

ISSUE



APPLICATION			REVISIONS						
QTY	MODEL USED ON	ASSY NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	RAK-22C		X*	EXPERIMENTAL RELEASE	7/17/69	X	C.V.		
			Ø	ORIG. RELEASE FOR PROD.		Ø	RG		


CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R  
 4 HOLES REQ- 1/8 DIA  
 BORDERS- 1/16  
 SERIAL BLOCK- 3/16 X 3/4  
 BLOCK- 1/8 X 1-1/2



- NOTE 1 FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
- 2 TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE
- 3 IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS					LIST OF MATERIAL	
X ± .05	TOLS.	FINAL APPROVAL				
XX ± .01	1/64	MECH. DES.			THE TECHNICAL MATERIEL CORP.	
XXX ± .005	ANGLES	ELECT. DES.			MAMARONECK, NEW YORK	
	0° 30'	CHECKED			PLATE, IDENTIFICATION	
MATERIAL	.032 ALUMINUM	DRAWN				
	5052-H32					
FINISH	SEE NOTE					
NOTICE TO PERSONS RECEIVING THIS DRAWING		SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		A	82679		NP 951	
		SCALE			SHEET	OF


APPLICATION		REVISONS							
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	BSP-6B		X	EXPERIMENTAL RELEASE	17/68	X	C.V.		
			Ø	ORIG. RELEASE FOR PROD.		Ø	RG		



- NOTE 1 FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
- 2 TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE
- 3 IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		REQ'D	ITEM	PART	NUMBER	DESCRIPTION	SYM.
DECIMALS	FRACTIONS	LIST OF MATERIAL					
X ± .05	1/64	THE TECHNICAL MATERIEL CORP.					
XX ± .01	TOLS.	MAMARONECK, NEW YORK					
XXX ± .005	ANGLES 0°-30°	PLATE, IDENTIFICATION					
MATERIAL .032 ALUMINUM 5052-H32		SIZE CODE IDENT. NO. DWG NO. ISSUE					
FINISH SEE NOTE		A 82679 NP 952					
NOTICE TO PERSONS RECEIVING THIS DRAWING		SCALE SHEET OF					
disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		DATE 2/1/69					
		DATE 2/1/69					
		DATE 2/1/69					
		DATE 2/1/69					

REQ. PER UNIT	USED ON		NP961	Ø
	MODEL	ASS'Y. NO.		



FINISH-  
REVERSE ETCH ON LUSTERLESS BLACK  
BACKGROUND (TYPE 37038) PER. FED. STD.  
595. COLORLESS VARNISH PER. MIL-V-6894.

MIN. LETTER SIZE 3/64" HIGH.

ORDER & SERIAL NO'S. WILL BE STEEL  
STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH  
MIL-STD-130 & MIL-M-13231A & AMENDS.  
(REF: SIGNAL CORPS).

4 HOLES 1/8 DIA.  
SERIAL BLOCK 3/16 X 3/4  
ORDER BLOCK 3/16 X 1-1/2

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
Ø	ORIGINAL RELEASE	6/9/69	Ø	CDD				.032 THK.	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	Ø	
X	EXPER. RELEASE		X	l. Swan				STOCK SIZE			
								ALUMINUM	NAMEPLATE, IDENTIFICATION		
								MATERIAL	TMC MODEL GPTR-10KYA		
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1			5052-H32	—A	Q. Swan	CDD	EPM 6/9/69
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
	DECIMALS X ± .05 XX ± .01 XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	TOLERANCES	CODE A			SEE NOTES				NP961
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	Ø

PRELIMINARY DRAWING

REQ. PER UNIT


MODEL

USED ON ASS'Y. NO.

DATE

NP-962

Not For Production



FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. No. 595 COLORLESS VARNISH PER MIL-V-6894

MIN. LETTER SIZE - 3/64 IN. HIGH

ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231 AND AMENDS. (REF: SIGNAL CORPS)


							REQ. ITEM	PART NO.	DESCRIPTION			SYMBOL				
							0.032 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK							
							STOCK SIZE		IDENTIFICATION PLATE							
							ALUMINUM		TMC MODEL PALA-101K							
							MATERIAL									
Ø	ORIGINAL RELEASE	6/9/69	Ø	CSB			5052-H32	CSB	CSB	SPM 6/9/69						
ISSUE ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.				FINAL APPROVAL						
TOLERANCES		SCALE:									NP-962					
DEC. DIM. ±		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					TYPE & TEMPER		HEAT TREAT. SPEC.		ELEC. DES. APP. MECH. DES. APP.					
FRAC. DIM. ±							SEE NOTE								Ø	
ANGULAR DIM. ±							FINISH & SPEC. NO.									



PRELIMINARY DRAWING

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
			NP 963

Not For Production



**FINISH:** Reverse etch, anodize on lusterless black background (Type 37038) per Fed. Std. No. 595. Colorless Varnish per MIL-V-6894

Minimum letter size - 3/64 in. high.

Applicable order and serial number will be steel stamped by TMC

OR

Where purchasing requirement is sufficiently large, order number shall be etched by Vender in lieu of order number block. (See chart for proper number).

Nameplate to be in accordance with MIL-STD-130 and MIL-M-13231A. (Ref. Signal Corps)

TMC No.	Order No. Block	Order No. Etched by Vender
---------	-----------------	----------------------------

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		0.032	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		STOCK SIZE		
		Aluminum	NAMEPLATE, IDENTIFICATION TMC MODEL CHGR-A	
		MATERIAL		
		5052-H32	DRAWN	CHECKED
		TYPE & TEMPER		
		See Note above	DRAWN	CHECKED
		FINISH & SPEC. NO.		
			FINAL APPROVAL	
			ELEC. DES. APP. MECH. DES. APP.	

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
Ø		ORIGINAL RELEASE	6/9/69	Ø		COO	JSE

**TOLERANCES**  
 DEC. DIM. ±  
 FRAC. DIM. ±  
 ANGULAR DIM. ±

**SCALE:**  
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.  
 REMOVE ALL BURRS AND SHARP EDGES

COO COO  
 SFM 6/19/69  
 NP 963




REQ. PER UNIT	USED ON			NP 964	Ø
	MODEL	ASS'Y. NO.	DATE		

FINISH -  
 REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK  
 BACKGROUND. (TYPE 37038) PER-FED-STD-595.  
 COLORLESS VARNISH PER MIL-V-6894.

MIN LETTER HEIGHT 3/64".

ORDER & SERIAL NUMBERS TO BE STEEL  
 STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH  
 MIL-STD-130 & MIL-M-13231 & AMENDS.




4 HOLES - 1/8 DIA.  
 SERIAL BLOCK - 5/32 x 3/4  
 ORDER BLOCK - 5/32 x 1-1/8

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL		
		.032 THK. STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK						
Ø	ORIGINAL RELEASE	ALUMINUM	NAMEPLATE, IDENTIFICATION						
X	EXPER. RELEASE	MATERIAL	TMC MODEL CMRA-A						
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE		5052-H32					
		1:1				DRAWN		CHECKED	FINAL APPROVAL
DECIMALS		FRACTIONS		CODE		SEE NOTE		NP 964	
.X ± .05		± 1/64		A		FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP.	
.XX ± .01		ANGLES							
.XXX ± .005		± 0° 30'							

PRELIMINARY DRAWING

REQ. PER UNIT	USED ON		NP-965	Ø
	MODEL	ASS'Y. NO.		

Not For Production



FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. No. 595  
 COLORLESS VARNISH PER MIL-V-6894

MIN. LETTER SIZE - 3/64 IN. HIGH

ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231 AND AMENDS. (REF: SIGNAL CORPS)

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		ORIGINAL RELEASE	4/9/69	Ø	COO	JQ		0.032 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
								STOCK SIZE		IDENTIFICATION PLATE	
								ALUMINUM		TMC MODEL RTTD-5A	
								MATERIAL			
								5052-H32		COO	COO
								TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
								SEE NOTE			
								FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.
											NP-965
											Ø

SCALE:  
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.  
 REMOVE ALL BURRS AND SHARP EDGES

DEC. DIM. ±  
 FRAC. DIM. ±  
 ANGULAR DIM. ±

TOLERANCES


SJM 4/9/69

NP-965

PRELIMINARY DRAWING

REQ. PER UNIT	USED ON		NP-966
	MODEL	ASS'Y. NO.	

Not For Production



FINISH: REVERSE ETCH, ANODIZE  
ON LUSTERLESS BLACK BACKGROUND  
(TYPE 37038) PER FED. STD.  
No. 595  
COLORLESS VARNISH PER  
MIL-V-6894

MIN. LETTER SIZE - 3/64 IN. HIGH

ORDER AND SERIAL NUMBER  
WILL BE STEEL STAMPED  
BY TMC

NAMEPLATE TO BE IN ACCORDANCE  
WITH MIL-STD-130 AND MIL-  
M-13231 AND AMENDS.  
(REF: SIGNAL CORPS)

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL	
										0.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	IDENTIFICATION PLATE	
										STOCK SIZE			
										ALUMINUM	TMC MODEL RTMU-41A		
										MATERIAL			
										5052-H32		6/9/69	
										TYPE & TEMPER	DRAWN	CHECKED	FINAL APPROVAL
										HEAT TREAT. SPEC.			
										SEE NOTE			NP-966
										FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	

DEC. DIM. ±  
FRAC. DIM. ±  
ANGULAR DIM. ±


SCALE:  
MAXIMUM ALLOWABLE TOLERANCES HAVE  
BEEN DETERMINED AND ANY DEVIATIONS  
WILL BE CAUSE FOR REJECTION.  
REMOVE ALL BURRS AND SHARP EDGES



PRELIMINARY DRAWING

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
			NP-967

Not For Production



FINISH: REVERSE ETCH, ANODIZE  
ON LUSTERLESS BLACK BACKGROUND  
(TYPE 37038) PER FED. STD.  
No. 595  
COLORLESS VARNISH PER  
MIL-V-6894

MIN. LETTER SIZE - 3/64 IN. HIGH

ORDER AND SERIAL NUMBER  
WILL BE STEEL STAMPED  
BY TMC

NAMEPLATE TO BE IN ACCORDANCE  
WITH MIL-STD-130 AND MIL-  
M-13231 AND AMENDS.  
(REF: SIGNAL CORPS)

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL								
										0.032 THK STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	IDENTIFICATION PLATE								
										ALUMINUM			TMC MODEL AX5071							
Ø		ORIGINAL RELEASE	6/9/69	Ø	CDD		JDL			5052-H32	CDD	CDD	SJM 6/9/69							
TOLERANCES								SCALE:					DRAWN		CHECKED		FINAL APPROVAL			
DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±								MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					TYPE & TEMPER		HEAT TREAT. SPEC.		FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP.	
													SEE NOTE				NP-967			

PRELIMINARY DRAWING

REQ. PER UNIT

MODEL


USED ON

ASS'Y. NO.

DATE

NP-968

Not For Production



FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. No. 595 COLORLESS VARNISH PER MIL-V-6894

MIN. LETTER SIZE - 3/64 IN. HIGH

ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231 AND AMENDS. (REF: SIGNAL CORPS)


ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
									0.032 THK	THE TECHNICAL MATERIEL CORP.	
									STOCK SIZE	MAMARONECK, NEW YORK	
									ALUMINUM	IDENTIFICATION PLATE	
									MATERIAL	TMC MODEL RAK 136-2	
								5052-H32		<div style="display: flex; justify-content: space-between;"> <span>DRAWN</span> <span>CHECKED</span> <span>FINAL APPROVAL</span> </div>	
								TYPE & TEMPER	HEAT TREAT. SPEC.		
								SEE NOTE			
								FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.
											NP-968

ORIGINAL RELEASE 6/9/69 [Signature] [Signature]

TOLERANCES: DEC. DIM. ±, FRAC. DIM. ±, ANGULAR DIM. ±  
 SCALE: MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES



REQ. PER UNIT	USED ON			NP969	Ø
	MODEL	ASS'Y. NO.	DATE		



FINISH-  
REVERSE ETCH ON LUSTERLESS BLACK  
BACKGROUND (TYPE 37038) PER. FED. STD.  
595. COLORLESS VARNISH PER. MIL-V-6894.

MIN. LETTER SIZE 3/64" HIGH.

ORDER & SERIAL NO'S. WILL BE STEEL  
STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH  
MIL-STD-130 & MIL-M-13231A & AMENDS.  
(REF: SIGNAL CORPS).


4 HOLES 1/8 DIA.  
SERIAL BLOCK 3/16 X 3/4  
ORDER BLOCK 3/16 X 1-1/2

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL				
Ø	ORIGINAL RELEASE	6/9/69	Ø	CDD		<i>file</i>	.032 THK. STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK					
X	EXPER. RELEASE		X	<i>h.d.</i>			ALUMINUM		NAMEPLATE, IDENTIFICATION					
							MATERIAL		TMC MODEL DDRR-10N 2					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE	5052-H32		<i>A</i>	<i>G. Searcy</i>	<i>OOD</i>	<i>SPM</i>	<i>6/19/69</i>
								1:1	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
DECIMALS C ± .05 CX ± .01 CXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A				SEE NOTES						NP969	Ø
							FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.			

PRELIMINARY DRAWING

REQ. PER UNIT	USED ON		NP-970	Ø
	MODEL	ASS'Y. NO.		

Not For Production



FINISH: REVERSE ETCH, ANODIZE  
 ON LUSTERLESS BLACK BACKGROUND  
 (TYPE 37038) PER FED. STD.  
 No. 595  
 COLORLESS VARNISH PER  
 MIL-V-6894

MIN. LETTER SIZE - 3/64 IN. HIGH

ORDER AND SERIAL NUMBER  
 WILL BE STEEL STAMPED  
 BY TMC

NAMEPLATE TO BE IN ACCORDANCE  
 WITH MIL-STD-130 AND MIL-  
 M-13231 AND AMENDS.  
 (REF: SIGNAL CORPS)


							REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
							0.032 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
							ALUMINUM		IDENTIFICATION PLATE		
							5052-H32		TMC MODEL LSP-12		
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							SEE NOTE				NP-970
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	

Ø	ORIGINAL RELEASE	6/9/69	Ø	CDD		
ISSUE ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES		SCALE:				
DEC. DIM. ±		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.				
FRAC. DIM. ±		REMOVE ALL BURRS AND SHARP EDGES				
ANGULAR DIM. ±						

REVISIONS

APPLICATION		DESCRIPTION		E.M.N.NO		DRAFT		CHKD		APPD	
QTY	MODEL USED ON	ASS'Y NO.	LTR	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
			Ø	19/69	Ø	CDD					JD
				ORIGINAL RELEASE							



3 HOLES 3/32 DIA  
 SERIAL NO. BLOCK 3/32 X 5/8  
 ORD. NO. BLOCK 3/32 X 1-3/8

CORNER RADIUS - 1/16  
 BORDER - 1/32

FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS  
 BLACK BACKGROUND (TYPE 37038) PER  
 FED-STD-595

MIN LETTER SIZE - 3/64 IN. HIGH  
 ORDER & SERIAL NO. WILL BE METAL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130  
 AND MIL-M-13231 AND AMENDS (S.C)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		REQ'D ITEM		PART NUMBER		DESCRIPTION		SYM.	
DECIMALS	FRACTIONS	FINAL APPROVAL	MECH. DES.	ELECT. DES.	CHECKED	DRAWN	DATE	DATE	DATE
.X ± .05 .XX ± .01 .XXX ± .005	1/64 ANGLES 0°-30°	Sam					19/69		
MATERIAL 0.032 THK 5052 H32 ALUM									
FINISH SEE NOTE									
LIST OF MATERIAL							THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
IDENTIFICATION PLATE							TMC MODEL HFRR-5		
SIZE	CODE IDENT. NO.	DWG NO.	ISSUE						
A	82679	NP 971	Ø						
SCALE			SHEET		1 OF 1				

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.




REQ. PER UNIT	USED ON		NP972	Ø
	MODEL	ASS'Y. NO.		

FINISH -  
 REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK  
 BACKGROUND. (TYPE 37038) PER-FED-STD-595.  
 COLORLESS VARNISH PER MIL-V-6894.

MIN LETTER HEIGHT 3/64"

ORDER & SERIAL NUMBERS TO BE STEEL  
 STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH  
 MIL-STD-130 & MIL-M-13231 & AMENDS.




4 HOLES - 1/8 DIA.  
 SERIAL BLOCK - 5/32 x 3/4  
 ORDER BLOCK - 5/32 x 1-1/8

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø	ORIGINAL RELEASE	9/9/69	Ø	EDD		fde			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
X	EXPER. RELEASE		X					.032 THK. STOCK SIZE	NAMEPLATE, IDENTIFICATION	
								ALUMINUM MATERIAL	TMC MODEL MSAR-5	
							5052-H32	—A	5052-H32	
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
							SEE NOTE		g. Sencoff	EDD
							FINISH & SPEC. NO.			FINAL APPROVAL
										SPM 6/9/69
										NP972
										Ø





REQ. PER UNIT	USED ON		NP974	Ø
	MODEL	ASS'Y. NO.		



FINISH—  
 REVERSE ETCH, ANODIZE ON  
 LUSTERLESS BLACK BACKGROUND  
 (TYPE 37038) PER. FED. STD. 595.  
 COLORLESS VARNISH PER. MIL-V-6894

MIN. LETTER SIZE 3/64" HIGH.

SERIAL & ORDER NUMBERS WILL BE  
 STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE  
 WITH MIL-STD-130 & MIL-M-13231 &  
 AMENDS. (REF: SIGNAL CORPS).


4 HOLES, 1/8 DIA.  
 SERIAL BLOCK - 5/32 x 3/4  
 ORDER BLOCK - 5/32 x 1-1/2

							REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL				
Ø	ORIGINAL RELEASE	6/9/69	Ø	COO			.032 THK.	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK						
X	EXPER. RELEASE		X	g. Sen			ALUMINUM	NAMEPLATE, IDENTIFICATION TMC MODEL RTTD-A						
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	5052-H32	Q. Sen	COO	SPM 6/9/69				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE	1:1	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
DECIMALS X ± .05 .XX ± .01	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A				SEE NOTES						NP974	Ø
							FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.					

PRELIMINARY DRAWING

REQ. PER UNIT	USED ON			NP-975	Ø
	MODEL	ASS'Y. NO.	DATE		

Not For Production



FINISH: REVERSE ETCH, ANODIZE  
ON LUSTERLESS BLACK BACKGROUND  
(TYPE 37038) PER FED. STD.  
No. 595  
COLORLESS VARNISH PER  
MIL-V-6894

MIN. LETTER SIZE - 3/64 IN. HIGH

ORDER AND SERIAL NUMBER  
WILL BE STEEL STAMPED  
BY TMC

NAMEPLATE TO BE IN ACCORDANCE  
WITH MIL-STD-130 AND MIL-  
M-13231 AND AMENDS.  
(REF: SIGNAL CORPS)


ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL						
Ø		ORIGINAL RELEASE	6/9/69	Ø	CDD		file			0.032 THK STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK							
										ALUMINUM MATERIAL	IDENTIFICATION PLATE TMC MODEL RAK 135-2							
										5052-H32	<table border="1"> <tr> <td>DRAWN</td> <td>CDD</td> <td>CHECKED</td> <td>EED</td> <td>FINAL APPROVAL</td> <td>SFM 6/9/69</td> </tr> </table>	DRAWN	CDD	CHECKED	EED	FINAL APPROVAL	SFM 6/9/69	
DRAWN	CDD	CHECKED	EED	FINAL APPROVAL	SFM 6/9/69													
										TYPE & TEMPER	HEAT TREAT. SPEC.							
										SEE NOTE								
										FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.						
												NP-975						
												Ø						

DEC. DIM. ±  
FRAC. DIM. ±  
ANGULAR DIM. ±

SCALE:  
MAXIMUM ALLOWABLE TOLERANCES HAVE  
BEEN DETERMINED AND ANY DEVIATIONS  
WILL BE CAUSE FOR REJECTION.  
REMOVE ALL BURRS AND SHARP EDGES

REVISIONS

APPLICATION		REVISIONS							
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
				ORIGINAL RELEASE	6/9/69		CD		



3 HOLES 3/32 DIA  
 SERIAL NO. BLOCK 3/32 X 5/8  
 ORD. NO. BLOCK 3/32 X 1-3/8

CORNER RADIUS - 3/16  
 BORDER - 1/32

FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS  
 BLACK BACKGROUND (TYPE 37038) PER  
 FED-STD - 595. COLORLESS YARNISH MIL-V-6894

MIN LETTER SIZE - 3/64 IN. HIGH

ORDER & SERIAL NO. WILL BE METAL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130  
 AND MIL-M-13231 AND AMENDS (S.C)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES.	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS X ± .05 XX ± .01 XXX ± .005				LIST OF MATERIAL	
FRACTIONS X 1/64 XX 1/32 XXX 1/16					
MATERIAL 0.32 TYP S032 H32 ALU11	FINAL APPROVAL			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH SEE NOTE	MECH. DES.			IDENTIFICATION PLATE TMC MODEL RSSA-10	
	ELECT. DES.				
	CHECKED				
	DRAWN				
				SIZE	ISSUE
				A	8
				CODE IDENT. NO.	DWG NO.
				82679	NP 976
				SCALE	SHEET
				1/2	1 OF 1


NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.



PRELIMINARY DRAWING

REQ. PER UNIT	USED ON		
	MODEL	ABS'Y. NO.	DATE
			NP 978

Not For Production



**FINISH:** Reverse etch, anodize on lusterless black background (Type 37038) per Fed. Std. No. 595. Colorless Varnish per MIL-V-6894

Minimum letter size - 3/64 in. high.

Applicable order and serial number will be steel stamped by TMC

OR

Where purchasing requirement is sufficiently large, order number shall be etched by Vender in lieu of order number block. (See chart for proper number).

Nameplate to be in accordance with MIL-STD-130 and MIL-M-13231A. (Ref. Signal Corps)

Order Number Block  
1/8 x 1/2

TMC No.	Order No. Block	Order No. Etched by Vender
---------	-----------------	----------------------------

REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
		0.032	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
		Aluminum	NAMEPLATE, IDENTIFICATION			
		5052-H32	TMC MODEL RTIH-3			
		See Note above	DRAWN	CHECKED	FINAL APPROVAL	
		FINISH & SPEC. NO.			NP 978	

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
Ø		ORIGINAL RELEASE	6/9/69	Ø	COO		JD

TOLERANCES		SCALE:	
DEC. DIM. ±		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.	
FRAC. DIM. ±		REMOVE ALL BURRS AND SHARP EDGES	
ANGULAR DIM. ±			

PRELIMINARY DRAWING

REQ. PER UNIT

MODEL


USED ON

ASS'Y. NO.

DATE

NP979

Not For Production



**FINISH:** Reverse etch, anodize on lusterless black background (Type 37038) per Fed. Std. No. 595. Colorless Varnish per MIL-V-6894

Minimum letter size - 3/64 in. high.

Applicable order and serial number will be steel stamped by TMC

OR

Where purchasing requirement is sufficiently large, order number shall be etched by Vender in lieu of order number block. (See chart for proper number).

Nameplate to be in accordance with MIL-STD-130 and MIL-M-13231A. (Ref. Signal Corps)

TMC No.

Order No. Block

Order No. Etched by Vender

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		0.032	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		STOCK SIZE		
		Aluminum	NAMEPLATE, IDENTIFICATION TMC MODEL RTJH-4	
		MATERIAL		
		5052-H32	DRAWN [Signature] CHECKED [Signature]	FINAL APPROVAL [Signature] 6/9/69
		TYPE & TEMPER HEAT TREAT. SPEC.		
		See Note above	DRAWN [Signature] CHECKED [Signature]	FINAL APPROVAL [Signature]
		FINISH & SPEC. NO.		

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
		ORIGINAL RELEASE					
TOLERANCES			SCALE:				
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				
FRAC. DIM. ±							
ANGULAR DIM. ±							

NP979





APPLICATION

QTY MODEL USED ON ASS'Y NO. LTR

DESCRIPTION

ORIGINAL RELEASE

DATE

E.M.N.NO

DRAFT

CHKD


APPD

DATE

6/9/68

0

CDD



BORDER - 1/16

FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK (37038) PER FED-STD-595. COLORLESS VAEHISH PER MIL-V-689A.

MIN LETTER SIZE: 3/64 IN. HIGH.

TMC WILL METAL STAMP SERIAL & ORDER NUMBER.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231 AND AMENDS.

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
LIST OF MATERIAL				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
PLATE, IDENTIFICATION TMC MODEL RTPH-3				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES				
DECIMALS	FRACTIONS			
X ± .05	1/64			
XX ± .01	ANGLES			
XXX ± .005	0° 30'			
MATERIAL 0.032 THK 5052H32 ALUM				
FINISH SEE NOTE				
FINAL APPROVAL	DATE	DATE	DATE	DATE
<i>JFM</i>	2/9/69			
MECH. DES.				
ELECT. DES.				
CHECKED	<i>CAF</i>			
DRAWN	<i>CAF</i>			
SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
A	82679	NP980		
SCALE		SHEET	1 OF	1

NOTICE TO PERSONS RECEIVING THIS DRAWING  
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

## APPLICATION

QTY

MODEL USED ON

ASSY NO.

LTR

DESCRIPTION

DATE

E.M.N.NO

DRAFT

CHKD

APPD


## REVISIONS

ORIGINAL RELEASE

6/9/69

CDD

HDE



SERIAL  
BLOCK  
1/8 X 3/4

CONTR. NO.  
BLOCK  
1/8 X 1 1/2

BORDER - 1/16

FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK.  
(37038) PER FED-STD-595. COLORLESS VARNISH  
PER MIL-V-689A.

MIN LETTER SIZE: 3/64 IN. HIGH.

TMC WILL METAL STAMP SERIAL & ORDER NUMBER.

NAMEPLATE TO BE IN ACCORDANCE WITH  
MIL-STD-130 AND MIL-M-13231 AND AMENDS.

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
AND INCLUDE CHEMICALLY APPLIED  
OR PLATED FINISHES

DECIMALS  
.X ± .05  
.XX ± .01  
.XXX ± .005

FRACTIONS  
1/64  
ANGLES  
0° - 30°

MATERIAL 0.032 THK  
5052 H32 ALUM

FINISH  
SEE NOTE

REQ'D ITEM

PART NUMBER

DESCRIPTION

SYM.

## LIST OF MATERIAL

FINAL APPROVAL

DATE

6/9/69

MECH. DES.

DATE

ELECT. DES.

DATE

CHECKED

CDD

DATE

DRAWN

CDD

DATE

THE TECHNICAL MATERIEL CORP.

MAMARONECK, NEW YORK

PLATE, IDENTIFICATION  
TMC MODEL RTPH-4

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE

A

CODE IDENT. NO.

82679

DWG NO.

NP 981

ISSUE

SCALE

7/4

SHEET

1

OF

1


REQ. PER UNIT	USED ON			NP982	Ø
	MODEL	ASS'Y. NO.	DATE		

FINISH -  
 REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK  
 BACKGROUND. (TYPE 37038) PER-FED-STD-595.  
 COLORLESS VARNISH PER MIL-V-6894.

MIN LETTER HEIGHT 3/64"

ORDER & SERIAL NUMBERS TO BE STEEL  
 STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH  
 MIL-STD-130 & MIL-M-13231 & AMENDS.



4 HOLES - 1/8 DIA.  
 SERIAL BLOCK - 5/32 x 3/4  
 ORDER BLOCK - 5/32 x 1-1/8


SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL		
Ø	ORIGINAL RELEASE	6/9/69	Ø	ADD		HE		.032 THK. STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
X	EXPER. RELEASE		X					ALUMINUM	NAMEPLATE, IDENTIFICATION			
								MATERIAL	TMC MODEL SPU-2			
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE						5052-H32	—A	g. Sencary	COO	
		1:1						TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	
	DECIMALS X ± .05 XX ± .01 XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE						SEE NOTE			
	TOLERANCES		A						FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	
												NP982



REVISIONS

APPLICATION

QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
			Ø	ORIGINAL RELEASE	6/9/69	Ø	CDP		JD



3 HOLES 3/32 DIA  
 SERIAL NO. BLOCK 3/32 X 5/8  
 ORD. NO. BLOCK 3/32 X 1-3/8

CORNER RADIUS - 1/16  
 BORDER - 1/32

FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS  
 BLACK BACKGROUND (TYPE 37038) PER  
 FED-STD - 595. COLORLESS VARNISH MIL-V-6894  
 MIN LETTER SIZE - 3/64 IN. HIGH  
 ORDER & SERIAL NO.: WILL BE METAL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130  
 AND MIL-M-13231 AND AMENDS (S.C)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS ± .05 TOLS. 1/64		LIST OF MATERIAL				
FRACTIONS XX ± .01 ANGLES .00 30'		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
MATERIAL 0.02 THK 5052 H32 ALUM		FINAL APPROVAL	DATE	IDENTIFICATION PLATE		
FINISH SEE NOTE		MECH. DES.	DATE	TMC MODEL RSSA-6YA		
		ELECT. DES.	DATE	SIZE	CODE IDENT. NO.	DWG NO.
		CHECKED	DATE	A	82679	NP-983
		DRAWN	DATE	SCALE		SHEET 1 OF 1
						ISSUE

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.



APPLICATION			REVISIONS						
QTY	MODEL USED ON	ASSY NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
			Ø	ORIGINAL RELEASE	6/19/69	Ø	FOO		APD

1/4

4

3

1/8 R

1/8 BORDER

EXTENDED LINER

SERIAL NO. BLOCK 3/16 X 1-1/4

CONTRACT NO. " 3/16 X 1-1/2

**NOTE:**

1. THIS PLATE TO BE MOUNTED ON EPOXY RESIN COVERED CASE.
2. ALUMINUM COLORED GOTHIC LETTERS, APPROX SIZE SHOWN.
3. BLACK BACKGROUND W/ALUMINUM COLORED BORDER
4. TO HAVE PRESSURE SENSITIVE ADHESIVE BACKING. LINER TO EXTEND AS SHOWN FOR EASY REMOVAL.

REF: IN ACC w/ MIL-P-19834


  

REQ'D ITEM	PART NUMBER	DESCRIPTION	SYM.
LIST OF MATERIAL			
<b>THE TECHNICAL MATERIEL CORP.</b>			
MAMARONECK, NEW YORK			
FINAL APPROVAL	DATE	<p>NAHERPLATE, IDENTIFICATION</p> <p>TMC MODEL TR-5K-500/300B-AX406-1</p>	<p>ISSUE</p>
MECH. DES.	DATE		
ELECT. DES.	DATE		
CHECKED	DATE		
DRAWN	DATE		
	C.D. DEAN	6-2-69	6-9-69
FINISH		SIZE	CODE IDENT. NO.
ANODIZED		A	82679
SEE NOTES		DWG NO.	NP-984
		SCALE	#
		SHEET	1 OF 1

**NOTICE TO PERSONS RECEIVING THIS DRAWING**

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

REQ. PER UNIT	USED ON			NP985	Ø
	MODEL	ASS'Y. NO.	DATE		



FINISH—  
 REVERSE ETCH, ANODIZE ON  
 LUSTERLESS BLACK BACKGROUND  
 (TYPE 37038) PER FED. STD. 595.  
 COLORLESS VARNISH PER. MIL-V-6894

MIN. LETTER SIZE 3/64" HIGH.


SERIAL & ORDER NUMBERS WILL BE  
 STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE  
 WITH MIL-STD-130 & MIL-M-13231 &  
 AMENDS. (REF: SIGNAL CORPS).

4 HOLES, 1/8 DIA.  
 SERIAL BLOCK - 5/32 x 3/4  
 ORDER BLOCK - 5/32 x 1-1/2

SYM	DESCRIPTION	DATE	CH. NO.	DRAWN	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
								.032 THK.	THE TECHNICAL MATERIEL CORP.		
								STOCK SIZE	MAMARONECK, NEW YORK		
Ø	ORIGINAL RELEASE	6/9/69	Ø	EDD				ALUMINUM	NAMEPLATE, IDENTIFICATION		
X	EXPER. RELEASE		X					MATERIAL	TMC MODEL RTMU-41B		
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1					5052-H32		G. Sencer	EDD
	DECIMALS .X ± .05 .XX ± .01	TOLERANCES	CODE	A				TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
	FRACTIONS ± 1/64 ANGLES ± 30'						SEE NOTES				FINAL APPROVAL
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	NP985

REQ. PER UNIT	USED ON			NP986	⊕
	MODEL	ASS'Y. NO.	DATE		



FINISH -  
 REVERSE ETCH, ANODIZE ON  
 LUSTERLESS BLACK BACKGROUND  
 (TYPE 37038) PER FED-STD-595.  
 COLORLESS VARNISH PER  
 MIL-V-6894

MIN LETTER SIZE 3/64" HIGH.  
 SERIAL & CONTRACT NO'S  
 WILL BE STEEL STAMPED  
 BY TMC.

NAMEPLATE TO BE IN ACCORDANCE  
 WITH MIL-STD-130 & MIL-  
 M-13231 & AMENDS.  
 (REF - SIGNAL CORPS)

4 HOLES, 1/8 DIA.  
 SERIAL BLOCK - 3/16" X 3/4"  
 ORDER BLOCK - 3/16" X 2"


SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL		
φ	ORIGINAL RELEASE	6/9/69	φ	EDD		Jde		.032 THK.	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	⊕		
X	EXPER. RELEASE		X					STOCK SIZE				
								ALUMINUM				
								MATERIAL	NAMEPLATE, IDENTIFICATION			
									TER-18KA/500			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE	5052-H32		6/9/69		
							1:1	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
TOLERANCES							CODE	SEE NOTES				
FRACTIONS ± 1/64 ANGLES ± 0° 30'							A	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.		NP986 ⊕



APPLICATION

REVISIONS

QTY.	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
4	PALA - 10K	AX5084	X	EXP. RELEASE	6/11/68		KH		
			Ø	ORIGINAL RELEASE	7/30/70		W.		



NOTES:

ALL LETTERING AND BORDER TO BE RED GOTHIC.  
 BACKGROUND TO BE ALUMINUM CLEAR ANODIZED.  
 PRESSURE SENSITIVE ADHESIVE BACKING  
 3M P/N, Y - 9164 OR EQUIV.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS  
 .X ± .05  
 .XX ± .01  
 .XXX ± .005

FRACTIONS  
 1/64  
 ANGLES  
 0° - 30°

MATERIAL .003 TO .005  
 ALUMINUM FOIL  
 FINISH  
 SEE NOTE

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
F. BUDETTI				
FINAL APPROVAL			LIST OF MATERIAL	
		DATE		
		1-19-70		
MECH. DES.	AP	DATE	THE TECHNICAL MATERIEL CORP.	
		2/19/68	MAMARONECK, NEW YORK	
ELECT. DES.		DATE		
CHECKED		DATE		
DRAWN		DATE		
		6/11/68		
			PLATE, INSTRUCTION, WARNING	

SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
A	82679	NP 987	Ø
SCALE	1 : 1	SHEET	OF

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.



APPLICATION


QTY MODEL USED ON ASS'Y NO. LTR

TLAA-2.5K

X  
Ø

REVISIONS

DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
EXP. RELEASE	6/12/69		K.H.		
ORIGINAL RELEASE	8/26/69	Ø			J.D.





NOTES:

ALL LETTERING AND BORDER TO BE RED GOTHIC.  
 BACKGROUND TO BE ALUMINUM CLEAR ANODIZED.  
 PRESSURE SENSITIVE ADHESIVE BACKING  
 3M P/N, Y - 9164 OR EQUIV.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS FRACTIONS .X ± .05 TOLS. 1/64 .XX ± .01 ANGLES 0°-30' .XXX ± .005	FINAL APPROVAL	DATE		LIST OF MATERIAL	
MATERIAL .003 TO .005 ALUMINUM FOIL	MECH. DES.	DATE		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH SEE NOTE	ELECT. DES.	DATE		PLATE, INSTRUCT., WARNING	
	CHECKED	DATE			
	DRAWN	DATE			
<p>NOTICE TO PERSONS RECEIVING THIS DRAWING                  THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.</p>				SIZE	ISSUE
				CODE IDENT. NO. DWG NO.	
				A 82679 NP 988	Ø
				SCALE 1:1	SHEET OF

APPLICATION		REVISIONS							
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N. NO	DRAFT	CHKD	APPD
1	TIS-3A		X	EXPERIMENTAL RELEASE	9/4/69	X	C.V.	<i>AJ</i>	
			Ø	ORIGINAL RELEASE	9/24/69				



CORNER RADIUS - INSIDE AND OUTSIDE 1/8 R  
 4 HOLES REQ - 1/8 DIA  
 BORDERS - 1/16  
 SERIAL BLOCK - 3/16 X 3/4  
 CONTRACT BLOCK - 1/8 X 1-1/2

NOTE 1

- 1 FINISH: REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD-595
- 2 TYPE FACE LETTERING TO BE GOTHIC OR SPARTAN; W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE
- 3 IDENTIFICATION PLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS  
 X ± .05  
 XX ± .01  
 XXX ± .005

FRACTIONS  
 1/64  
 ANGLES  
 0° 30'

MATERIAL .032 ALUMINUM 5052-H32

FINISH SEE NOTE

REQ'D	ITEM	PART NUMBER	DATE
			9/29/69
			5/14/69
			9/16/69

REQ'D	ITEM	PART NUMBER	DATE	DESCRIPTION	SYM.
			9/29/69	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
			5/14/69	PLATE, IDENTIFICATION	
			9/16/69	TIS-3A	

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
A	82679	NP 990	Ø
SCALE		SHEET	OF

## APPLICATION

QTY MODEL USED ON ASS'Y NO. LTR

TIS - 3A

X


EXP. RELEASE

## REVISIONS

DATE	E.M.N.NO	DRAFT	CHKD	APPD
11/25/69			K.L.L.	
6/11/70		CV		

ORIG RELEASE FOR PROD

CORNER RADII'S = INSIDE  
AND OUTSIDE 1/8 R.  
4 HOLES REQ. = 1/8 DIA.  
BORDERS = 1/16  
SERIAL BLOCK = 3/16 x 3/4  
CONTRACT BLOCK = 1/8 x 1 1/2



## NOTES:

1. FINISH:  
REVERSE ETCH, LUSTERLESS BLACK (37038) BACKGROUND PER FED-STD - 595
2. TYPE FACE  
LETTERING TO BE GOTHIC OR SPARTAN;  
W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.)  
AS REQUIRED TO FIT SPACE.
3. IDENTIFICATION PLATE TO BE MANUFACTURED  
IN ACCORDANCE WITH MIL - P - 15024  
AND AMENDS. (TYPE A)

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
AND INCLUDE CHEMICALLY APPLIED  
OR PLATED FINISHES

DECIMALS FRACTIONS  
X ± .05 TOLS. 1/64  
.XX ± .01 ANGLES  
.XXX ± .005 0° .30'

MATERIAL .032 ALUM.  
5052 - H32

FINISH SEE NOTE

REQ'D ITEM PART NUMBER

DESCRIPTION

SYM.

LIST OF MATERIAL

THE TECHNICAL MATERIEL CORP.

MAMARONECK, NEW YORK

PLATE, IDENTIFICATION  
TIS - 3A

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE CODE IDENT. NO. DWG NO.

A 82679 NIP 990

ISSUE

Ø


SCALE

SHEET

OF



REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
			NP992



**FINISH:** Reverse etch, anodize on lusterless black background (Type 37038) per Fed. Std. No. 595. Colorless Varnish per MIL-V-6894

Minimum letter size - 3/64 in. high.

Applicable order and serial number will be steel stamped by TMC

Order Number Block (See Chart)

Nameplate to be in accordance with MIL-STD-130 and MIL-M-13231A. (Ref. Signal Corps)

CONTRACT: D.AAB05-69-A-0056-BY02.

TMC No.	Order No. Block
	1/8 x 1 5/16

ORIG REL FOR PROD	6/1/70				
EXPERIMENTAL RELEASE	11-26-69	X	KD	6/11	
CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES					
SCALE: NOT TO SCALE					
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					
TOLERANCES	FRACTIONS				
± .05	± 1/64				
± .01	ANGLES				
± .005	± 0° 30'				


REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	0.032		
	STOCK SIZE		
	Aluminum	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	MATERIAL	NAMEPLATE, IDENTIFICATION	
	5052 H32	AMC21-8-5F2	
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
See Note above		J. D.	
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.
			NP992





APPLICATION			REVISIONS						
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
			Ø	ORIG RELEASE FOR PROD	11/7/70		CV		

- CORNER RADIUS 1/8 R
- 4 HOLES REQ'D 1/8 DIA
- BORDERS 1/16
- BLOCK 3/16 BY 1/2




FINISH: REVERSE ETCH ON LUSTERLESS BLACK (37038) BACKGROUND  
PER FED-STD-595.

TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN, W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE.

IDENTIFICATION PLATE TO BE IN ACCORDANCE WITH MIL-P-15024 AND AMENDS.  
(TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005 FRACTIONS 1/64 TOLS. ANGLES 0°-30'				LIST OF MATERIAL	
MATERIAL				THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH				PLATE, IDENTIFICATION	
FINAL APPROVAL MECH. DES. ELECT. DES. CHECKED DRAWN					
DATE DATE DATE					
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.	SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
	A	82679	NP-994	Ø	
	SCALE		SHEET	OF	
			1	1	

APPLICATION		REVISIONS							
QTY	MODEL USED ON	ASSY NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
			Ø	ORIG RELEASE FOR PROD	11/7/70		CV		




TYPE FACE: LETTERING TO BE GOTHIC OR SPARTAN, W/MODIFIER (HEAVY, MEDIUM, CONDENSED ETC.) AS REQUIRED TO FIT SPACE.

IDENTIFICATION PLATE TO BE IN ACCORDANCE WITH MIL-P-15024 AND AMENDS. (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FINAL APPROVAL			LIST OF MATERIAL  THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FRACTIONS 1/64	DATE				
TOLS ANGLES 0°-30°	MECH. DES.				
MATERIAL	ELECT. DES.				
FINISH	CHECKED			PLATE, IDENTIFICATION	
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.	DRAWN			SIZE	ISSUE
				A	Ø
				82679	NP-995
				SCALE	SHEET 1 OF 1

APPLICATION		REVISIONS							
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	SPU-2		Ø	ORIG RELEASE + PROD.	9/9/71	-4	GE		



CON BLOCK: 1/8 X 1-1/8  
 SER BLOCK: 1/8 X 3/4  
 BORDERS: 1/16  
 CORNER RAD: 1/8  
 4 HOLES: 1/8 DIA

TO SUIT ARRANGEMENT

NOTES:

1. FINISH: REVERSE ETCH. LUSTERLESS BLACK (37038)  
 BACKGROUND PER FED-STD-595.
2. TYPE FACE: GOTHIC OR SPARTAN W/MODIFIER (BOLD, MED,  
 CONDENSED ETC) AS REQ'D TO FIT SPACE.
3. PLATE TO BE MANUFACTURED IN ACCORDANCE WITH  
 MIL-P-15024 AND AMENDS. (TYPE A)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005				LIST OF MATERIAL	
FRACTIONS 1/64				<b>THE TECHNICAL MATERIEL CORP.</b>	
TOLS. ANGLES 0°-30°				MAMARONECK, NEW YORK	
MATERIAL 5052-H32				IDENTIFICATION PLATE	
.032 ALUM				TMC MODEL SPU-2	
FINISH SEE NOTE 1.					
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.				SIZE <b>A</b>	CODE IDENT. NO. <b>82679</b>
				DWG NO. <b>MP 997</b>	ISSUE <b>Ø</b>
				SCALE <b>X2</b>	SHEET <b>1</b> OF <b>1</b>