


REVISIONS						
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD
	X1	SHEET Z ADDED	12-6-64			
	Ø	ORIGINAL RELEASE FOR PRODUCTION	2-15-66			GBL



HOLE LEGEND		
HOLE	DESCRIPTION	REQ
A	1/8 DRILL (.125 DIA)	6
B	#53 DRILL (.059 DIA)	22
C	5/32 DRILL (.156 DIA)	4
D	DRILL (.085 DIA)	8
	UNMARKED #60 DRILL *	

\* SEE ARTWORK FOR LOCATION OF UNMARKED HOLES

- NOTES:
1. MATERIAL G-10 EPOXY GLASS LAMINATE 1/16 THK., 2-OUNCE COPPER CLAD BOTH SIDES.
  2. PLATE .005 TO .001 NICKEL & .00008 MIN. GOLD ALL ETCHED SURFACES & PLATED-THRU HOLES.
  3. BOARD TO BE MANUFACTURED IN ACCORDANCE WITH TMC SPEC. S-735.

NOTES

QTY/UNIT	MODEL USED ON	ASBY. NO.
SCALE	CODE	

1 LFCA-1 A372

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

8	1	TE127-2	TERMINAL, STUD	D
REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
MATERIAL			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH			TITLE PRINTED CIRCUIT BOARD PHASE DETECTOR	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			DRAWN CANZA	DATE 10-2-64
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005			CHECKED J.L.	DATE 11/1/64
FRACTIONS ± 1/64 ANGLES ± 0° 30'			ELECT. DES. DATE	FINAL APPROVAL DATE
			MECH. DES. DATE	REV. LTR.
			PC133	
			SHEET 2 OF 2	
			REPROVAL NO. 440H	

PC133