


RR-129

TMC PARTNUMBER	MFG PARTNUMBER	ELEMENT RESISTANCE (SERIES)	ELEMENT RESISTANCE (PARALLEL)	RESISTANCE TOLERANCE	WATTAGE P/ELEMENT	WATTAGE TOTAL	VOLTAGE		ELEMENT INSULATION	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"
							SERIES	PARALLEL					
RR-129-1	B-1-710	2800Ω	700Ω	±10%	10W	20W	230 VAC 50/60 CPS	115 VAC 50/60 CPS	ASBESTOS	9 3/8"	4"	1/2"	24"
RR129-2	B-1-899	1320Ω	330Ω	±10%	20W	40W	230 VAC 50/60 CPS	115 VAC 50/60 CPS	ASBESTOS	9 3/8"	4"	1/2"	24"

THE TECHNICAL MATERIEL CORPORATION claims
 no responsibility in the use of a disclosed herein.
 This drawing is issued in conformity with engineering
 information only and may not be reproduced or used
 in manufacture any being shown herein without per-
 mission from THE TECHNICAL MATERIEL CORPORA-
 TION to the user. This drawing is loaned for mutual
 assistance and is subject to recall at any time.

Property of:
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK



- NOTE:**
1. RR129-1 DIRECTLY REPLACED BY RR129-2.
 2. USE RR129-2 FOR FUTURE DESIGN.

STANDARD DRAWING

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
D	1	ON CHART; RR129-1 #2	7-16-64	11875	Ann	@	JD
C	1	ON TMC PART NO. CHART	5.8.64	11383	WB	@	JD
B	1	RR129-2 ADDED.	4-16-64	11254	A.M.	Jde	JD
A	1	Resistance Tol. ±10% Added to Chart	4/4/61	4678	JDM	JCB	JD

TOLERANCES: DEC. DIM. ±, FRAC. DIM. ± 1/64, ANGULAR DIM. ±
 SCALE: S-401-117 ()
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.
 REMOVE ALL BURRS AND SHARP EDGES

REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.	DATE
1	CHG-2A			
1	CHG-2			9-8-60
1	CHG-1			

USED ON

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		STOCK SIZE	
		ELEMENT, HEATER	
		MATERIAL	
		TYPE & TEMPER	
		HEAT TREAT. SPEC.	
		FINISH & SPEC. NO.	

DRAWN: J.D.
 CHECKED: Jde
 FINAL APPROVAL: JD
 RR-129 D