


| OHMS   | MAX VOLTS |
|--------|-----------|
| 22,600 | 337       |
| 23,200 | 341       |
| 23,700 | 344       |
| 24,300 | 347       |
| 24,900 | 353       |
| 25,500 | 357       |
| 26,100 | 361       |
| 26,700 | 365       |
| 27,400 | 370       |
| 28,000 | 374       |
| 28,700 | 379       |
| 29,400 | 383       |
| 30,100 | 388       |
| 30,900 | 393       |
| 31,600 | 397       |
| 32,400 | 402       |
| 33,200 | 407       |
| 34,000 | 412       |
| 34,800 | 417       |
| 35,700 | 422       |
| 36,500 | 427       |
| 37,400 | 432       |
| 38,300 | 437       |
| 39,200 | 442       |
| 40,200 | 448       |
| 41,200 | 454       |
| 42,200 | 460       |
| 43,200 | 460       |
| 44,200 |           |
| 45,300 |           |
| 46,400 |           |
| 47,500 |           |
| 48,700 |           |
| 49,900 |           |
| 51,100 |           |
| 52,300 |           |
| 53,600 |           |
| 54,900 | 460       |

| OHMS   | MAX VOLTS |
|--------|-----------|
| 56,200 | 460       |
| 57,600 |           |
| 59,000 |           |
| 60,400 |           |
| 61,900 |           |
| 63,400 |           |
| 64,900 |           |
| 66,500 |           |
| 68,100 |           |
| 69,800 |           |
| 71,500 |           |
| 73,200 |           |
| 75,000 |           |
| 76,800 |           |
| 78,700 |           |
| 80,600 | 460       |

| REVISIONS  |       |      |      |     |             |      |          |
|------------|-------|------|------|-----|-------------|------|----------|
| E.M.N. NO. | DRAFT | CHKD | ZONE | LTR | DESCRIPTION | DATE | APPROVED |
|            |       |      |      |     |             |      |          |



**RR137-3012**

TMC PART NO.

RESISTANCE  
(4th DIGIT IS  
MULTIPLIER)

STANDARD DRAWING

| QTY / UNIT  | MODEL USED ON | ASS'Y NO.          |
|---|---------------|--------------------|
| <b>APPLICATION</b>  |               |                    |
|   | CODE          | 5401-56 (TYPE 884) |
| <small>NOTICE TO PERSONS RECEIVING THIS DRAWING<br/>THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.</small> |               |                    |
| <b>FINISH</b>   |               |                    |

| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES |   |
|---|---|
| DECIMALS<br>.X ± .05<br>.XX ± .01<br>.XXX ± .005  | FRACTIONS<br>1/64<br>ANGLES<br>0° - 30' |
| FINAL APPROVAL  | DATE                                    |
| MECH. DES. <i>DB</i>  | DATE <i>3/1/76</i>                      |
| ELECT. DES.   | DATE                                    |
| CHECKED   | DATE                                    |
| DRAWN <i>G.D.L</i>  | DATE <i>2-12-76</i>                     |

| REQ'D  | ITEM            | PART NUMBER | DESCRIPTION | SYM. |
|--|-----------------|-------------|-------------|------|
| <b>LIST OF MATERIAL</b>                                      |                 |             |             |      |
| <b>THE TECHNICAL MATERIEL CORP.</b><br>MAMARONECK, NEW YORK  |                 |             |             |      |
| <b>RESISTOR, FIXED, WIREWOUND</b><br><b>5 WATT (1% TOLS)</b> |                 |             |             |      |
| SIZE   | CODE IDENT. NO. | DWG NO.     | ISSUE       |      |
| B  | 82679           | RR137-      | Ø           |      |
| SCALE 1:1  |                 |             | SHEET OF    |      |