


THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

TCA-EIA51625/LC(10)

MODEL	SUPPLIED WITH STRAIGHT PLUG	SUPPLIED WITH ANGLE PLUG	CABLE
TCA-EIA 51625/LC(10) -1	PL-236		RG-211A/U
TCA-EIA 51625/LC(10) -2		PL-235	RG-211A/U



- NOTES:
- ITEM SUPPLIED BY MANUFACTURER IN CLOTH BAG OR AS PART OF ASSEMBLY.
 - 2-1/8" DIA. HOLE REQUIRED FOR MOUNTING.
 - OVERALL DIMENSION IS APPROX. 7-5/8."
 - LC, MODIFIED FOR H.V. APPLICATION.

1	9	See Note 1	"O" Ring	
6	8	See Note 1	4-40 Cap Screw	
6	7	See Note 1	Split Lockwasher, Silicone Bronze	
4	6	See Note 1	5/16 Split Lockwasher, Silicone Bronze	
4	5	See Note 1	5/16 X 1/2 Hex Nut, Silicone Bronze	
4	4	See Note 1	5/16 X 1-1/2 Hex Head Bolt, Silicone Bronze	
1	3	See Note 1	Cover, Varnish Impregnated Superwood	
1	2	JJ-289	Connector, Receptacle	
1	1	PO-249-50	Feed Thru 1-5/8 EIA	

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
THE TECHNICAL MATERIEL CORP., MAMARONECK, NEW YORK			
STOCK SIZE		CONNECTOR, RECEPTACLE, ELECTRICAL	
BRASS		(FEED THRU 1-5/8 EIA 50 OHM TO LC(10))	
MATERIAL			
		M TANTILLO 6-18-63 6/13/63 TFH 6-18-63	
		DRAWN CHECKED FINAL APPROVAL	
BRASS PLATE			
FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP.	
TCA-EIA51625/LC(10)			

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED:						
DIMENSIONS ARE IN INCHES		SCALE: NONE				
TOLERANCES ON FRACTIONS ± 1/64 DECIMALS ± .005 ANGLES ± 1/2°		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				
		REQ. PER UNIT		MODEL		DATE
				SECTION		ASS'Y. NO.
				USED ON		

See Chart		6-18-63	