


STANDARD DRAWING

TMC NO.	PART NO.	STYLE	SLEEVE I.D.
TP-121-1	1	1	.025
TP-121-2	2	↑	.035
TP-121-3	3		.045
TP-121-4	4		.055
TP-121-5	5		.060
TP-121-6	6		.070
TP-121-7	7		.080
TP-121-8	8		.090
TP-121-9	9		.100
TP-121-10	10		.125
TP-121-11	11		.150
TP-121-12	12		.180
TP-121-13	13	↓	.210
TP-121-14	14	1	.250
TP-121-16	16	2	.310 thru .375
TP-121-18	18	2	.440 thru 1.500

REQ. PER UNIT	USED ON			TP-121	O
	MODEL	ASS'Y. NO.	DATE		
	STD.				



Note: 1. For use with LA 107
 2. Sleeve I. D. sizes over 1.500 in.
 Do not require tool.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL		
○	ORIGINAL RELEASE FOR PRODUCTION	3/31/64					—//—		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	TOOL, APPLICATOR, MARKER, CABLE		
×	EXPERIMENTAL RELEASE	3/24/64					STEEL					
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	—//—				—//—	A. MARINO	2/3/64	R. J. 3-31-64	TP-121	
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE C	S-401-273				TYPE & TEMPER	HEAT TREAT. SPEC.			DRAWN
	TOLERANCES						FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.		O	