

MATERIAL LIST

FOR


PLUG - IN CRYSTAL B.F.O.

GPR-90-RX (MOD. CAN. 1B)  
&

GPR-90 RXD


SECTION I: Electrical Components and Mechanical Parts

SECTION II: Supporting Drawings

CHECKED R.W.J.APPROVED. 

TYPED: June 29, 1960 RT/lr

PLUG-IN CRYSTAL B.F.O.

BILL OF MATERIAL		MODEL GPR-90-RX	PROJ. NO. MOD-CAN-1B	LIST NO. ML-10097	
		ISSUE		SHEET 1 OF 1 SHEETS	
PART NO.	QUAN. PER ONE EQUIP.	DESCRIPTION		REMARKS	DWG Size
		<u>SECTION I: Electrical Components and Mechanical Parts</u>			
CC21SL100D	1	CAPACITOR: 10 uuf		C105	
CC-101-3	1	CAPACITOR: 220 uuf		C102	
CC-10002-1	1	CAPACITOR: 0.01 uf		C104 Disc	
CC-10003-3	1	CAPACITOR: 33 uuf		C101	
CC-10005-1	2	CAPACITOR: 0.001 uf		C103, C106, Pearl	
PO-148-9-1	1	CAN: Subassembly		Vector Co. Ltd.	
RC20GF104K	1	<u>Plug-In Socket</u>		(1)A-10267	
RC20GF223K	1	RESISTOR: 100 K ohms, $\frac{1}{2}$ W., $\pm 10\%$		R102	
RC20GF474K	1	RESISTOR: 22 K ohms, $\frac{1}{2}$ W., $\pm 10\%$		R105	
RC20GF560K	2	RESISTOR: 470 K ohms, $\frac{1}{2}$ W., $\pm 10\%$		R101, R103	
TS-103-U02	1	RESISTOR: 56 ohms, $\frac{1}{2}$ W., $\pm 10\%$		R104	
12AU7A	1	Screw, Thread Cutting, #2-56			
	1	SHIELD: tube			
	1	TUBE: electronic		V101	
	1	CRYSTAL: quartz, 452.45 kc/s; HC-6/U case.		CR101 Snelgrove Type S-46/U	
		<u>SECTION II: Supporting Drawings</u>			
A-10267		Assembly			2
CK-10315		Schematic, Mod, BFO, Crystal, Fixed Frequency			2
CK-10352		Schematic, GPR-90-RX Mod Can 1B			
CK-10438		Schematic, GPR-90-RXD Mod Can 1B			
S-10036		Spec. Test			1
↑ APPLICABLE SPECIFICATIONS, LAST PAGE ↓		CHECKED		APPROVED 	

OTTAWA, ONTARIO

TMC(Canada)LIMITED

