

USED ON

MODEL

SECTION

DDR-9A

RMX-2

LIST NO.

REV.

TMC MODIFICATION OF
VOICE FREQUENCY DEMULTIPLEXER
(TITLE)

LIST SECTIONS

- 1. SUPPORTING LISTS (None Req.)
- 2. ELECTRICAL / MECHANICAL (Pg. 1)
- 3. TUBES / DIODES (None Req.)
- 4. HARDWARE (None Req.)
- 5. RAW MATERIALS (None Req.)
- 6. SUPPORTING DRAWINGS (None Req.)
- 7. SPECIFICATIONS (Pg. 2)
- 8. LOOSE ITEMS (None Req.)
- 9. PARTS PECULIAR (Pg. 3)

Last Symbols
P2
W1

Missing Symbols
None

TYPED 6-1
CHECKED 166-1 MMK 7/13/63
APPROVED 166-1 [Signature] VFH

MATERIAL LIST / NUMERICAL PARTS LIST		REV.	D																MODEL: RMX-2				SHEET 1 OF 3		
			PART NO.			DESCRIPTION Electrical/Mechanical			ITEM LOCATION			QTY. PER UNIT	REFERENCE SYMBOLS			REMARKS									
						USED ON ASSEMBLY	USED TO MOUNT	QTY. PER USED TO MOUNT																	
Model 139			Shelf, Equipment												1				Tele-Sig Corp.						
MS3451			Panel, Front, Shelf												2										
RMX-1			Demultiplexer												2										
			<u>Supporting Lists</u>																						

MATERIAL LIST

REV.

B C D

MODEL

RMX-2

SHEET

2

OF

3

QUAN. PER UNIT	PART NO.	DESCRIPTION SPECIFICATIONS	REF.	ITEM LOCATION			REF. SYMBOLS AND/OR REMARKS
				USED ON	USED TO MOUNT	QUAN.	
1	S-797	Equip. Instructions		RMX-2		1	

MATERIAL LIST		REV.	MODEL RMX-2										SHEET 3 OF 3		
QUAN. PER UNIT	PART NO.	DESCRIPTION Parts Peculiar	REF.	ITEM LOCATION			REF. SYMBOLS AND/OR REMARKS								
				USED ON	USED TO MOUNT	QUAN.									
1	CA-745-1	When RMX-2 is used with DDR-9A, the following AC cable shall be supplied by TMC Cable, AC Power	RMX-2				W1								
1	PL-171	consists of: Conn, Plug, Male		CA-745		1	P2								
2-4	MWC22(7)u0	Wire, Electrical	Black	CA-745		2-4									
2-4	MWC22(7)u9	Wire, Electrical	White	CA-745		2-4									
0-8	PX-100-1-085	Sleeving, Size 12	Black	CA-745		0-8									
1-6	PX-100-1-166	Sleeving, Size 6	Black	CA-745		1-6									

