



# PRICE SCHEDULE

The prices indicated herein are for the equipment packed for commercial shipment, F.O.B. plant of manufacture, and do not include any state, federal or local sales, use or excise taxes.

The equipment is supplied with one set of operating tubes, two instruction manuals, but prices do not include operating crystals.

ALL PRICES ARE SUBJECT  
TO CHANGE WITHOUT NOTICE

THE TECHNICAL MATERIEL CORPORATION

**TABLE  
OF  
CONTENTS**

Section A	Equipment	→ APRIL 1966
Section B	Accessories	→ MAY 1966
Section C	Connector Products	
Section D	Crystals	
Section E	Instruction Manuals	
Section J	RF Transformers	
Section K	Modification Kits	



## SECTION A — EQUIPMENT

PRICE LIST			PAGE 1
MODEL	DESCRIPTION	NEW TB NUMBER	PRICE
ADC-1	Consists of Model RARA-1, Tone to Analog Converter and Model RASA-1 Analog to Tone Converter	9009	16,000.00
AFC-2A	Automatic Frequency Control Unit (IF Input 455 Kcs)	4003	1,422.00
AFC-3	Automatic Frequency Control Unit (IF Input 1.75 Mcs)	4003	1,422.00
AMC-6-2	Antenna Multicoupler w/6 UHF connectors on front of unit.	8001	781.20
AMC-6-2	Antenna Multicoupler, w/6 QDS connectors on front of unit.	8001	887.45
AMC-6-3	Antenna Multicoupler, w/6 UHF connectors on rear of unit.	8001	781.20
AMC-6-5	Antenna Multicouplers, w/6 UHF connectors on rear of unit.	8001	969.55
AMC-20-( )	Solid State Receiving Multicoupler Frequency range 2 to 32 mcs.	8019	
	AMC-20-4, Four Outputs		1,520.00
	AMC-20-8, Eight Outputs		1,780.00
	AMC-20-16, Sixteen Outputs		2,300.00
	AMC-20-20, Twenty Outputs		2,800.00
	AMC-20-24, Twenty four Outputs		3,600.00
	Plug-in (2 outputs and module)		130.00
AMC-101 AMC-102	Solid State Receiver Multicoupler, 6 Outputs	8022	On Request
ARC()-1	TechniMatic* Tuning Console (Transmitters and Receivers)		On Request
ASI-1	Audio Speech Inverter (simultaneous transmit & receive)	2035	1,400.00
ASI-2	Two ASI-1 on one shelf	2035	2,800.00
ASIB-1	Speech Privacy System		On Request
ATS-2A-50	Antenna Tuning System	2001	1,675.00

\* TM APPLIED FOR

4/66

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

Prices are subject to change without notice.

MODEL	DESCRIPTION	NEW TB NUMBER	PRICE
CPMO	Fiberglass case for Model PMO	2007	345.30
CPO-1A	Controlled Precision Oscillator (1.75-33.75 mc)	2005	241A 8,688.00
CPP-4	Audio and DC Patch Panel		593.40
CPS-1	Controlled Precision Oscillator (1.75-4.75 mc)	2006	244A 6,563.00
CSS-2	Frequency Standard (1 Part 10 <sup>9</sup> per day.)	6005	3,900.00
DAC-1	Dipole Antenna Coupler, 70 ohms balanced to 70 ohms unbalanced. Receiving only. (UG-58A/U Female)	8013	91.90
DAC-2	Dipole Antenna Coupler, 300 ohms balanced to 70 ohms unbalanced. Receiving only. (UG-58A/U Female)	8013	91.90
DAC-4	Dipole Antenna Coupler, 200 ohms balanced to 70 ohms unbalanced. Receiving only. (UG-58A/U Female)	8013	91.90
DAC-5	Dipole Antenna Coupler, 70 ohms balanced to 70 ohms unbalanced. Receiving only. (UG-103/U Twin Female)	8013	91.90
DAC-6	Dipole Antenna Coupler, 70 ohms balanced to 52 ohms unbalanced. Receiving only. (UG-58A/U Female)	8013	91.90
DAC-8	Dipole Antenna Coupler, 70 ohms balanced to 50 ohms unbalanced. Receiving only. (UG-58A/U Female)	8013	91.90
DAC-9	Dipole Antenna Coupler, 475 ohms balanced to 52 ohms unbalanced. Receiving only. (UG-58A/U Female)	8013	91.90
DAC-10	Dipole Antenna Coupler, less trans- former, w/3 bolt suspension. Receiving and transmitting. (UG-58A/U Female)	8013	91.90
DAC-11	Dipole Antenna Coupler, 72 ohms balanced to 52 ohms unbalanced. 3 bolt suspension and stuffing tube connector. Receiving only.	8013	102.50
DAC-12	Antenna Termination, one insulator, less transformer, for end fed antenna, transmitting and receiving. (UG-58/U Female)	8013	91.90

\* TM APPLIED FOR

4/66

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

Prices are subject to change without notice.

MODEL	DESCRIPTION	NEW TB NUMBER	OLD SSB NUMBER	PRICE
DAC-13	Dipole Antenna Coupler, 200 ohms balanced to 50 ohms unbalanced. Special "N" adapter for 7/8" Foam-flex cable.	8013		153.00
DAC-14	Dipole Antenna Coupler, 200 ohms balanced to 50 ohms unbalanced. (SO-239 Female)	8013		91.90
DDR()-5()	TechniMatiC* tuned communication receiver systems, including 4 channel independent AGC receiving systems.			On Request
DDR-5A	Diversity Receiver, Dual Cabinet, Synthesized, consisting of 2 RF tuners, 2 IF amplifiers, 1 synthesizer, 2 audio amplifiers, 1 diversity visual monitor, 2 notch filters, 2 audio filters, 2 power supplies, 1 audio control panel, 1 speaker panel, 2 automatic frequency controls, 1 auxiliary power panel.	3001		37,500.00
DDR-5B	Non-diversity Receiver, Single Cabinet, Synthesized, consisting of 1 RF tuner, 1 IF amplifier, 1 synthesizer, 1 notch filter, 1 audio filter, 1 audio amplifier, 1 power supply, 1 speaker panel, 1 power panel, 1 automatic frequency control, 1 audio control panel.	3001		21,500.00
DDR-5BR	General purpose TechniMatiC* tuned communications receiver. AM, AME, CW, MCW, SSB, ISB, FSK, FAX.	3027		30,588.00
DDR-5C	Diversity Receiver, Dual Cabinet, Synthesized with AFC. Provides frequency diversity, space diversity or separate receiver operation, selection of 7 IF bandpass filters.			42,500.00
DDR-5K	Single Receiver, synthesized, 4 channel AGC with electronic AFC. Provides 4 discrete voice channels in 12 KC passband to meet national or CCIR demuxing requirements. (AN/FRR-74)	3028A		25,000.00
DDR-5L	General purpose diversity communications receiver for 4 channel independent AGC reception. AME, CW, SSB, ISB.	3029		38,784.00

\* TM APPLIED FOR

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

Prices are subject to change without notice.

MODEL	DESCRIPTION	NEW TB NUMBER	OLD SSB NUMBER	PRICE
DDR-5M	Dual Receiver, synthesized, 4 channel AGC with electronic AFC. Provides 4 discrete voice channels in 12 KC passband to meet CCIR demuxing requirements. Receiver may be operated in space or frequency diversity or as 2 separate receivers.			42,500.00
DDR-6	Communications Receiver	3003	232	On Request
DDR-8	General Purpose Receiver,	3007		On Request
DRP-1	Diversity Receiving Package	3002	170A	4,651.00
DRP-1A	Diversity Receiving Package	3002		4,590.00
DRP-1F	Diversity Receiving Package			4,258.00
DVC-1	Diversity Combining Unit	4011		1,750.00
DVM-4	Diversity Visual Monitor	4007	182A	1,200.00
FFR-3	Communication Receiver, w/one tuning drawer, FFRD-5, 6, 7, or 8.	3004	200	615.60
FFR-3L	Low Frequency Communication Receiver, w/one tuning drawer, FFRD-1, 2, 3, or 3M.	3004	200	664.05
FFRD-1	Tuning Drawer, 50-100 kcs.	3004	200	193.40
FFRD-2	Tuning Drawer, 100-200 kcs.	3004	200	193.40
FFRD-3	Tuning Drawer, 200-400 kcs.	3004	200	193.40
FFRD-3M	Tuning Drawer, 500 kcs $\pm$ 10kcs.	3004	200	193.40
FFRD-5A	Tuning Drawer, 2-4 Mcs.	3004	200	145.00
FFRD-6A	Tuning Drawer, 4-8 Mcs.	3004	200	145.00
FFRD-7B	Tuning Drawer, 8-16 Mcs.	3004	200	145.00
FFRD-8B	Tuning Drawer, 16-32 Mcs.	3004	200	145.00
FFR-DP	Tuning Drawer Storage Panel	3004		43.67
FFR-DPH	Tuning Drawer Storage Panel, w/filament transformer.	3004	200	52.50
FSA-4	Spectrum Analyzer	6001A		2,825.55
GPE-1A	General Purpose Exciter	2023	259	738.40

\* TM APPLIED FOR

4/66

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

Prices are subject to change without notice.

MODEL	DESCRIPTION	NEW TB NUMBER	PRICE
GPR-90RXD	Communications Receiver, Diversity Table Model cabinet for GPR-90RX or GPR-90RXD (CAB-3)	3005A	1,552.00 75.00
GPR-91RXD	Communications Receiver 15 kc bandpass	3009	1,552.00
GPR-92A	Communications Receiver (For oven crystal control use Model TRX-1)	3006A	1,552.00
GPS-1	Loudspeaker, in cabinet to match GPR-90, 8" deep	9008	17.00
GPS-2	Loudspeaker, in cabinet to match GPR-90, 15" deep	9008	19.10
GPT-1KA	General Purpose Transmitter 500 watts average AM, CW, MCW	1002	6,738.05
GPT-1KB	General Purpose Transmitter 500 watts average AM, CW, MCW	1002	8,005.20
GPT-1KC	General Purpose Transmitter 500 watts average AM, CW, MCW	1002	8,297.80
GPT-1KD	General Purpose Transmitter 500 watts average AM, CW, MCW	1002	9,564.95
GPT-1KE	General Purpose Transmitter 500 watts average, AM, CW, MCW, FSK	1002	8,760.00
GPT-1KF	General Purpose Transmitter 500 watts average AM, CW, MCW, FSK	1002	9,889.00
GPT()-10K()	TechniMatiC* tuned transmitters, 10 kilowatt PEP, 4 channel ISB, 2 channel ISB, SSB, AM, AME, CW, FSK, FAX, Pulse, Phase.		On Request
GPT-10KA	Radio Transmitter, 10 kw PEP (uses Model SBE-8, 3 kc per sideband)	1008	31,283.65
GPT-10KB	General Purpose Transmitter 10 kw PEP (SBE-8)	1008	30,228.95
GPT-10KC	General Purpose Transmitter 10 kw PEP (SBE-9)		30,228.95
GPT-10KG	Radio Transmitter, 10 kw PEP (CW & FSK only, all auxiliary rack sideband items omitted.)	1008	24,870.40

RG6

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

Prices are subject to change without notice.

MODEL	DESCRIPTION	NEW TB NUMBER	PRICE
GPT-10KH	General Purpose Transmitter 10 kw PEP (SBE-8)	1008	32,656.51
GPT-10KL	Radio Transmitter, 10 kw PEP (uses Model SBE-9)	1008	31,898.51
GPT-10KP	General Purpose Transmitter 10 kw PEP (SBE-8)	1008	25,144.51
GPT-10KR	Radio Transmitter, 10 kw PEP (uses Model CBE-1). Synthesized	1005	31,500.00
GPT-10KT	Radio Transmitter, 10 kw PEP (uses Model SBE-9, 7.5 kc per side- band)	1008	32,504.51
GPT-10KU	Radio Transmitter, 10 kw PEP (uses Model CBE-2, 3 kc per side- band). Synthesized		29,614.41
GPT-10KW	General Purpose Transmitter 10 kw PEP (SBE-8)	1008	31,418.65
GPT-10KY	General Purpose Transmitter 10 kw PEP (CW & FSK only)		25,228.51
GPT-10K LF	VLF/LF General Purpose Transmitter, Synthesized 5 kc to 540 kc	1015	44,000.00
GPT-40KA	Radio Transmitter, 40 kw PEP (uses Model SBE-9)	1009	69,548.51
GPT-40KB	Radio Transmitter, 40 kw PEP (uses Model SBE-8, 3 kc per side- band)	1009	69,554.65
GPT-40KE	Radio Transmitter, 40 kw PEP (uses Model CBE-1, 7.5 kc per side- band). Synthesized	1006	71,875.51
GPT-40KF	Radio Transmitter, 40 kw PEP (uses Model SBE-9, 7.5 kc per side- band)	1009	70,159.51
GPT-40KG	Radio Transmitter, 40 kw PEP (uses Model CBE-2, 3 kc per side- band). Synthesized	1006	71,875.51
GPT-100K	General Purpose Transmitter 100 kw PEP, Synthesized	1016	250,000.00
GPT-200KB	General Purpose Transmitter 200 kw PEP, Synthesized	1014A	300,000.00



## PRICE LIST

MODEL	DESCRIPTION	NEW TB NUMBER	OLD SSB NUMBER	PRICE
GPT-350A	General Purpose Transmitter AM, CW, MCW	1002		5,341.40
GPT-350B	General Purpose Transmitter AM, CW, MCW	1002		6,608.55
GPT-350C	General Purpose Transmitter AM, CW, MCW	1002		6,901.15
GPT-350D	General Purpose Transmitter AM, CW, MCW	1002		8,168.30
GPT-350E	General Purpose Transmitter AM, CW, MCW	1002		7,849.90
GPT-350F	General Purpose Transmitter AM, CW, MCW, FSK	1002		9,117.05
GPT-750A2	Radio Transmitter, 1000 watts CW	1007A		6,718.00
GPT-750B2	Radio Transmitter, 750 watts AM	1007A		7,210.00
GPT-750C2	Radio Transmitter, 1000 watts CW, FSK, FAX	1007A		7,968.00
GPT-750F2	Radio Transmitter, 750 watts AM & sideband 1000 watts, CW, FSK (250-3000 cps, ISB bandpass)	1007A		9,409.00
GPT-750G2	Radio Transmitter, 750 watts AM & sideband, 1000 watts CW, FSK (250-8500 cps, ISB bandpass)	1007A		9,435.00
GPT-750H2	Radio Transmitter, 750 watts, AM & sideband, 1000 watts CW and FSK (250-6000 cps, ISB bandpass)	1007A		9,435.00
HFD-1/(*)	High Frequency Antenna Distribu- tion Unit, rear input and output (* specify type of connector-UHF, BNC, N, C, QDS, QDM)	8007		162.50
HFD-2/(*)	High Frequency Antenna Distribu- tion Unit, rear input, front output (* specify type of connector, UHF, BNC, N, C, QDS, QDM)	8007		162.50
HLC-1	HF/LF Antenna Coupler, primary 700, 300 and 70 ohms unbalanced. 70 ohm unbalanced outputs. (Basic unit less flange and connector assembly—not sold separately) price 403.95  With 2 AX-274-1 (Flange for RG-85/U coax)*	8008	177	437.75

\* For additional flange or connector assemblies, refer to Connector Products Price Schedule.  
Add cost of desired connector to basic unit.

RG6

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

Prices are subject to change without notice.

MODEL	DESCRIPTION	NEW TB NUMBER	PRICE 10
HLC-3	HF/LF Antenna Coupler, primary 600 ohms balanced. 70 ohm unbalanced outputs. (Basic unit less flange and connector assembly—not sold separately) price 848.90 With 2 AX-274-1 (Flange for RG-85/U coax)*	8008	177 882.50
HVRA-1	Solid state high voltage power supply for use in GPT-200K transmitter (directly replaces AP-110 vacuum tube rectifiers).	FEB 23	3,654.00
HVRB-2	Solid state high voltage power supply for use in GPT-40K transmitter (directly replaces AP-105 vacuum tube rectifiers).	FEB 23	1,825.00
HVRC-2	Solid state high voltage power supply for use in GPT-10K transmitter (directly replaces AX-103 vacuum tube rectifiers).	FEB 23	1,237.00
KMCU-1	Keyer Monitor Control Unit. Provides dynamic monitor of transmitter operation		1,125.00
LFA-4	Low Frequency Shift Adapter (5 kc to 600 kc)	2028	1,150.00
LFD-1/(*)	Low Frequency Antenna Distribution Unit, rear input and output (*specify type of connector-UHF, BNC, N, C, QDS, QDM)	8007	162.50
LFD-2/(*)	Low Frequency Antenna Distribution Unit, rear input, front output (*specify type of connector-UHF, BNC, N, C, QDS, QDM)	8007	162.50
LMC-10A	Low Frequency Antenna Multi-coupler (100 kc-2 mc)	8001A	2,874.10
LPP-1	Line Patch Panel		250.00
LPP-4	Patch panel with program board		750.00
LRRA-1	LF/MF Synthesized receiver system AM, AME, CW, MCW, SSB, ISB, FSK, FAX, 1 Part 10 <sup>9</sup> stability.	3011	18,575.00
LSP-7	Loudspeaker Panel with two speakers. With volume control. 5 1/4" X 19"	9008A	48.30

\* For additional flange or connector assemblies, refer to Connector Products Price Schedule.  
Add cost of desired connector to basic unit.

4/66

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

Prices are subject to change without notice.

MODEL	DESCRIPTION	NEW TB NUMBER	OLD SSB NUMBER	PRICE
LSP-8	Loudspeaker Panel with three speakers and three volume controls. 7" X 19"	9008A		75.00
MSG(-)-1	4 Channel AGC Receiving System Adapter	4004A		On Request
MSR-3A	Receiving Mode Selector, 200 kc IF	4001		621.55
MSR-4	Receiving Mode Selector, 455 kc IF	4001		563.10
MSR-5	Receiving Mode Selector, 455 kc IF, oven controlled crystals	4001		687.45
MSR-8	Receiving Mode Selector, 500 kc IF	4001		621.55
MSR-9	Receiving Mode Selector, 455 kc IF oven controlled crystals	4005		675.00
PAL-1KC	Linear Power Amplifier, 1000 watts PEP — 1.75-32mcs	2003A		4,196.85
PAL-10K	Linear Power Amplifier, 10KW PEP			18,440.00
PAL-40K	Linear Power Amplifier 40 kw PEP. Uses GPT-10K as driver	2004		40,906.25
PAL-350B	Linear Power Amplifier, 350 watts PEP	2002	215	2,800.00
PFCB-1	Precision Frequency Comparator			On Request
PMO-4	Portable Master Oscillator in Carrying Case	2007		1,250.00
PMO-5	Portable Master Oscillator (for rack mounting)	2007		1,075.00
PMO-6	Portable Master Oscillator in Cabinet	2007		1,095.00
PTE-4	RF Spectrum Analyzer	6001		5,713.00
PSP-1	Power Supply Assembly, single unit, rack mounting	9004	121A	137.50
PSP-2	Power Supply Assembly, dual unit, rack mounting	9004	121A	256.30
PVC-1	Passive Volume Compressor, single unit, rack mounting	9007	216	144.00
PVC-2	Passive Volume Compressor, dual unit, rack mounting	9007	216	262.45

MODEL	DESCRIPTION	NEW TB NUMBER	OLD SSB NUMBER	PRICE
RAC-1 thru RAC-29	Rhombic Antenna Coupler (Basic unit without flange or connector assembly—not sold separately) price 119.00	8006		
	With AX-274-1 (Flange for RG-85/U coax)			135.90
	With AX-281-2 (UHF Receptacle and mating plug)			128.30
	With ES-ST 7875 (Styroflex 7/8" End Seal)			138.50
	With AX-259-2 (N Receptacle and mating plug)*			133.30
RAC-30 & up	Rhombic Antenna Coupler (Basic unit without flange or connector assembly—not sold separately) price 133.90	8006		
	With AX-274-1 (flange for RG-85/U coax)			150.80
	With AX-281-2 (UHF receptacle and mating plug)			143.20
	With ES-ST 7875 (Styroflex 7/8" end seal)			153.40
	With AX-259-2 (N receptacle and mating plug)*			148.20
RARA-1	Tone to analog Converter Part of Model ADC-1	9009		8,000.00
RASA-1	Analog to Tone Converter. Part of Model ADC-1.	9009		8,000.00
RBT-1	Receiving Broadband Input Transformer, 70 ohms balanced to 300 ohms unbalanced. UG-625/U (70 ohms Female) to PL-259 (300 ohms Male)	8005		65.60
RBT-2	Receiving Broadband Input Transformer, 70 ohms unbalanced to 300 ohms balanced. UG-625/U (70 ohms Female) to UG-104/U. (300 ohms Male)	8005		65.60
RBT-3	Receiving Broadband Input Transformer. 300 ohms unbalanced to 70 ohms unbalanced. UG-568/U (70 ohms Female) UG-573/U (300 ohms Male)	8005		65.60

\* For additional flange or connector assemblies, refer to Connector Products Catalog and Price Schedule.  
Add cost of desired connector to basic unit.

MODEL	DESCRIPTION	NEW TB NUMBER	OLD SSB NUMBER	PRICE
RBT-4	Receiving Broadband Input Transformer. 70 ohms to 300 ohms. UG-103/U to UG-255/U (300 ohms Female) (70 ohms Male)	8005		65.60
RBT-6	Receiving Broadband Input Transformer. 70 ohms unbalanced to 300 ohms balanced. JJ-202 (70 ohms Female) to JJ-279 (300 ohms Male)	8005		65.60
RCR-5	Remote Control Receiver System	4009	124D	23,906.25
RCWA-1	Remote Control Facility (Cabinet mounted)			13,600.00
RCWB-1	Remote Control Facility			12,417.00
RMX-1	Voice Frequency Demultiplexer (Requires Model 539 Shelf) Model 539 Shelf will house 2 RMX-1, 2 TMX-1 or 1 each RMX-1 and TMX-1. Shelf wired with 6 ft. of pigtail.	5002		875.00 87.50
RMXI-1	Voice Frequency Demultiplexer Same as RMX-1 above except provides 250 to 6000 cps bandpass to meet CCIR requirements.	5002		875.00
RTB-1	Rhombic Terminal Unit, 700 ohms, Balanced C.T.	8012		106.25
RTB-3	Rhombic Terminal Unit, 280 ohms, Balanced C.T.	8012		106.25
RTB-4	Rhombic Terminal Unit, 700 ohms Balanced C.T.	8012		106.25
RTB-5	Rhombic Terminal Unit, 600 ohms Balanced C.T.	8012		106.25
RTB-6	Rhombic Terminal Unit, 500 ohms Unbalanced.	8012		106.25
RTB-9	Rhombic Terminal Unit, 650 ohms Balanced C.T.	8012		106.25
RTB-10	Receiving Antenna Terminating Unit, 400 ohms Single Ended.	8012		106.25
RTB-11	Rhombic Terminal Unit, 650 ohms Center Tapped and grounded through 280 ohms.	8012		159.38

MODEL	DESCRIPTION	NEW TB NUMBER		PRICE
RTB-12	Rhombic Terminal Unit, 425 ohms with no center tap.	8012		106.25
RTB-13	Rhombic Terminal Unit, 400 ohms Center tapped.	8012		106.25
RTB-15	Rhombic Terminal Unit, 50 ohms single ended.	8012		110.00
RTIA-1	Receiver Remote Indicator			11,200.00
RTIH-1	TechniMatiC* Readback Unit. Provides instantaneous status readback of remote controlled transmitters and receivers.			8,950.00
RTC	Remote Control Amplifier	2022	183	409.05
RTKY-1	Remote Tuning Keyer			2,360.00
RTPA-1	Receiver Remote Programmer			5,376.00
RTPH-1	TechniMatiC* Programmer. Provides complete tuning control for remotely operated TechniMatiC* transmitters and receivers.			4,635.00
RTRS-216	Remote Equipment Selector			430.00
SBC-9	Dual Sideband Converter (455 kc IF)	4003		4,446.00
SBCI-9	Dual Sideband Converter (455 kc IF), bandpass 250 to 6000 cps to meet CCIR requirements.	4003		4,446.00
SBC-10	Dual Sideband Converter with dual voice frequency demultiplexer (455 kc IF)	4003		6,383.50
SBCI-10	Dual Sideband Converter with dual voice frequency demultiplexer (455 kc IF), bandpass 250 to 6000 cps to meet CCIR requirements.	4003		6,383.50
SBE-8	Transmitting Mode Selector 3.5 kc per sideband	2008		3,187.50
SBE-9	Transmitting Mode Selector 8.5 kc per sideband	2008		3,187.50
SBE-10	Transmitting Mode Selector 6 kc per sideband (to meet CCIR requirements)	2008		3,187.50

\* TM APPLIED FOR

4/66

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

Prices are subject to change without notice.

MODEL	DESCRIPTION	NEW TB NUMBER	PRICE
SBG-1	Sideband Generator, wide band using Model CBE-1 (250-7500 cps) Synthesized	2010	11,875.00
SBG-1LA	Sideband Generator, Low Frequency (5 kc to 600 kcs)	2013	15,625.00
SBG-2	Sideband Generator, narrow band using Model CBE-2 (250-3300 cps) Synthesized	2011	11,875.00
SBG-3	Sideband Generator (2-32 mc) Synthesized	2012	15,000.00
SBS-9	Dual Sideband Converter, less AFC (455 kc)	4003	3,025.00
SBS-2A	Dual Sideband Converter, less AFC (1.75 mc)	4003	3,050.00
SBT-1KA()	Sideband Transmitter , 1 kw PEP	1001A	10,616.95
SBT-1KB()	Sideband Transmitter, 1 kw PEP	1001A	12,097.45
SBT-1KCA	Transmitter (CW, FSK) 1 kw PEP	1001A	8,511.55
SBT-1KE()	Transmitter, Synthesized, 1 kw PEP	1001A	19,159.45
SBT-1KF()	Transmitter, Synthesized, 1 kw PEP	1001A	20,426.65
SBT-1KJ()	Sideband Transmitter, 1 kw PEP	1001A	10,420.35
SBT-1KS()	Transmitter, 1 kw PEP	1001A	13,090.55
SBT-1KT()	Sideband Transmitter	1001A	13,191.25
SBT-1KX()	Sideband transmitter	1001A	11,801.65
SBT-350H()	350 watt PEP Transmitter	1003A	9,809.95
SBT-350I()	350 watt PEP Transmitter	1003A	11,872.10
SBT-350K()	350 watt PEP Transmitter	1003A	5,471.75
SBT-350L()	350 watt PEP Transmitter	1003A	6,738.90
SBT-350M()	350 watt PEP Transmitter	1003A	9,055.20
SBT-350P()	350 watt PEP Transmitter	1003A	10,322.35
SBT-350R()	350 watt PEP Transmitter	1003A	9,440.25

MODEL	DESCRIPTION	NEW TB NUMBER		PRICE
SBT-350T()	350 watt PEP Transmitter	1003A		10,607.40
SBT-350V()	350 watt PEP Transmitter	1003A		7,790.50
SBT-350W()	350 watt PEP Transmitter	1003A		9,057.65
SFP-2	Filter Panel	4008B		393.10
SFP-3	Filter Panel	4008B		393.10
SME-1	Sideband Multi-Channel Exciter (8 channels, 2-32 mcs)	2030		3,800.00
SMR-1	Sideband Multi-Channel Receiver (8 channels, 2-32 mcs)	3010A		3,100.00
SMR-2	AM Multi-Channel Receiver (8 channels, 2-3 mcs)	3010A		3,100.00
SPU-2	Speech Processing Unit	2026A		865.00
STE-1	Single Channel SSB Exciter (solid state) with module, 2-32 mcs. Price does not include crystals. (CR-110)	2032		950.00
STR-1	Single Channel SSB Receiver (solid state) with module, 2-32 mcs. Price does not include crystals (CR-110)	3014A		850.00
STR-2B	Single channel AM Stirp Receiver 2-32 mcs. Price does not include crystals (CR-110)	3014A		850.00
SWR-1K-50	Standing Wave Ratio Indicator 50 ohms, 1 kw with coupler (rack mounted)			394.10
SWR-1K-70	Standing Wave Ratio Indicator 70 ohms, 1 kw with coupler (rack mounted)			394.10
SWR-3K-50	Standing Wave Ratio Indicator 50 ohms, 3 kw, with coupler supplied (rack mounted)	2015	198A	557.85
SWR-3K-70	Standing Wave Ratio Indicator 70 ohms, 3 kw, with coupler supplied (rack mounted)	2015	198A	557.85
SWR-10K-50	Standing Wave Ratio Indicator 50 ohms, 10 kw, (rack mounted) with coupler supplied	2031		960.00



MODEL	DESCRIPTION	NEW TB NUMBER	OLD SSB NUMBER	PRICE
SWR-60K-50	Standing Wave Ratio Indicator 50 ohms, 60 kw, 2-30 mcs. (rack mounted)	2029		1,090.00
<u>ACCESSORY EQUIPMENT</u>				
<u>Couplers</u>				
	CU-2-() For SWR-1K (Must be placed in unit)			145.00
	CU-3K-()			233.75
	CU-10K-()			593.00
<u>Rack Mounted Meters (Less Coupler)</u>				
	SWR-3K-RM			324.00
	SWR-10K-RM			324.00
<u>Portable Meters</u>				
	SWR-3K-PM			276.25
	SWR-10K-PM			276.25
<u>Junction Box (For All Systems)</u>				
	JB-111			33.20
<u>Cabinet (For All Systems)</u>				
	CAB-1			43.75
TER-250-300U	Transmitting Antenna Terminator/Dissipator	8009A		375.00
TER-500-70U	Dummy Load, 500 watts average, 1000 watts PEP, basic unit. Without flange or connector assembly.	8009A		368.70
	With AX-273-1 (QDL)*			397.08
TER-500-600B	Transmitting Antenna Terminator/Dissipator	8009A		368.70
TER-1800-300U	Transmitting Antenna Terminator/Dissipator	8009A		575.00
TER-3500-50U	Dummy Load, 1750 watts average, 3500 watts PEP, basic unit. Without flange or connector assembly.	8009A		519.00
	With AX-273-2(QDL) & loose plug.*†			635.00

† Alternate Connector

\* For additional flange or connector assemblies for Models TER, refer to TB 8009A and to Connector Products Price Schedule. Add cost of desired connector assembly to basic unit price.

4/66

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

Prices are subject to change without notice.

MODEL	DESCRIPTION	NEW TB NUMBER	PRICE
TER-3500-70U	Dummy Load 1750 watts average, 3500 watts PEP, basic unit. Without flange or connector assembly.	8009A	519.00
	With AX-273-2(QDL) & loose plug.*†		635.00
TER-3500-600B	Transmitting Antenna Terminator/Dissipator	8009A	575.00
TER-5000-50U	Dummy Load, 5000 watts average, 10,000 watts PEP basic unit. Without flange or connector assembly.	8009A	2,242.20
	With AX-272-1 (1 5/8" EIA flange)*†		2,276.00
TER-5000-70U	Dummy Load, 5000 watts average, 10,000 watts PEP, basic unit. Without flange or connector assembly.	8009A	1,841.50
	With AX-271-1 (1 5/8" EIA flange)*†		1,875.30
TER-5000-300U	Transmitting Antenna Terminator/Dissipator	8009A	2,550.00
TER-5000-600B	Transmitting Antenna Terminator/Dissipator	8009A	1,875.30
TER-18KA-50U	Dummy Load, 18 kw average, 36 kw PEP. (Provided with 50 ohm 3 1/8" EIA flange)	8009A	5,425.00
	With AX-278-1 (3 1/8" to 1 5/8" Reducer)†*		5,530.00
TER-18KC-50U	Dummy Load, 18 kw average, 36 kw PEP (with directional coupler and 50 ohm 3 1/8" flange)	8009A	5,925.00
	With AX-278-1 (3 1/8" to 1 5/8" Reducer)†*		6,030.00
TER-18KA-70U	Dummy Load, 18 kw average, 36 kw PEP, with 70 ohms 3 1/8" EIA flange.	8009A	5,425.00
	With AX-279-1 (3 1/8" to 1 5/8" Reducer)†*		5,530.00
TER-18KC-70U	Dummy Load, 18 kw average 36 kw PEP (with directional coupler and 70 ohms 3 1/8" EIA flange)	8009A	5,925.00
	With AX-279-1 (3 1/8" to 1 5/8" Reducer)†*		6,030.00

† Alternate Connector

\* For additional flange or connector assemblies for Models TER, refer to TB 8009A and to Connector Products Price Schedule. Add cost of desired connector assembly to basic unit price.

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

Prices are subject to change without notice.

MODEL	DESCRIPTION	NEW TB NUMBER	PRICE
TER-18K-600B	Transmitting Antenna Terminator/Dissipator (Steel Case)	8009A	5,925.00
TER-18K-600BF	Transmitting Antenna Terminator/Dissipator (Fibercase Case)	8009A	5,425.00
TER-25KA-50U	Dummy Load, 25 kw average, 50 kw PEP, with 50 ohms 3 1/8" EIA flange.	8009A	5,750.00
	With AX-278-1 (3 1/8" to 1 5/8" Reducer)†*		5,855.00
TER-25KC-50U	Dummy Load, 25 kw average, 50 kw PEP (with directional coupler and 50 ohms 3 1/8" EIA flange)	8009A	6,250.00
	With AX-278-1 (3 1/8" to 1 5/8" Reducer)†		6,355.00
TER-25KA-70U	Dummy Load, 25 kw average, 50 kw PEP, with 70 ohms 3 1/8" EIA flange.	8009A	5,750.00
	With AX-279-1 (3 1/8" to 1 5/8" Reducer)†		5,855.00
TER-25KC-70U	Dummy Load, 25 kw average, 50 kw PEP (with directional coupler and 70 ohms 3 1/8" EIA flange)	8009A	6,250.00
	With AX-279-1 (3 1/8" to 1 5/8" Reducer)†		6,355.00
TER-25K-600B	Dummy Load—600Ω Balanced (Steel Case and Casters)	8009A	6,355.00
TER-100K-50U	Dummy Load—50Ω Unbalanced (Steel Case and Casters)	8016	18,750.00
THRA-1	Tuning Drawer Storage Panel for STE/STR, SME/SMR & TTR-10 (Provides oven voltage for each module)		40.00
TIS-3A	Tone Intelligence Unit	2025      245B	1,184.70
TLAA-2.5K	2.5KW PEP TechniMatiC** linear amplifier complete with cabinet (requires 100 milliwatt PEP exciter input).		13,500.00

† Alternate Connector

• For additional flange or connector assemblies for Models TER, refer to TB 8009A and to Connector Products Price Schedule. Add cost of desired connector assembly to basic price.

\*\*TM APPLIED FOR

4/66

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

Prices are subject to change without notice.

MODEL	DESCRIPTION	NEW TB NUMBER	OLD SSB NUMBER	PRICE
TLAA-10K	10KW PEP TechniMatiC** linear amplifier in cabinet (requires 100 milliwatt excitation).			On Request
TLAA-40K	40 KW PEP TechniMatiC** linear amplifier in cabinet (requires 100 milliwatt excitation).			On Request
TMX-1	Voice Frequency Multiplexer (Requires 539 Shelf. See Note under RMX-1)	5002		875.00
TMXI-1	Voice Frequency Multiplexer Same as TMX-1 above except 250 to 6000 cps to meet CCIR requirements	5002		875.00
TOC	Transit/Operating Case	9005	217	445.30
TOC-1	Transit/Operating Case	9005	217	710.95
TOC-2	Transit/Operating Case for spare parts use only.			345.00
TOC-7	Transit/Operating Case			445.30
TRC-100-70U/600B	100 watt Broadband Coupler 70 ohm unbalanced to 600 ohm balanced, basic unit. Without flange or connector assembly.	8015		164.10
	With AX-274-1 (flange for RG-85/U coax)*			181.60
TRC-500-50U/600B	500 watt Broadband Coupler 50 ohm unbalanced to 600 ohm balanced, basic unit. Without flange or connector assembly.	8015		414.30
	With AX-274-1 (flange for RG-85/U coax)*			431.20
TRC-500-70U/600B	500 watt Broadband Coupler 70 ohm unbalanced to 600 ohm balanced, basic unit. Without flange or connector assembly.	8015		414.30
	With AX-274-1 (flange for RG-85/U coax)*			431.20
TRC-3500-50U/600B	3500 watt Broadband Coupler 50 ohm unbalanced to 600 ohm balanced, basic unit. Without flange or connector assembly.	8015		618.75
	With AX-274-1 (flange for RG-85/U coax)*			635.65

\*\* TM APPLIED FOR

4/66

\* For additional flange or connector assemblies for Models TRC, refer to TB 8015 and Connector Products Price Schedule. Add cost of desired connector to basic unit.

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

MODEL	DESCRIPTION	NEW TB NUMBER	PRICE
TRC-3500-70U/600B	3500 watt Broadband Coupler 70 ohm unbalanced to 600 ohm balanced, basic unit. balanced, basic unit. Without flange or connector assembly.	8015	618.75
	With AX- 274-1 (flange for RG-85/U coax) *		635.65
TRC-5000-50U/600B	5000 watt Broadband Coupler 50 ohm unbalanced to 600 ohm balanced, basic unit. Without flange or connector assembly.	8015	1,158.10
	With AX-272-1 (1 5/8" EIA flange) *		1,191.90
TRC-5000-70U/600B	5000 watt Broadband Coupler 70 ohm unbalanced to 600 ohm balanced, basic unit. Without flange or connector assembly.	8015	1,158.10
	With AX-271-1 (1 5/8" EIA flange) *		1,191.90
TRC-20K-50U/600B	20 K watt Broadband Coupler 50 ohm unbalanced to 600 ohms balanced with 3 1/8" EIA Flange	8015	2,285.00
	With AX-278-1 (3 1/8" - 1 5/8" Reducer) †		2,390.00
TRC-20K-70U/600B	20 K watt Broadband Coupler 70 ohm unbalanced to 600 ohm balanced with 3-1/8" EIA Flange	8015	2,285.00
	With AX-279-1 (3 1/8" - 1 5/8" Reducer) †		2,390.00
TSTA-2.5K	Radio Transmitter, TechniMatiC* tuned, 2500 watts PEP. (Less Remoting Facility)	1019	16,796.00
TRX-1	Stabilized Crystal Oscillator (Includes no crystals. Refer to Section D for CR-27A/U crystals)	4006	560.00
TTG-2	Two Tone Generator	6002	230A
TTR-10	Transmitter-Receiver Set, 100 watt, complete with all modules and AC power supply, less remote control accessories.	1004B	5,950.00
TTRR-( )	Receiver converter module	1004B	235.00

† Alternate Connector

RG6

\* For additional flange or connector assemblies for Models TRC, refer to TB 8015 and Connector Products Price Schedule. Add cost of desired connector to basic unit.

Solid State Rectifier kits are available for almost every item appearing in this price schedule. Prices available on request.

Prices are subject to change without notice.

MODEL	DESCRIPTION	NEW TB NUMBER	OLD SSB NUMBER	PRICE
TTRR-6	Receiver converter module for 500 KC $\pm$ 10 KC.			290.00
TTRA-()	Transmitter tuning module			180.00
TTRT-()	Transmitter converter module			295.00
TPSA-1	AC Power Supply			695.00
TPSG-1	DC Power Supply			745.00
KIT-162	Cabinet shock mounts for vehicular installation.			275.00
KIT-163	Slide mounts for TTR-10 for rack installation.			80.00
CAB-9	Desk top cabinet enclosure for TTR-10.			65.00
CAB-10	Desk top cabinet enclosure for SME-1, SMR-1.			45.00
TPC-1	Transmitter/Receiver telephone control desk set with 6 push-buttons for channel and sideband selection of TTR-10.			385.00
TPCK-1	Power Supply for operation of TPC-1 and TTC-1. Provides DC power for ledex motors, telephone handset, etc.			On Request
TTC-1	Transmitter/Receiver, antenna coupler provides four pre-tuned positions. Includes 35 ft. aluminum whip			450.00
HS-100-3C	Handset, push-to-talk, carbon, with cradle.			73.01
HS-100-3D	Handset, push-to-talk dynamic, with cradle. (with built-in pre-amp)			107.76
VLFC-1	VLF Frequency Comparison System	6003		18,000.00
VLRA-1	VLF Receiver 10-100 KCS. 10 channel fixed tuned	3008A		3,450.00
VLRB-1	LF/MF receiver, 30 to 600 KCS, continuous tuned.	3015		3,850.00

MODEL	DESCRIPTION	NEW TB NUMBER	OLD SSB NUMBER	PRICE
VLRC-1	VLF receiver 10 to 40 KCS, continuous tuned.	3017		3,850.00
VOX-5	Variable Frequency Oscillator	2018		1,480.00
VRA-5*	Vertical Receiving Antenna 200-800 kcs (18 ft. aluminum whip)	8004		202.00
VRA-6*	Vertical Receiving Antenna 2-30 mcs (18 ft. aluminum whip)	8004		202.00
VRA-7*	Vertical Receiving Antenna 3-15 mcs. (35 ft. aluminum whip)			220.00
VRA-8*	Vertical Receiving Antenna 200-800 kcs (16 ft. fiberglass whip)			290.00
VRA-9*	Vertical Receiving Antenna 2-30 mcs (16 ft. fiberglass whip)			290.00
VRA-10*	Vertical Receiving Antenna 3-15 mcs (32 ft. fiberglass whip)			340.00
VRA-11*	Vertical Receiving Antenna, 100 kcs to 30 mcs fiberglass whip.	8020		850.00
VRA-12*	Vertical Receiving Antenna, 15 kcs to 300 kcs fiberglass whip.	8020		937.50
XFK-2	Frequency Shift Keyer	2020	118	995.00

\* Standard fitting provided is a female N series connector (AX-259-1). Other connectors available  
—see Connector Products Catalog and Price Schedule.



## SECTION B — ACCESSORIES



B: 1/3

MODEL	DESCRIPTION	PRICE
A-102	Insulator Feed Thru Assembly for Models RAC, HLC, BAC, RTB, TRC-500	\$ 6.52
A-170	Spark Rod Assembly for Model RAC	3.98
A-270	Snubber Arm, Tape Guide	18.55
A-1122	Transformer Sub-assembly for Model RAC	78.10
A-1176	Transformer Sub-assembly for Model RAC-30A and RAC-32	78.10
A-1279	Panel-Chassis Assembly, SBE Mounting (MT-1855/URT-17)	125.90
A-1306	Model CK-2 Assembly less Reel and Snubber Arm (A-270)	89.10
A-1504-12	Carbon Mike Battery Supply, 12 volts DC (used with Navy intercom system for remote control of Model GPT-750)	95.60
A-1567	Relay Assembly for Models TRL	28.10
AW-100-3	Antenna Whip, Stainless Steel, Models VRA, 18 ft.	26.56
AW-101-4	Antenna Whip, Stainless Steel, Models VRA, 35 ft.	243.78
AW-103	Antenna Whip, Fiberglass, 18 ft. Models VRA	On Request
AW-104	Antenna Whip, Fiberglass, 35ft.	On Request
AX-159	Insulator Bowl Assembly for TER, GPT-10K	26.71
AX-196	Insulator Bowl Assembly for Model ATS/TU	16.10
AX-260	Insulator, Feed Thru Assembly for Models TRC-3500	22.13
AX-290	Insulator, Whip Support Assembly for Models VRA, less Whip	65.30
AX-315	Case and Cover Assembly for Models RAC, less Transformer Assembly	72.19
AX-381	Transformer and Mounting Plate Assembly (plug-in lighting gaps and fuses) for Models RAC (CU-836/U)	78.10

MAY 1966

Prices are subject to change without notice.



MODEL	DESCRIPTION	PRICE
AX-382	Transformer Mounting Plate Assembly (air gap lightning, no fuses) for Models RAC	78.10
BM-212	Hardware Kit for RAC, RTB, HLC, BAC and TRC-500	4.24
CAB-1	Cabinet, Steel; ATS/MCU, SWR-3000RM, 20 $\frac{3}{8}$ " w $\times$ 8 $\frac{1}{4}$ " h $\times$ 8" d Panel space — 7" $\times$ 19"	43.75
CAB-2	Cabinet, Steel; RTC, GPR-90, 20 $\frac{3}{8}$ " w $\times$ 10 $\frac{1}{8}$ " h $\times$ 15" d Panel space — 8 $\frac{3}{4}$ " $\times$ 19"	65.90
CAB-3	Cabinet, Steel; PMO, GPR-90RX, 20 $\frac{3}{8}$ " w $\times$ 11 $\frac{7}{8}$ " h $\times$ 17" d Panel space — 10 $\frac{5}{8}$ " $\times$ 19" (CY-2844/U)	79.00
CAB-4	Cabinet, Steel; MSR, 20 $\frac{3}{8}$ " w $\times$ 6 $\frac{5}{8}$ " h $\times$ 18" d Panel space — 5 $\frac{1}{4}$ " $\times$ 19"	39.75
CAB-5	Cabinet, Steel; GSB, GPS, 12 $\frac{1}{8}$ " w $\times$ 10 $\frac{1}{8}$ " h $\times$ 15" d Panel space — 8 $\frac{7}{8}$ " $\times$ 10 $\frac{7}{8}$ "	50.75
GA-103	Gasket, Cover, for Models VRA, RAC, BAC, TRC-500	2.80
MK-102	Dynamic Microphone (w/PTT switch and stand SW-178)	53.10
MK-103	Dynamic Microphone (w/push to talk switch)	76.00
MS-157-	Blank Panel, Rack Mounting Type, Painted Grey, One side $\frac{3}{16}$ " Thk. Alum.	
-1H-S-115	1 $\frac{3}{4}$ " $\times$ 19" $\times$ $\frac{3}{16}$ "	3.70
-2H-S-115	3 $\frac{1}{2}$ " $\times$ 19" $\times$ $\frac{3}{16}$ "	4.25
-3H-S-115	5 $\frac{1}{4}$ " $\times$ 19" $\times$ $\frac{3}{16}$ "	6.00
-4H-S-115	7" $\times$ 19" $\times$ $\frac{3}{16}$ "	7.90
-5H-S-115	8 $\frac{3}{4}$ " $\times$ 19" $\times$ $\frac{3}{16}$ "	8.90
-6H-S-115	10 $\frac{1}{2}$ " $\times$ 19" $\times$ $\frac{3}{16}$ "	10.00
MS-790	Plate, Case Mounting, for Models DAC Suspension on Pole or Messenger Cable	10.60
PM-100	Hinge Pin, for Model RAC, HLC, BAC, RTB, TRC-500	1.55
PM-105	Cover, for Model RAC, HLC, BAC, RTB, TRC-500 p/o AX-315	16.43

MODEL	DESCRIPTION	PRICE
PM-106	Case, Machined, for Models RAC p/o AX-315	52.87
RR-115-100	Replacement Resistor, 100 ohms, for RTB-10, 12, 13	16.15
RR-115-140	Replacement Resistor, 140 ohms, for RTB-3, 11	16.15
RR-115-150	Replacement Resistor, 150 ohms, for RTB-5, 6, 9, 11, 12	16.15
RR-115-175	Replacement Resistor, 175 ohms, for RTB-1, 4, 6, 9, 11, 12	16.15
RR-117-140	Replacement Resistor, 140 ohms, for Model TER-3500	187.55
RR-117-320	Replacement Resistor, 320 ohms, for Model TER-3500	187.55
RR-117-600	Replacement Resistor, 600 ohms, for Model TER-3500	187.55
RR-119-140	Replacement Resistor, 140 ohms, for Models TER-500	124.95
RR-119-300	Replacement Resistor, 300 ohms, for Models TER-500	124.95
RR-120-100	Replacement Resistor, 100 ohms, for Models TER-5000	600.55
RR-120-140	Replacement Resistor, 140 ohms, for Models TER-5000	600.30
RR-120-300	Replacement Resistor, 300 ohms, for Models TER-5000	600.30
RR-120-325	Replacement Resistor, 325 ohms, for Models TER-5000	600.55
SW-176	Replacement Spark Gap for Model RAC-30	15.95
TLI-1	Tower Lighting Transformer, ID-209	157.25
TMA-10K	Transmitter RF Meter Assembly	191.25
TMA-40K	Transmitter RF Meter Assembly	245.00
TRL-1	70 ohm Transmit-Receive Relay Assembly for use with GPT-750 Mark I	36.65
TRL-2	50 ohm Transmit-Receive Relay Assembly for use with GPT-750 Mark I	36.65
TRL-3	50 ohm Sequential Transmit-Receive Relay Assembly for use with GPT-750 Mark II	48.35
TRL-4	70 ohm Sequential Transmit-Receive Relay Assembly for use with GPT-750 Mark II	48.35